

HOW-TO-SELL GUIDE

ThinkVision T SERIES

EMPOWERING
TODAY'S EMPLOYEES
WITH TOOLS
FOR PRODUCTIVITY
AND FLEXIBLE
WORKING



Lenovo

THE CHANGING LANDSCAPE AND THE **MODERN WORKFORCE**

The world of work is changing and the workplace reality that we held to be covenant is altering. Traditional ways of working are gradually getting replaced with a flexible and decentralized, based on employees' working style

Fluidity is here to stay and is slowly making a dent in the 9 to 5 system. This includes the often-time-consuming commute to and from work. Fluid working also greatly reduces this time wasted and makes it possible to be productive, when working, regardless the location.

Employers and business owners are offering³ an improved **employee experience (EX)** to the new workforce.

However, sprucing up workplaces with a foosball table and beanbags is not the answer. There is a need for the right technology that naturally fits this fluidity.



80%

will turn down a new job offer¹ if there is no space for **flexible working**



Flexible workplaces² can experience up to

85%

increase in **business productivity**

¹<https://www.iwgplc.com/global-workspace-survey-2019>

²<https://www.inc.com/peter-economy/the-millennial-workplace-of-future-is-almost-here-these-3-things-are-about-to-change-big-time.html>

³<https://medium.com/compt/16-predictions-on-the-future-of-perks-in-2019-613f98368527>

THE CHANGING LANDSCAPE AND THE MODERN WORKFORCE

The current global workforce is perhaps one of the most generationally diverse ever. Most workplaces have employees who started before technology became commonplace, a generation that grew up with technology, and one born into a world run on advanced tech.

All three groups rely on technology in their everyday lives, and it is only natural that these expectations¹ are mirrored in their workplaces. Flexible working, collaboration, and remote working come naturally to them.

Flexibility is so important that nearly half of workforce² is willing to forgo “corner office” promotions for it.

The modern workforce is made up of³



48%

save on travel, lunch, coffee and other everyday expenses



46%

enjoy skipping the commute



44%

like the flexibility in personal life



Empowering your employees to work from anywhere and in a flexible manner also has the added advantage of keeping your business highly productive and agile.

Experiences in the office comes first.

¹<https://iveybusinessjournal.com/publication/the-millennials-a-new-generation-of-employees-a-new-set-of-engagement-policies/#:~:text=They%20have%20high%20expectations%20for,of%20outmost%20importance%20to%20them.>
²<https://hbr.org/2016/05/what-millennials-want-from-a-new-job>
³Technology and the Evolving World of Work - Lenovo Global IP Research Study, June 2020

HOW YOU AS A DECISION MAKER CAN **IMPROVE** **EMPLOYEES' EX**

How then can you as an employer offer the best experiences at work?

It is possible to achieve great Employee Experience (EX) with the **right tools**; ones that match employees' professional needs. Monitors is one such tool that can make a lot of difference in work output.

You can make significant improvements in EX with the right monitors that cater to your workforce's main asks. A person in a clerical role will not have the asks from a monitor as a graphic designer; being aware of these requirements allows you to make the right decisions.

There is a wide-spread need to upgrade and re-invest in the latest in display technology.

Outdated monitors tend to suffer from color inaccuracy, poor ergonomics, affect eye health, or lack modern connectivity options. All of which make for a good reasons to take a step and **upgrade**.

ThinkVision monitors are more than just an interface between user and computer. They provide a cutting-edge display technology with business-grade visual experience, superior performance, and a design philosophy that puts people first. They can also be the center of your desktop and take both employee experience and business agility to the next level.



CHALLENGES IN THE MODERN WORKPLACE

The first step is understanding what the end users, your employees, want based on their job roles.

Here are some of the pain points that need to be addressed that users experience with their current monitor setup.

60% 

employees are not satisfied with their experiences at work¹

¹Lenovo SMB Study commissioned with Forrester Research - July 2019

ThinkVision

Employees across different job roles struggle with monitor issues that negatively affect their productivity and EX

01



Resolution and aspect ratios that affect work quality

02



Minimal technology support for effective collaboration

03



Cluttered desk causing inefficiency

04



Constraints in connecting to multiple devices

05



Physical fatigue and eye strain while working

06



Devices offering low value for money

WHY THINKVISION T SERIES MONITORS

ThinkVision T Series monitors are created for today's diverse workforce and their individualized workspaces.



Carrying the Think legacy forward, the monitors not only deliver exceptional display performance, but also offer smarter technology to match the modern work style. Offering a wide range of monitors with varied specifications like resolution, color performance, and aspect ratio to choose from, the T Series is designed purposefully.

Enabling smarter collaboration, select T Series monitors come equipped with in-built features that allow for effective collaboration, whether in the office meetings rooms or at their home offices.

T series also have USB-C Hub monitors* that create a monitor-centric desktop by offering a one cable solution to connect all your USB Type-C compatible peripherals. It works like a converter for audio, video, power and data.

Experience the extended utility of multiple peripherals all through one Type-C cable.

Ergonomically designed of T series monitors ensure employee comfort and convenience making for healthy workplaces.


ThinkVision T Series monitors enhance your work environment and contribute to a positive employee experience (EX).

*on select models only

WHY CHOOSE THINKVISION T SERIES MONITORS

Click on icons to explore

Wide range of monitors for different work styles and workplaces



Exceptional display technology for maximized performance



Smarter connectivity options for extended device usage



Tailor-made VoIP monitors for effective collaboration



Enhanced ergonomics for improved user experience



Design that's easy to use and helps declutter desk space

THINKVISION T SERIES MONITORS

ThinkVision



FINANCIAL ANALYSTS

SUPERIOR DISPLAY, IMPROVED ERGONOMICS

Working on large datasets and numbers is part of their everyday job. When combing through several files across multiple spreadsheets and comparing values and cleansing datasets, a multimonitor setup is invaluable. If there is no scope for multiple monitors, an ultra-wide display will also come in handy.

PRODUCT RECOMMENDATION

T27p-10
T32h-20
T32p-20
T34w-20



ARCHITECTS, DIGITAL CONTENT CREATORS

EXCEPTIONAL VISUALS BROADENED CREATIVITY

Designing, drafting, and creating digital content is done by running several specialized software which require monitors that are visually accurate and true-to-life. Only then can the output be of the best quality. These are monitors made to aide content creators and professionals like interior designers and architects put forward their work effectively.

PRODUCT RECOMMENDATION

T27p-10
T32p-20
T27p-10



OFFICE WORKERS

ADVANCED CONNECTIVITY EXPANDED CAPABILITIES

Regular, every day office workers need reliability. Professionals with strict routines require monitors that help them work in the most efficient manner possible. They often work on multiple apps simultaneously and need high flexibility. Monitors that allow quick data transfer, easy connectivity to peripherals, and are compatible with their PCs are sought after.

PRODUCT RECOMMENDATION

T27h-20 T24i-20
T24h-20 T23i-20
T27q-20 T22i-20
T24i-20 T27i-10
T32h-20



HOME OFFICE

ENHANCED EFFICIENCY INCREASED USABILITY

Operating SOHO businesses comes with its unique challenges. Monitors need to switch between business and recreation with ease. They are also likely to connect to multiple peripherals, have vivid display panels and need a monitor that can fit into their limited working space.

PRODUCT RECOMMENDATION

T27h-20
T24h-20
T24m-10
T25m-10




REMOTE WORKERS

EASY COLLABORATION IMPROVED PRODUCTIVITY

Remote workers are the product of the modern workforce who require flexibility in everything they do. Because they are not on-site, collaboration is a big part of their work. VoIP-enabled monitors allow them to get connected into calls and conferences instantly and securely. Advanced camera technology is a basic requirement for these professionals.

PRODUCT RECOMMENDATION

T22v-20
T24v-20



Wide range of monitors for different work styles and workplaces

Aspect ratios:

[Click on Products to explore](#)

16:9



5:4



16:10



21:9





Wide range of monitors for different work styles and workplaces

The ThinkVision T Series monitors are designed keeping in mind the versatility of today's evolving and demanding work environment. With screen sizes ranging from 17 to 34 inches these monitors are designed to fit in any workspace. They cater to a variety of professionals including content creators, researchers, analytics experts, coders, video producers, and designers.

Versatile screen size

Aspect ratios: The varied aspect ratios such as 21:9, 16:10, 16:9, and 5:4, and are built to complement various job roles and business environments perfectly.



16:9 monitors

Provide a wider field of display for modern professionals who need to multitask across applications all day.



16:10 monitors

Ideal for analysts, these monitors provide advanced display technology and 11% more screen area than 16:9 monitors.



21:9 monitors

Ultra-wide displays for when spreadsheets and datasets take up most of the day, like traders in the finance industry.



5:4 monitors

Suitable for basic admin tasks in public sectors such as banks and hospitals, these fit legacy and traditional systems.





Wide range of monitors for different work styles and workplaces

Multiple panel types:

In-Plane Switching panels offer viewing angles (up to 178° horizontally and vertically) and accurate color reproduction, offering vivid experience.

Vertical Aligned panels have better contrast ratio suitable for everyday tasks.

Thoughtful design:

3-side NearEdgeless chassis allows users to multitask effectively by placing two monitors side by side. This design comes with either In-Plane Switching or Vertical Aligned (VA) panels.

T Series monitors with NearEdgeless displays offer:

- Cohesive viewing experience to help users concentrate better and stay more focused
- Same screen size but larger viewing area for greater attention to details
- Convenient multi-monitor setup for effective multitasking

Monitors with 3-side NearEdgeless panel

[ThinkVisionT22i-20](#)
[ThinkVisionT24i-20](#)
[ThinkVisionT24v-20](#)

[ThinkVisionT22v-20](#)
[ThinkVisionT27p-10](#)
[ThinkVisionT25d-10](#)

[ThinkVision T32p-20](#)
[ThinkVision T32h-20](#)
[ThinkVision T34w-20](#)

In-Plane Switching Panel



No change in contrast or color

Conventional



Loss of contrast, washed out colors



Wide range of monitors for different work styles and workplaces

RESOLUTION

Users can experience crystal-clear visuals with high-resolution options such as FHD, QHD, and UHD. With excellent contrast ratio, ThinkVision T Series monitors produces higher quality visuals that allows users to create and consume rich content.

Full-HD (FHD) display panel

Full HD offers a resolution of (1920 x 1080 pixels) for all types of users including public sector and front desk employees where everyday tasks include basic tasks like browsing, curating data, transferring files, and more.

Legacy Super Extended Graphics Array (SXGA)

SXGA with (1280 x 1024 pixels) could fulfill the needs of the traditional working and is more suitable for legacy accessories.


FHD monitors

[ThinkVision T27i-10](#)
[ThinkVision T24v-20](#)
[ThinkVision T24i-20](#)

[ThinkVision T23i-20](#)
[ThinkVision T22v-20](#)
[ThinkVision T22i-20](#)

SXGA monitors

[ThinkVision T1714p](#)
[ThinkVision LT1913p](#)




Full-HD Display

1920 x 1080

¹<https://online.queens.edu/online-programs/mba/resources/infographic/communicating-in-the-workplace>

²Available on select models only





Wide range of monitors for different work styles and workplaces

RESOLUTION

Quad HD (QHD) display panel resolutions:

Quad high definition display offers a display resolution of 2560×1440 pixels for modern workplace workers like video editors and graphics designers. QHD provides clearer details with 1.44 times more pixels than FHD.

QHD displays are also typically larger in size than FHD monitors, so users get better clarity in a larger format. Video editors and those who work with color are likely to prefer a larger display with higher detail. For flexible workers, one QHD monitor fulfills the role of multiple smaller monitors, more so when there is a space crunch. The setup procedure of one monitor could also be simpler when compared to a multi-monitor setup.

QHD monitors


[ThinkVision T32h-20](#)
[ThinkVision T27h-20](#)
[ThinkVision T24h 20](#)



¹<https://online.queens.edu/online-programs/mba/resources/infographic/communicating-in-the-workplace>

²Available on select models only





Wide range of monitors for different work styles and workplaces

RESOLUTION

Ultra-high definition (UHD) and Wide Quad HD (WQHD) resolutions:

UHD and WQHD displays offer spectacular visuals with vivid colors and exceptional clarity required for content creators.

A display resolution of 3440 x 1440 on WQHD display enables extended productivity. The ultra-wide nature of the display allows for a panoramic view, be it editing a storyboard, or looking at multiple spreadsheets.


4K or UHD resolution of 3840 x 2160 on monitors provide exceptional detail, regardless of what is viewed. **With 4 times the number of pixels as an HD display, UHD monitors offer a view that is as true-to-life as possible.**

WQHD monitors

ThinkVision T34w-20

UHD monitors

ThinkVision T32p-20
ThinkVision T27p-10



HD
1280 x 720




UHD
3840 x 2160

¹<https://online.queens.edu/online-programs/mba/resources/infographic/communicating-in-the-workplace>

²Available on select models only






Wide range of monitors for different work styles and workplaces

COLOR PERFORMANCE

The ThinkVision T Series monitors deliver great color performance for content creators to work with enhanced color coverage. **Up to 99% sRGB or 72% NTSC color gamut deliver vibrant and true-to-life colors.** This enables users to work effortlessly on tasks like video editing, color correction, and photo retouching. This makes color consistency a standard for any usage.

With 99% sRGB

Without



99% sRGB Monitors

[ThinkVisionT34w-20](#)
[ThinkVisionT32p-20](#)
[ThinkVisionT32h-20](#)
[ThinkVisionT27h-20](#)
[ThinkVisionT27q-20](#)
[ThinkVisionT27p-10](#)
[ThinkVisionT25m-10](#)
[ThinkVisionT25d-10](#)
[ThinkVisionT24d-10](#)
[ThinkVisionT24h-20](#)

72% NTSC Monitors

[ThinkVisionT27i-10](#)
[ThinkVisionT24v-20](#)
[ThinkVisionT24i-20](#)
[ThinkVisionT23i-20](#)
[ThinkVisionT23d-10](#)
[ThinkVisionT22v-20](#)
[ThinkVisionT22i-20](#)
[ThinkVisionT2054p](#)
[ThinkVisionT1714p](#)
[ThinkVisionLT1913p](#)

¹<https://online.queens.edu/online-programs/mba/resources/infographic/communicating-in-the-workplace>

²Available on select models only





Tailor-made VoIP monitors for effective collaboration

VoIP monitors

[ThinkVision T22v-20](#)
[ThinkVision T24v-20](#)



Efficient collaboration has become imperative in today's workspaces as the workforce is no more limited to the four walls of an office building. In fact, **75% of all employers¹ feel that collaboration is "very important"** in the workplace today. Advanced features such as VoIP functionality allow teams to collaborate effectively wherever they are.

Collaborate without hurdles

- **FHD 1080p IR-RGB Camera** for crisp video perfect for calls
- Integrated **dual array microphone** and built-in **2x3W speakers** for immersive conferencing

User experience takes precedence

- Comfortable **angle adjustable camera** with **face-tracking** always keeps users in frame
- **Full function LTPS stand** for ergonomic and healthy workspaces
- **Volume keys** with **Mic and Speaker Mute Function key** built into the frame, for quick access and minimal distraction

Privacy is a priority

- **FHD camera with IR function** that supports **Windows Hello facial recognition** allows users to log in instantly without typing passwords
- **ThinkShutter Camera Cover** ensures complete privacy during calls by allowing you to cover your camera with a flick
- **Auto Alarm privacy** automatically detects if the **Camera/Mic** are in use

¹<https://online.queens.edu/online-programs/mba/resources/infographic/communicating-in-the-workplace>





Smarter connectivity options for extended device usage



USB Type-C Hub along with multiple connectivity ports such as HDMI, DP, USB Hub, and VGA enable effortless connectivity to multiple peripherals.

A USB-C Hub Monitor forms a hub for user's workspace. Equipped with the USB Type-C technology, the monitor can transfer data, video and audio, and delivery power via a single cable, making it a universal convertor for multiple input signals.

Hub Monitors:

[ThinkVision T34w-20](#)
[ThinkVisionT32h-20](#)
[ThinkVisionT32p-20](#)

[ThinkVisionT27h-20](#)
[ThinkVisionT24h-20](#)

[ThinkVision T27p-10](#)
[ThinkVision T25m-10](#)

With USB Type-C Hub, users can experience:

- **Easy multitasking** by connecting to other laptops, keyboard, mouse, smart phones*, external storage and even printers to create a personalized desktop ecosystem
- **Fast data and video transfer** while enabling simultaneous charging of mobile devices with one cable
- **Optimized power consumption and cost efficiency** with Smart Power technology that dynamically controls the power supply
- **Less cubicle clutter** with a single cable serving multiple purposes
- **Elevated user experience** from the non-directional USB Type-C standard—it is always plugged the right way in
- **Easy to reach**—no need to bend to look for the ports, users can easily connect the devices to the monitor in one step


*Video transfer requires a phone with this capability.





Accessible high technology for maximized performance

The ThinkVision T Series monitors make modern and intuitive in-built technology more accessible to users.



[ThinkVision T34w-20](#)

Curved Screen Monitors Bring:

Total immersion

a screen-size of 34 inches with 1500R curved panel offers an immersive experience that helps users stay focused.

Enhanced productivity

Draws users closer to the content without the need to shift focus, saves time and improves user efficiency with minimized reading and typing speed

Panoramic view

Screen depth and broader view improves users' perceptions, allowing them to carry out everyday tasks conveniently

Healthier for eyes and neck

Ensures eye comfort and reduces neck movement while reading and typing the content





Accessible high technology for maximized performance

The ThinkVision T Series monitors make modern and intuitive in-built technology more accessible to users.



Smart Power technology enabled monitors:

[ThinkVisionT25m-10](#)

[ThinkVisionT32p-20](#)

[ThinkVisionT27p-10](#)

[ThinkVisionT32h-20](#)

[ThinkVisionT34w-20](#)

Smart Power technology:

- Hardware-enabled energy management system on USB Type-C Hub Monitors, it intelligently detects overall power consumption and dynamically manages the power delivery to each connected device.
- Optimizes power distribution up to 75W* through USB Type-C, **increasing energy savings without any loss in performance**. Allows devices charging for smartphones, laptops and tablets, etc.
- **Dynamically controls** power distribution, achieving high energy efficiency and contributing to a **greener world**.

*Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration and may decline with downstream USB ports connected or higher brightness setting.





Enhanced ergonomics for healthy work experience

Employees today spend almost 11 hours a day in front of screens.¹ Users who spend long hours on their monitors can work comfortably with these monitors built for better ergonomics. ThinkVision T Series monitors are TÜV Rheinland Eye Comfort certified and have Lift, Tilt, Pivot, and Swivel (LTPS) functionality to enhance user comfort and convenience. Even the built-in cameras are fully adjustable so that users are framed properly.

1. TÜV Rheinland Eye Comfort certification

Screen flicker is known to cause eye strain because of how often the pupils adjust to accommodate changes in light. Prolonged exposure of blue light can cause irreparable damage to the eyes due to its high-energy spectrum in the visible light.



Eye Comfort

The TÜV Rheinland Eye Comfort certified T Series monitors are eye-friendly which means eyes don't get tired and users can work comfortably.

The monitors offer:

- flicker-free technology
- low blue light solution
- no disturbing reflections
- minimal reduction of image quality



Flicker

Eye Care Technology

Blue Light Filter Off



Enhanced ergonomics for healthy work experience

2. Angle-adjustable camera¹

allows users to adjust the camera to a comfortable position during meetings so they can focus better



3. LTPS design:

The full-function monitor stand provides an improved user comfort. With functionalities such as Lift, Tilt, Pivot, and Swivel, the monitor stand¹ allows employees to adopt a posture that suits their needs and work style. An adjustable tilt angle of $-5^\circ / 35^\circ$, swivel angle of $+45^\circ / -45^\circ$, lift up to 150 mm, and pivot range of $-90^\circ / 90^\circ$ provides² maximum comfort for users while working. Improper ergonomics, caused by sitting hunched over and craning the neck causes pain³ to 98% of its victims, a good reason why LTPS design is necessary.



1. Available on T24v-20 model only

2. Functionality differs based on model

3. <https://www.sciencedaily.com/releases/2019/01/190104131233.html>



Design that's easy to use and helps declutter desk space


Clutter inhibits creativity and productivity.¹ Multiple devices causing cubicle clutter is distracting. ThinkVision T Series helps minimize desk clutter while its space-saving design allows it to effortlessly fit into any workspace.



Cable management Clip



Phone holder



Space saving design



ThinkCentre Tiny Support

Space-saving design: a small base and chassis takes up less space and is designed to be placed close to the wall, leaving more desk space

Cable management feature: a cable management hoop behind the T Series monitors helps keep the wires in place so users can enjoy more space on the desk space

Phone holder: an integrated phone holder allows users to maintain an organized desk space while keeping their phones devices in sight

VESA mount compatibility: using a wall mount helps increase the flexibility of the monitor, simplifying setup in any orientation or angle while moving it off the desk, saving on space as well

Easy to setup: tool-less design makes it easy to setup the monitor.

ThinkCentre Tiny and Nano compatible: a combination clamp² can mount the Tiny and Nano to the back of the monitors.

1. <https://www.entrepreneurshiplife.com/how-clutter-impacts-your-work-productivity/>
2. Sold Separately



ThinkVision T34w

COMPELLING PERFORMANCE FOR ENHANCED PRODUCTIVITY

The ThinkVision T34w, with its 34-inch, 21:9 curved display and 3440 x 1440 resolution, is a productivity enhancer for business professionals. Collaboration is made easy, when working on multiple windows and spreadsheets, with the industry-leading 1500R curvature panel. To make things more convenient, the monitor uses USB Type-C one-cable solution, reducing desk clutter. The TÜV Rheinland Eye Comfort certification ensures minimal eye fatigue, for productive hours of work

FEATURES OF THINKVISION T34w-20



Improved Operational Efficiency

The 34-inch screen with a 21:9 aspect ratio offers about a 12% larger display than a regular 32-inch monitor, resulting in fascinating visuals. The WQHD 3440 x 1440 resolution and the curved display ensure captivating picture quality in a 3-side NearEdgeless screen. Thanks to the industry-leading 1500R curvature panel, business users get more screen real estate, helping them concentrate better on the task at hand and multitask seamlessly.



Productive and Organized Workplace

No more messy desks as the T34w-20 offers a convenient and clutter-free one-cable solution that only uses a single USB Type-C for video, data transfers, and power delivery. The Smart Power technology on the T34w effectively manages USB Type-C power delivery up to 75W and reduces the overall power consumption. HDMI, DP, USB hub and audio output allow you to connect to peripherals, enhancing collaboration.



Efficient and Ergonomically Designed

Designed for ergonomic and space-saving, the monitor has higher lift range and broader tilt angles that swivel for easy collaboration with others. Built with convenience in mind, the monitor comes with an integrated phone holder and flexible cable management to ensure ease of use. The T34w-20 also offers VESA mount capability for flexible deployment at the office. TÜV Rheinland Eye Comfort certification ensures minimal eye strain when working.

*Up to 75W power delivery to compatible devices by USB Type-C



ThinkVision T34w-20

DISPLAY

Panel Size

34-inch

Screen Dimensions

797.22 mm x 333.72 mm

Panel Type

3-side NearEdgeless VA

Curvature

1500R

Backlight

WLED

Aspect Ratio

21:9

Resolution

3440 x 1440

Pixel Pitch

0.2318 x .02318 mm

Dot/Pixel Per Inch (DPI/PPI)

109

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode),
6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

350 cd/m²

Contrast Ratio (typical)

3000:1

Dynamic Contrast Ratio

3M:1

Color Gamut

99% sRGB

Color Support (typical)

16.7 Million

Color Depth

8-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x USB Type-C Gen1 (DP1.2 Alt Mode)
1 x HDMI 2.0
1 x DP 1.2

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB3.2 Gen1 (1 by USB Type-C)

USB Downstream

4 x USB3.2 Gen1 (1 x BC)

POWER

Power Consumption (typ./max.)

46W / 140W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.5W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

34W / 107kWh

Power Supply

Internal

USB Type-C Power Delivery (W)

up to 75W*

Smart Power

Yes

Voltage Required

AC 100 to 240 V (47-63 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 35°

Swivel Angle (left/right)

+45° / -45°

Lift (max range)

135 mm

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width(side)

2.2 mm

Bezel Width(top/bottom)

2.2 / 27.8 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

250.0 x 523.0 x 980.0 mm
9.84 x 20.59 x 38.58 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

245.0 x 462.4 x 808.6 mm
9.65 x 18.21 x 31.84 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

245.0 x 597.4 x 808.6 mm
9.65 x 23.52 x 31.84 inches

Size Unpacked w/o Stand (D x H x W, mm/inch) (head only)

106.1 x 372.6 x 808.6 mm
4.18 x 14.67 x 31.84 inches

Weight Packed (kg/lbs.)

13.85 kg / 30.53 lbs.

Weight Unpacked (kg/lbs.)

9.91 kg / 21.85 lbs.

Weight (monitor head only) (kg/lbs.)

6.91 kg / 15.23 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power cable (1.8 m)

1 x DP cable (1.8 m) (NA only)

1 x USB Type-C to Type-A cable (1.8 m) (NA only)

1 x USB Type-C to Type-C cable (1.8 m)

Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Silver

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 2

TÜV Rheinland Eye Comfort

Yes

*Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration and may decline with downstream USB ports connected or higher brightness setting.

ThinkVision T32p

ENHANCED PRODUCTIVITY ON A WIDER DISPLAY

Unbox unbeatable visual delight and envision better on a 4K UHD resolution of ThinkVision T32p-20. The In-Plane Switching panel and ultra-thin bezels of this 31.5-inch monitor, along with sRGB color gamut, offer wider screen real estate for data-intensive work or designing. TÜV Rheinland Eye Comfort certification ensures eye strain and fatigue are reduced and you are at your productive best. Its ergonomic stand allows you to tilt and lift the monitor based on your convenience, while a phone holder and cable management minimize desk clutter. The one-cable solution coupled with Smart Power function on this USB-C Hub Monitor allows faster data transfer, intelligently detects overall power consumption, and dynamically manages the power delivery to each device.



FEATURES OF THINKVISION T32p-20



Unparalleled Visuals

Get impeccably detailed visuals and 3840 x 2160 resolution on this 3-side NearEdgeless monitor. With four times more pixels than a conventional Full-HD, an In-Plane Switching panel, and 178°/178° viewing angles, ardent professionals can accomplish tasks easily. See a more extensive color space with reduced eye strain, thanks to the 99% sRGB color gamut of this TÜV Rheinland Eye Comfort-certified monitor.



Uninterrupted Productivity

Designed with a host of connectivity options such as DisplayPort, HDMI 2.0, and USB 3.1 Gen1, the monitor offers uninterrupted connections and clear audio for meetings and presentations. The one-cable solution along with the Smart Power function of this USB-C Hub Monitor intuitively distributes power supply up to 75W*, and manages overall power consumption for high efficiency.



Organized Workspace

Choose between VESA mount capability and an ergonomic stand to position your monitor the way you like and work comfortably. You can adjust the screen to fit your needs with its lift, tilt, swivel, and pivot functionality. A smaller base, with a phone holder and cable management, helps you to organize your desk space without any clutter.



ThinkVision T32p-20

DISPLAY

Panel Size

31.5-inch

Screen Dimensions

697.31 mm x 392.23 mm

Panel Type

3-side NearEdgeless
In-Plane Switching

Backlight

WLED

Aspect Ratio

16:9

Resolution

3840 x 2160

Pixel Pitch

0.1816 x 0.1816 mm

Dot/Pixel Per Inch (DPI/PPI)

140

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

350 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio

3M:1

Color Gamut

99% sRGB

Color Support (typical)

1.07 Billion

Color Depth

10-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x USB Type-C Gen1 (DP1.2 Alt Mode)**

1 x HDMI 2.0

1 x DP 1.2

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.2 Gen1 (1 by USB Type-C)

USB Downstream

4 x USB 3.2 Gen1 (1 x BC)

POWER

Power Consumption (typ./max.)

39W / 135W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

26.9W / 84.9kWh

Power Supply

Internal

USB Type-C Power Delivery (W)

up to 75W*

Smart Power

Yes

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 35°

Swivel Angle (left/right)

+45° / -45°

Lift (max range)

135 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width(side)

2.0 mm

Bezel Width(top/bottom)

2.0 / 24.1 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

190.0 x 528.0 x 845.0 mm

7.48 x 20.79 x 32.27 inches

Size Unpacked w/ Stand

(D x H x W, mm/inch) (lowest position)

235.0 x 469.4 x 714.6 mm

9.25 x 18.48 x 28.13 inches

Size Unpacked w/ Stand

(D x H x W, mm/inch) (highest position)

235.0 x 604.4 x 714.6 mm

9.25 x 23.79 x 28.13 inches

Size Unpacked w/o Stand

(head only) (D x H x W, mm/inch)

51.0 x 426.0 x 714.6 mm

2.01 x 16.77 x 28.13 inches

Weight Packed (kg/lbs.)

12.96 kg / 28.57 lbs.

Weight Unpacked (kg/lbs.)

9.85 kg / 21.72 lbs.

Weight (monitor head only) (kg/lbs.)

6.78 kg / 14.95 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power cable (1.8 m)

1 x DP cable (1.8 m) (NA only)

1 x USB Type-C to Type-C cable (1.8 m)

1 x USB Type-C to Type-A cable

(1.8 m) (NA only)

Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Gold

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 1

TÜV Rheinland Eye Comfort

Yes


*Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration and may decline with downstream USB ports connected or higher brightness setting.

**When connecting one cable USB Type-C at 4K 60Hz, the USB downstream will be USB2.0 by default due to technical limitations. Users can still use USB 3.0 by selecting in OSD and as a result, the display will be adjusted to 4K 30Hz.

ThinkVision T32h

AN OUTSTANDING VIEWING EXPERIENCE

Do more than just optimize your productivity with the ThinkVision T32h-20 monitor. Get an enhanced view of and easily navigate through documents, spreadsheets, or designs on this sleek display that complements your modern workspace. Its vast 31.5-inch screen with QHD resolution delivers more screen real estate with higher clarity than FHD, making data-intensive work, number crunching, and content editing a breeze. The one-cable solution USB Type-C, HDMI, and DP ports provide multiple interface options. Integrated with Smart Power the USB Type-C also doubles up as a charger for dynamic consumption and intelligent power management.



FEATURES OF THINKVISION T32h-20 MONITOR



More Ways to Multitask

View greater detail with the T32h-20's 2560 x 1440 resolution and 31.5-inch display. Work on text-heavy documents or large spreadsheets with ease thanks to the monitor's 3-side NearEdgeless bezels that also enable you to use a multi-screen setup. Content and video creators can experience more pixels and vivid images with the 99% sRGB color gamut. This monitor also has an anti-glare screen, making it perfect for open offices.



Productivity without Disruptions

The one-cable solution USB Type-C, HDMI ports, and dedicated DisplayPort make plugging in and sharing your content and creations simpler. The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device. Get up to 75W* of power delivery through the USB Type-C cable with the Smart Power function. Apart from intelligently distributing power to connected USB and USB Type-C devices, it also reduces maximum power consumption.



Optimized Workspace

A smart choice for the modern workplace, the T32h-20 offers comfortable viewing for excellent collaboration and enhanced productivity. Adjust the screen as per your convenience with a high lift range and tilt angle, along with swivel and pivot functionality. Maintain an organized desk and maximize productivity with flexible cable management, an integrated phone holder, a minimized square base and VESA mount capability.

*Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.



ThinkVision T32h-20

DISPLAY

Panel Size

31.5-inch

Screen Dimensions

698.11 mm x 392.69 mm

Panel Type

3-side NearEdgeless In-Plane Switching

Backlight

WLED

Aspect Ratio

16:9

Resolution

2560 x 1440

Pixel Pitch

0.2727 x 0.2727 mm

Dot/Pixel Per Inch (DPI/PPI)

94

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

350 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio

3M:1

Color Gamut

99% sRGB

Color Support (typical)

1.07 Billion

Color Depth

10-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x USB Type-C Gen1 (DP 1.2 Alt Mode)

1 x HDMI 1.4

1 x DP 1.2

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.2 Gen1 (1 by USB Type-C)

USB Downstream

4 x USB 3.2 Gen1 (1 x BC)

POWER

Power Consumption (typ./max.)

28W / 138W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

21.6W / 69.2kWh

Power Supply

Internal

USB Type-C Power Delivery (W)

up to 75W*

Smart Power

Yes

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 35°

Swivel Angle (left/right)

+45° / -45°

Lift (max range)

135 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width(side)

2.0 mm

Bezel Width(top/bottom)

2.0 / 24.1 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

190.0 x 528.0 x 845.0 mm

7.48 x 20.79 x 32.27 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

235.0 x 469.4 x 714.6 mm

9.25 x 18.48 x 28.13 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

235.0 x 604.4 x 714.6 mm /

9.25 x 23.79 x 28.13 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)

51.0 x 426.0 x 714.6 mm

2.01 x 16.77 x 28.13 inches

Weight Packed (kg/lbs.)

12.96 kg / 28.57 lbs.

Weight Unpacked (kg/lbs.)

9.85 kg / 21.72 lbs.

Weight (monitor head only) (kg/lbs.)

6.78 kg / 14.95 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power cable (1.8 m)

1 x DP cable (1.8 m) (NA & LA only)

1 x USB Type-C to Type-A cable

(1.8 m) (NA & LA only)

1 x USB Type-C to Type-C cable (1.8 m)

Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Gold

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 1

TÜV Rheinland Eye Comfort

Yes

ThinkVision T27h

DISPLAY THAT'S CRAFTED FOR SUPERIOR WORK EXPERIENCE

Boost productivity at work with the ThinkVision T27h-20 monitor that allows you to complete data-intensive work and content editing efficiently. The 27-inch In-Plane Switching panel displays accurate and clear details from all angles, while its QHD resolution—with 1.77 times more pixels than a Full-HD display—enhances visual clarity for business professionals. Its 3-side NearEdgeless screen makes it easy to create a multi-screen setup for seamless multitasking. Maximize your desk space with the USB Type-C one-cable solution that comes integrated with Smart Power for better connectivity and power efficiency.



FEATURES OF THINKVISION T27h-20



High-performance Display Solution

The 2560 x 1440 resolution and 27-inch display mean more pixels that offer greater details and make working on large spreadsheets and designs a breeze. Professionals can set up a multi-screen workspace, with 3-side NearEdgeless bezels on the T27h monitor for effortless multitasking. Thanks to the 99% sRGB color gamut, you can get crisp and vibrant images with realistic colors, perfect for content creation.



Smart Connectivity

The USB Type-C one-cable solution, HDMI port, dedicated DisplayPort, and USB hub ensure you have uninterrupted connectivity during meetings or presentations. You can now enjoy a seamless multi-screen experience, thanks to the flexibility of using various peripherals. Additionally, the Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device. Get up to 75W* of power delivery through the USB Type-C cable with the Smart Power function.



Ergonomic and User-friendly Design

This monitor is a smart choice for all businesses. The increased lift range and tilt angle, along with swivel and pivot functionality, let you adjust the screen for easy collaboration and comfortable viewing. An integrated phone holder, VESA mount, minimized square base, and flexible cable management ensure you have a clutter-free desk space.

*Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.



ThinkVision T27h-20

DISPLAY

Panel Size

27-inch

Screen Dimensions

596.74 mm x 335.66 mm

Panel Type

3-side NearEdgeless In-Plane Switching

Backlight

WLED

Aspect Ratio

16:9

Resolution

2560 x 1440

Pixel Pitch

0.2331 x 0.2331 mm

Dot/Pixel Per Inch (DPI/PPI)

109

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

350 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio

3M:1

Color Gamut

99% sRGB

Color Support (typical)

16.7 Million

Color Depth

8-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x USB Type-C Gen1 (DP 1.2 Alt Mode)

1 x HDMI 1.4

1 x DP 1.2

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.2 Gen1 (1 by USB Type-C)

USB Downstream

4 x USB 3.2 Gen1 (1 x BC)

POWER

Power Consumption (typ./max.)

23W / 122W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

18.1W / 57.6kWh

Power Supply

Internal

USB Type-C Power Delivery (W)

up to 75W*

Smart Power

Yes

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 35°

Swivel Angle (left/right)

+45° / -45°

Lift (max range)

135 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width(side)

2.0 mm

Bezel Width(top/bottom)

2.0 / 23.8 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

163.0 x 480.0 x 694.0 mm

6.42 x 18.90 x 27.32 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

208.0 x 429.4 x 614.0 mm

8.19 x 16.90 x 24.17 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

208.0 x 564.4 x 614.0 mm

8.19 x 22.22 x 24.17 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)

46.7 x 369.1 x 614.0 mm

1.84 x 14.53 x 24.17 inches

Weight Packed (kg/lbs.)

9.75 kg / 21.50 lbs.

Weight Unpacked (kg/lbs.)

7.60 kg / 16.76 lbs.

Weight (monitor head only) (kg/lbs.)

5.09 kg / 11.22 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power cable (1.8 m)

1 x DP cable (1.8 m) (NA only)

1 x USB Type-C to Type-C cable (1.8 m)

1 x USB Type-C to Type-A cable (1.8 m)(NA only)

Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Gold

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 1

TÜV Rheinland Eye Comfort

Yes

*Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration and may decline with downstream USB ports connected or higher brightness setting.


ThinkVision T27q

SPACE-SAVING DESIGN FOR EFFICIENT MULTITASKING

Improve your productivity with the ThinkVision T27q-20. This 27-inch monitor has an In-Plane Switching panel and QHD resolution that enhances picture quality for a more detailed view. Create a multi-screen setup with two or more of these 3-sided NearEdgeless displays for seamless multitasking. Versatile connectivity options allow you to connect with peripherals to transfer and receive data with ease. The T27q's space-saving design conforms to ergonomics and ensures that your desk space remains organized for improved productivity.



FEATURES OF THINKVISION T27q-20



Uncompromised Visual Experience

Experience exceptional image quality on the QHD (2560 x 1440), In-Plane Switching display that offers a wide viewing angle. Run applications while checking on multiple spreadsheets—deploy two or more of these 3-sided NearEdgeless monitors side-by-side, for an uninterrupted view and effortless multitasking. Convenient and perfect for any workspace, this monitor helps enhance efficiency.



Efficient and Smart Working

Maximize your productivity with multiple ports by connecting to all essential peripherals effortlessly. The monitor has dedicated DisplayPort, four USB 3.1 Gen1 ports, and an HDMI port for seamless connectivity during meetings and presentations. Connect the monitor to an optional speaker via audio out port for a complete audio visual experience.



Ergonomic and Space-saving Solution

Place your monitor either on its sturdy stand or mount it up on the wall, using VESA mount for comfortable viewing. The extended tilt and lift range is ergonomic, allowing you to spend time in front of the monitor without fatigue. The cable management, smaller base, and integrated phone holder further add to your convenience and help you work efficiently, by keeping your desk space organized.



ThinkVision T27q-20

DISPLAY

Panel Size

27-inch

Screen Dimensions

596.74 mm x 335.66 mm

Panel Type

3-side NearEdgeless In-Plane Switching

Backlight

WLED

Aspect Ratio

16:9

Resolution

2560 x 1440

Pixel Pitch

0.2331 x 0.2331 mm

Dot/Pixel Per Inch (DPI/PPI)

109

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

350 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio

3M:1

Color Gamut

99% sRGB

Color Support (typical)

16.7 Million

Color Depth

8-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x HDMI 1.4

1 x DP 1.2

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.2 Gen1 (1 by USB Type-B)

USB Downstream

4 x USB 3.2 Gen1 (1 x BC)

POWER

Power Consumption (typ./max.)

23W / 65W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

17.4W / 54.4kWh

Power Supply

Internal

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 35°

Swivel Angle (left/right)

+45° / -45°

Lift (max range)

135 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width(side)

2.0 mm

Bezel Width(top/bottom)

2.0 / 23.8 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

163.0 x 480.0 x 694.0 mm

6.42 x 18.9 x 27.32 inches

Size Unpacked w/ Stand

(D x H x W, mm/inch) (lowest position)

208.0 x 429.4 x 614.0 mm

8.19 x 16.9 x 24.17 inches

Size Unpacked w/ Stand

(D x H x W, mm/inch) (highest position)

208.0 x 564.4 x 614.0 mm

8.19 x 22.22 x 24.17 inches

Size Unpacked w/o Stand

(head only) (D x H x W, mm/inch)

46.7 x 369.1 x 614.0 mm

1.84 x 14.53 x 24.17 inches

Weight Packed (kg/lbs.)

9.59 kg / 21.14 lbs.

Weight Unpacked (kg/lbs.)

7.44 kg / 16.4 lbs.

Weight (monitor head only) (kg/lbs.)

4.93 kg / 10.87 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power Cable (1.8 m)

1 x DP cable (1.8 m) (NA & LA only)

1 x USB Type-B to Type-A cable

(1.8 m) (NA & LA only)

Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Gold

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 1

TÜV Rheinland Eye Comfort

Yes

ThinkVision T24i

MODERN BUSINESS DISPLAY CRAFTED FOR PRODUCTIVITY

Power through your day with the ThinkVision T24i-20. Its FHD In-Plane Switching panel and NearEdgeless bezels make it well suited for multi-monitor setups, helping you enhance efficiency. This TÜV Rheinland Eye Comfort-certified monitor is ideal for professionals as it minimizes eye fatigue and strain. Transfer or receive data with ease using varied options to connect other peripherals. The monitor is thoughtfully designed to keep your desk space organized and provide ergonomic benefits. Reduce your overall energy consumption and carbon footprint with the T24i-20, certified by the ENERGY STAR Most Efficient Mark award in 2020.



FEATURES OF THINKVISION T24i-20



Impressive Display From Any Angle

The FHD In-Plane Switching panel does not distort content when viewed from any angle, up to 178° on either side, allowing everyone to work more accurately with greater details. The ThinkVision T24i-20's ultra-thin NearEdgeless bezels maximize screen real estate and enable a seamless multi-monitor setup for easy multitasking and navigation of large documents.



Flexible Connectivity Options

Connect your accessories directly to the monitor through its four USB 3.2 Gen1 downstream ports. Power, video, and data peripherals, along with multiple options for display like VGA, DP1.2, and HDMI 1.4 ensure you experience seamless collaboration. Plug external speakers in through the Audio port for enhanced sound during meetings.



Comfortable Work Environment

The ThinkVision T24i-20's minimized square base, phone holder, and flexible cable management system help you stay organized. Pivot, tilt, swivel, and lift your monitor for a comfortable setup all day long. Installing the monitor on a wall or separate mounting arms is easy with VESA mount compatibility. Stay focused all day long and reduce eye strain with this TÜV Rheinland Eye Comfort-certified monitor.



ThinkVision T24i-20

DISPLAY

Panel Size

23.8-inch

Screen Dimensions

527.04 mm x 296.46 mm

Panel Type

3-side NearEdgeless In-Plane Switching

Backlight

WLED

Aspect Ratio

16:9

Resolution

1920 x 1080

Pixel Pitch

0.2745 x 0.2745 mm

Dot/Pixel Per Inch (DPI/PPI)

93

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

250 cd/m²

Brightness (peak)

250 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Color Gamut

72% NTSC (CIE 1931)

Color Support (typical)

16.7 Million

Color Depth

8-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.2 Gen1

USB Downstream

4 x USB 3.2 Gen1 (1 x BC)

MULTI-MEDIA

Optional Soundbar Support

Yes (PN: 0A36190)

POWER

Power Consumption (typ./max.)

14W / 55W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.3W

Power Supply

Internal

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 35°

Swivel Angle (left/right)

+45° / -45°

Lift (max range)

150 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Tiny Bracket Support

Yes (sold separately)

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width(side)

2.0 mm

Bezel Width(top/bottom)

2.0 / 22.2 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

422.0 x 187.0 x 622.0 mm

16.61 x 7.36 x 24.49 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

205.0 x 409.3 x 539.8 mm

8.07 x 16.11 x 21.25 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

205.0 x 559.3 x 539.8 mm

8.07 x 22.02 x 21.25 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)

42.1 x 326.5 x 539.8 mm

1.66 x 12.85 x 21.25 inches

Weight Packed (kg/lbs.)

8.17 kg / 18.01 lbs.

Weight Unpacked (kg/lbs.)

5.90 kg / 13.01 lbs.

Weight (monitor head only) (kg/lbs.)

3.30 kg / 7.28 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power cable (1.8 m)

1 x DP cable (1.8 m)

1 x USB Type-A to B cable(1.8 m)

Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Gold

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 1


TÜV Rheinland Eye Comfort

Yes

ThinkVision T24h

COMFORTABLE VIEWING IN ANY PROFESSIONAL ENVIRONMENT

Everyday tasks are a breeze with the efficiency of the ThinkVision T24h-20. A well-designed QHD 2560 x 1440 resolution screen, multiple ports, and wide color gamut make it one of the most sought-after 23.8-inch commercial displays available. Transfer data, charge devices, and extend your display from a single port on this USB-C Hub Monitor. It also has a specially engineered panel to reduce glare, an ergonomic stand for improved customization, and a VESA mount for wall mounting.



FEATURES OF THINKVISION T24h-20



Seamless Visuals

The right fit for any business space, the T24h-20 sports a QHD, In-Plane Switching panel that delivers 1.77x higher pixel density than a comparable FHD display. Boost your productivity with a dual or multi-monitor setup taking advantage of the 3-side NearEdgeless bezels that offer a virtually borderless experience. From spreadsheets to rich imagery, see more detail thanks to its 99% sRGB color gamut and 16.7 Million color support.



Extensive Connectivity

The T24h-20's USB Type-C cable solution ensures a seamless connection with compatible devices. Enjoy a superior collaboration experience with a range of ports, including display, audio out, power charging, video, and data. The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device—up to 75W*—to ensure you have uninterrupted performance.

*Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.



Commitment to Ergonomics

Designed for comfort and convenience, lift, tilt, swivel, or pivot the ThinkVision T24h-20 to suit your needs. A flexible cable management system and a small base with an integrated phone holder help you organize your desk with minimal clutter. This TÜV Rheinland Eye Comfort-certified monitor optimizes eye comfort and enables you to work effortlessly.



ThinkVision T24h-20

DISPLAY

Panel Size

23.8-inch

Screen Dimensions

526.84 mm x 296.35 mm

Panel Type

3-side NearEdgeless, In-Plane Switching

Backlight

WLED

Aspect Ratio

16:9

Resolution

2560 x 1440

Pixel Pitch

0.2058 x 0.2058 mm

Dot/Pixel Per Inch (DPI/PPI)

123

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

300 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Color Gamut

99% sRGB

Color Support (typical)

16.7 Million

Color Depth

8-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x USB Type-C Gen1 (DP 1.2 Alt Mode)

1 x HDMI 1.4

1 x DP 1.2

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.2 Gen1 (1 by USB Type-C)

USB Downstream

4 x USB 3.2 Gen1 (1 x BC)

POWER

Power Consumption (typ./max.)

23W / 120W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

16.36W / 53.37kWh

Smart Power*

Yes

USB Type-C Power Delivery (W)

up to 75W*

Power Supply

Internal

Voltage Required

AC 100 to 240 V (47-63 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 35°

Swivel Angle (left/right)

+45° / -45°

Lift (max range)

150 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Tiny Bracket Support

Yes (sold separately)

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width(side)

2.0 mm

Bezel Width(top/bottom)

2.0 / 24.1 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

620.0 x 149.0 x 423.0 mm

24.40 x 5.90 x 16.70 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

205.0 x 420.0 x 539.8 mm

8.07 x 16.50 x 21.30 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

205.0 x 570.0 x 539.8 mm

8.07 x 22.40 x 21.30 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)

44.6 x 325.7 x 539.8 mm

1.80 x 12.80 x 21.30 inches

Weight Packed (kg/lbs.)

8.10 kg / 17.86 lbs.

Weight Unpacked (kg/lbs.)

6.18 kg / 13.60 lbs.

Weight (monitor head only) (kg/lbs.)

3.85 kg / 7.89 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power cable (1.8 m)

1 x DP cable (1.8 m)(NA only)

1 x USB Type-C to Type-C cable (1.8 m)

1 x USB Type-C to Type-A cable (1.8 m) (NA only)

Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Silver

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 1

TÜV Rheinland Eye Comfort

Yes

*Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration and may decline with downstream USB ports connected or higher brightness setting.

ThinkVision T24v

DESIGNED FOR MODERN WORKSPACES

Built to empower the next-generation workforce, the ThinkVision T24v-20 redefines workplace collaboration with its smart, innovative features. This 23.8-inch monitor has an IR camera, which along with Windows Hello and enterprise-grade security, ensures instant and secure login. The camera is equipped with a physical shutter that works as added protection to user privacy. Dual microphones and speakers offer an enhanced VoIP meeting experience. Create a strong first impression with every presentation on its Full-HD, 3-sided NearEdgeless display that delivers brilliant clarity and outstanding visuals. Its ergonomic features offer comfort and convenience for you to work efficiently.

FEATURES OF THINKVISION T24v-20



Smarter and Personalized Security

Safety, security, and speed are the need of the hour and the IR camera, in conjunction with Windows Hello facial recognition, gives you exactly that. No need to remember passwords, or save credentials—just log in using your face. Additionally, the ThinkShutter allows you to cover your camera and the auto-alarm feature notifies you if the camera or microphone is in use, offering uncompromised privacy.



Effective Collaboration

Virtual meetings will now be a breeze. The T24v-20's superior screen format, picture quality, and user functionality ensure that your video calls have top-notch clarity, crystal clear sound, and uninterrupted connectivity—thanks to the 2MP Full-HD camera, dual array microphones, and stereo speakers. A viewing angle of 178° makes it easy to collaborate as multiple users can view on-screen content from anywhere in the room.



Intuitive User Experience

Make your meetings more comfortable and productive. An angle-adjustable camera and an ergonomic stand allow you to adjust the monitor to match your working style. Smart face-tracking technology automatically adjusts your face in the center of the screen, optimizing the display for a perfect VoIP meeting. With an ergonomic design and dedicated control keys, the T24v makes for a smart choice for any business.



ThinkVision T24v-20

DISPLAY

Panel Size

23.8-inch

Screen Dimensions

527.04 mm x 296.46 mm

Panel Type

3-side NearEdgeless In-Plane Switching

Backlight

WLED

Aspect Ratio

16:9

Resolution

1920 x 1080

Pixel Pitch

0.2745 x 0.2745 mm

Dot/Pixel Per Inch (DPI/PPI)

93

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

250 cd/m²

Brightness (peak)

250 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Color Gamut

72% NTSC (CIE 1931)

Color Support (typical)

16.7 Million

Color Depth

8-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

Audio Signal

1 x Audio Combo (3.5 mm; in/out)

USB Hub

Yes

USB Upstream

1 X USB 3.2 Gen1

USB Downstream

2 x USB 3.2 Gen1 (1 x BC)

MULTI-MEDIA

Integrated Webcam

Yes

Integrated Microphone

Yes

Integrated Speakers

Yes (2 x 3W)

POWER

Power Consumption (typ./max)

13W / 44W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

11.36W / 35.68kWh

Power Supply

Internal

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 35°

Swivel Angle (left/right)

+45° / -45°

Lift (max range)

150 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Tiny Bracket Support

Yes (sold separately)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width(side)

1.8 mm

Bezel Width(top/bottom)

1.8 / 22.0 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

418.0 x 187.0 x 644.0 mm

16.46 x 7.36 x 25.35 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

205.0 x 434.0 x 539.8 mm

8.07 x 17.0 x 21.2 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

205.0 x 584.0 x 539.8 mm

8.07 x 23.0 x 21.2 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)

48.35 x 344.3 x 539.8 mm

1.9 x 13.55 x 21.25 inches

Weight Packed (kg/lbs.)

7.86 kg / 17.33 lbs.

Weight Unpacked (kg/lbs.)

5.94 kg / 13.10 lbs.

Weight (monitor head only) (kg/lbs.)

3.48 kg / 7.67 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power cable (1.8 m)

1 x DP cable (1.8 m)

1 x USB Type-A to Type-B cable (1.8 m)

Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Silver

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 1


TÜV Rheinland Eye Comfort

Yes


ThinkVision T23i

VERSATILE MONITOR FOR UNCOMPROMISED PRODUCTIVITY

Enhance your work and experience brilliant visuals on the ThinkVision T23i-20. View crystal-clear details from all angles on this 23-inch monitor that has an In-Plane Switching panel and anti-glare display. Its ultra-thin, 3-side NearEdgeless bezels offer wide screen real estate to let you create and collaborate efficiently. Multiple ports on the ThinkVision T23i-20 allow you to connect to peripherals effortlessly. While enabling efficient working, the monitor, with ergonomic stand and TÜV Rheinland Eye Comfort certification, ensures that you work comfortably.



FEATURES OF THINKVISION T23i-20



Visuals That Enthrall

Crafted for productivity, the In-Plane Switching display with its 1920 x 1080 resolution offers incredible contrast to help you see all the finer details when working on spreadsheets and long-form documents. A 2 mm NearEdgeless bezel allows you to multi-task effectively across two ThinkVision T23i-20 monitors placed side by side. Its 16.7 Million color support accurately reproduces colors, giving you the deepest blacks and the brightest whites.



Seamless and Uninterrupted Connectivity

ThinkVision T23i-20, packed with diverse connectivity options such as HDMI, DisplayPort, and VGA ports, enables seamless audio and visual delivery without compromising on quality. Connect to multiple devices using the four USB 3.2 Gen1 ports on board, one of which is also BC 1.2 compatible that facilitates fast charging.



Premium User Experience

The ThinkVision T23i-20 adjusts to your work style. The lift, tilt, swivel, and pivot functionality of the ergonomic stand—with extended lift range and tilt angle—enhance convenience and comfort. TÜV Rheinland Eye Comfort certified, the display reduces flickers and low blue light emission, minimizing eye strain. What's more, you get a dedicated phone holder, a minimized square base, cable management, and VESA mount capability to keep your desk clean and clutter-free.



DISPLAY

Panel Size

23-inch

Screen Dimensions

509.19 mm × 286.42 mm

Panel Type

3-side NearEdgeless In-Plane Switching

Backlight

WLED

Aspect Ratio

16:9

Resolution

1920 x 1080

Pixel Pitch

0.2652 x 0.2652 mm

Dot/Pixel Per Inch (DPI/PPI)

95.78

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

250 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Color Gamut

75% NTSC (CIE 1931)

Color Support (typical)

16.7 Million

Color Depth

8-bit

Ant-glare

Yes

CONNECTIVITY

Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.2 Gen1 Type-B

USB Downstream

4 x USB 3.2 Gen1 (1 x BC1.2)

POWER

Power Consumption (typ./max.)

14.5W / 52W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

10.52W / 33.73kWh

Power Supply

Internal

Voltage Required

AC 100 to 240 V (47-63 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 35°

Swivel Angle (left/right)

+45° / -45°

Lift (max range)

150 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Tiny Bracket Support

Yes (sold separately)

Nano Bracket Support

Yes (sold separately)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width(side)

2.0 mm

Bezel Width(top/bottom)

2.0 / 22.0 mm

DIMENSION

Weight Packed (kg/lbs.)

7.50 kg / 16.53 lbs.

Weight Unpacked (kg/lbs.)

5.59 kg / 12.32 lbs.

Weight (monitor head only) (kg/lbs.)

3.32 kg / 7.32 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power cable (1.8 m)

1 x DP cable (1.8 m)

Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Gold

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 1


TÜV Rheinland Eye Comfort

Yes

ThinkVision T22i

A PRACTICAL PRODUCTIVITY ENHANCER

A good monitor could be the difference between a productive workday, and one spent squinting and craning at a low-quality display. That's where the Full-HD capabilities and In-Plane Switching panel of the T22i-20 comes in. Get crystal-clear visuals in a 21.5-inch panel that fits any modern workspace. Its 3-side NearEdgeless bezel display lends itself to a seamless multi-screen setup. The monitor's minimalist square base, phone holder, and cable management reduce the clutter around your desk, making it a practical choice for modern workplaces. The monitor is certified as one of the Most Efficient ENERGY STAR products in 2020. This means that it does not just lower your energy costs, but it is also great for the environment.



FEATURES OF THINKVISION T22i-20



See Well, Do More

The ThinkVision T22i-20 is an excellent addition to a modern, open office. Its In-Plane Switching panel and Full-HD 1920 x 1080 resolution give you vibrant and lively content from any angle. The ultra-thin, NearEdgeless bezel design is perfect for multi-screen usage, giving you more screen real estate and helps you focus and work conveniently on text-heavy documents and spreadsheets.



Uninterrupted Connectivity

The monitor comes in-built with a host of ports including a DP 1.2 and HDMI 1.4. For a superior conferencing experience, connect to external speakers and mics using the Audio Out port. The ThinkVision T22i-20 allows seamless data sharing with up to four USB downstream and one USB upstream ports.



Built with You in Mind

The T22i-20's design shows that the convenience of its users comes first. Tilt, swivel, pivot, and a lift range of up to 150 mm allow you to adjust the monitor to fit your needs, reducing back and neck strain. The TÜV Rheinland Eye Comfort certified monitor is flicker-free, and filters out blue light, reducing eye fatigue. The minimized square base has a built-in phone holder, a cable management clip, and VESA mount capability—optimize desk space and look good doing it.



ThinkVision T22i-20

DISPLAY

Panel Size

21.5-inch

Screen Dimensions

476.06 mm x 267.78 mm

Panel Type

3-side NearEdgeless In-Plane Switching

Backlight

WLED

Aspect Ratio

16:9

Resolution

1920 x 1080

Pixel Pitch

0.2479 x 0.2479 mm

Dot/Pixel Per Inch (DPI/PPI)

102.5

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

250 cd/m²

Brightness (peak)

250 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Color Gamut

72% NTSC (CIE 1931)

Color Support (typical)

16.7 Million

Color Depth

8-bit

Ant-glare

Yes

CONNECTIVITY

Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.2 Gen1

USB Downstream

4 x USB 3.2 Gen1 (1 x BC)

MULTI-MEDIA

Optional Soundbar Support

Yes (PN: 0A36190)

POWER

Power Consumption (typ./max.)

12W / 43W

Power Consumption Sleep/Off Mode

< 0.3W

Power Consumption Switch-off Mode

< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

10.4W / 32.97kWh

Power Supply

Internal

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 35°

Swivel Angle (left/right)

+45° / -45°

Lift (max range)

150 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Tiny Bracket Support

Yes (sold separately)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width(side)

1.8 mm

Bezel Width(top/bottom)

1.8 / 22.0 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

390.0 x 187.0 x 577.0 mm

15.35 x 7.36 x 22.72 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

205.0 x 396.0 x 489.3 mm

8.07 x 15.59 x 19.26 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

205.0 x 546.0 x 489.3 mm

8.07 x 21.50 x 19.26 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)

48.5 x 297.4 x 489.3 mm

1.90 x 11.70 x 19.26 inches

Weight Packed (kg/lbs.)

7.20 kg / 15.87 lbs.

Weight Unpacked (kg/lbs.)

5.47 kg / 12.06 lbs.

Weight (monitor head only) (kg/lbs.)

3.01 kg / 6.66 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power cable (1.8 m)

1 x DP cable (1.8 m)

1 x USB Type-A to B cable (1.8 m)

Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Silver

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 1

TÜV Rheinland Eye Comfort

Yes

ThinkVision T22v

PURPOSEFULLY DESIGNED FOR EVERYDAY BUSINESS


Redefine collaboration with the purposefully designed 21.5-inch ThinkVision T22v-20. Designated as one of the Most Efficient ENERGY STAR certified products in 2020, it reduces your carbon footprint while lowering power consumption. A built-in camera, Full-HD display, microphone, and speakers take video conferencing to a whole new level and easy to scale. The integrated IR Camera in conjunction with Windows Hello facial recognition ensures secure login without a password. In addition, the ThinkShutter allows you to cover their camera and the Auto Alarm feature notifies you when the camera or microphone is in use—safeguarding user confidentiality and privacy.

FEATURES OF THINKVISION T22v-20



Effortless Collaboration

Enjoy seamless collaboration on the ThinkVision T22v-20, equipped with an FHD camera, dual-array microphones, and stereo speakers that facilitate an enhanced VoIP meeting experience. The 1920 x 1080 screen offers exceptional visual clarity for effective meetings and presentations.



Uncompromised Security

Privacy is safeguarded with the ThinkShutter that physically covers the camera when not in use. For enhanced privacy, a smart auto-alarm function notifies you if the camera or microphone is in use. The IR camera coupled with Windows Hello ensures secure facial recognition for quick, secure logins.



Amplified Productivity

An angle-adjustable camera, inbuilt with smart face-tracking technology automatically adjusts the user's face to the center of the screen, optimizing the display for a perfect VoIP meeting. Dedicated speaker and microphone control keys make it easy to toggle audio and video during meetings. Increased lift range and tilt angle on this monitor allow you to adjust it to a comfortable position.



ThinkVision T22v-20

DISPLAY

Panel Size

21.5-inch

Screen Dimensions

476.06 mm x 267.78 mm

Panel Type

3-side NearEdgeless In-Plane Switching

Backlight

WLED

Aspect Ratio

16:9

Resolution

1920 x 1080

Pixel Pitch

0.2479 x 0.2479 mm

Dot/Pixel Per Inch (DPI/PPI)

102

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

250 cd/m²

Brightness (peak)

250 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Color Gamut

72% NTSC (CIE 1931)

Color Support (typical)

16.7 Million

Color Depth

8-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

Audio Signal

1 x Audio Combo (3.5 mm; in/out)

USB Hub

Yes

USB Upstream

1 x USB 3.2 Gen1

USB Downstream

2 x USB 3.2 Gen1 (1 x BC)

MULTI-MEDIA

Integrated Webcam

Yes

Integrated Microphone

Yes

Integrated Speakers

Yes (2 x 3W)

POWER

Power Consumption (typ./max.)

13W / 43W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

10.75W / 33.81kWh

Power Supply

Internal

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 35°

Swivel Angle (left/right)

+45° / -45°

Lift (max range)

150 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Tiny Bracket Support

Yes (sold separately)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width (side)

1.8 mm

Bezel Width(top/bottom)

1.8 / 22.0 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

390.0 x 187.0 x 577.0 mm

15.35 x 7.36 x 22.72 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

205.0 x 413.0 x 489.3 mm

8.07 x 16.26 x 19.26 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

205.0 x 563.0 x 489.3 mm

8.07 x 22.16 x 19.26 inches

Size Unpacked w/o Stand (head only)

(D x H x W, mm/inch)

48.3 x 314.4 x 489.3 mm

1.90 x 12.38 x 19.26 inches

Weight Packed (kg/lbs.)

7.22 kg / 15.91 lbs.

Weight Unpacked (kg/lbs.)

5.49 kg / 12.10 lbs.

Weight (monitor head only) (kg/lbs.)

3.03 kg / 6.67 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power cable (1.8 m)

1 x DP cable (1.8 m)

1 x USB Type-A to Type-B cable (1.8 m)

Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Silver

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 1

TÜV Rheinland Eye Comfort

Yes

ThinkVision T27i

MAKING WORK AN IMMERSIVE EXPERIENCE

The ThinkVision T27i-10 is a high-performance monitor that offers long term productivity for intense data and graphic applications. With the borderless In-Plane Switching display and multiple ports for versatile connectivity, the T27i-10 lets you explore your potential and realize it. The NearEdgeless Full-HD display with 2mm bezel make for easy connection to multiple displays with seamless visual clarity. The ergonomic stand is compatible with ThinkCentre Tiny and the sound bar, enabling you to utilize the monitor to the fullest. Eye Comfort certification by TÜV Rheinland ensures these displays are easy on the eyes, giving you the comfort you need.



FEATURES OF THINKVISION T27i-10



NearEdgeless Display

A 1920 x 1080, Full-HD resolution ensures sharp imagery and vivid colors. The space-saving bezel is 2 mm thin, beneficial especially if you are interacting with multiple screens. In-Plane Switching display offers a wide-viewing angle, so you never miss any detail, be it while comparing multiple files or working on complex graphical tasks.



Effective Connectivity

A range of ports such as VGA, DP, and HDMI, ensure your connectivity needs are met. With four USB 3.0 ports, connect to as many devices and increase your productivity.



Practical Design

The ThinkVision T27i-10 is built to support your work and your environment. Easily mount the ThinkCentre Tiny with a clamp the way you like. The toolless design makes it easy to setup the monitor. The sound bar extension is ready to add to your groove.



ThinkVision T27i-10

DISPLAY

Panel Size

27-inch

Screen Dimensions

597.89 mm × 336.31 mm

Panel Type

In-Plane Switching

Backlight

WLED

Aspect Ratio

16:9

Resolution

1920 x 1080

Pixel Pitch

0.3110 × 0.3110 mm

Dot/Pixel Per Inch (DPI/PPI)

81

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Brightness (typical)

250 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Color Gamut

72% NTSC (CIE 1931)

Color Support

16.7 Million

Anti-Glare

Yes

Color Depth

8-bit

CONNECTIVITY

Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

Audio Signal

1 x Audio Port (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.0

USB Downstream

4 x USB 3.0 (1 x BC)

MULTI-MEDIA

Optional Soundbar Support

Yes

POWER

Power Consumption (typ./max.)

22W / 58W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.3W

Power Supply

Internal

Voltage Required

AC 100 to 240 V (47-63 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 30°

Swivel Angle (left/right)

-45° / +45°

Lift (max. range)

110 mm

Pivot

-90° / 90°

VESA Mount

Yes (100 x 100 mm)

Tiny Bracket Support

Yes (sold separately)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width(side)

2.0 mm

Bezel Width(top/bottom)

2.0 / 21.7 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

187.0 x 455.0 x 715.0 mm

7.36 x 17.91 x 28.15 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

269.8 x 403.3 x 611.9 mm

10.62 x 15.88 x 24.09 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

269.8 x 513.3 x 611.9 mm

10.62 x 20.21 x 24.09 inches

Size Unpacked w/o Stand (D x H x W, mm/inch) (head only)

49.9 x 366.5 x 611.9 mm

1.96 x 14.43 x 24.09 inches

Weight Packed (kg/lbs.)

9.32 kg / 20.55 lbs.

Weight Unpacked (kg/lbs.)

6.55 kg / 14.44 lbs.

Weight (monitor head only) (kg/lbs.)

4.60 kg / 10.14 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power cable

1 x VGA cable

1 x DP-DP cable

1 x HDMI cable (NA only)

1 x USB 3.0 cable

Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

7.0

TCO Edge

2.0

EPEAT

Silver

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 2

TÜV Rheinland Eye Comfort

Yes

ThinkVision T27p

AN IDEAL ADDITION TO YOUR MODERN OFFICE

The ThinkVision T27p-10 is designed to provide you with a spectacular viewing experience. The NearEdgeless screen and 3840 x 2160 resolution make it an excellent productivity tool. As a USB-C Hub Monitor, it comes with a perfect one-cable solution for transiting data, video, and power delivery to compatible devices with a USB Type-C port. Multiple USB ports enable easy connectivity to peripherals, making it a truly great investment for professionals in any industry who rely on additional monitors to multitask. Moreover, the ergonomically designed stand with lift, tilt, pivot, and swivel functionalities allow you to adjust the monitor for your comfort.

FEATURES OF THINKVISION T27p-10



Wider Viewing Angle

With the In-Plane Switching technology, and UHD resolution with 1.07 Billion colors, you are assured of crystal-clear picture quality, more natural colors, and wider viewing angles. The ThinkVision T27p-10 provides 4ms response time to minimize motion blur caused by fast-moving images for a superior visual experience.



Versatile Connectivity

The ThinkVision T27p-10 USB-C Hub Monitor helps you eliminate cable clutter with a single, all-in-one data, video, and power connector—the USB Type-C. This coupled with HDMI 2.0, DP 1.2, and four USB 3.1 Gen1 ports will help you effortlessly connect multiple peripherals at once. It also supports Smart Power technology* that manages power consumption and delivery.

*Up to 75W power delivery to compatible devices by USB Type-C



Enhanced User Experience

Reduce the strain on your back and neck with a fully ergonomic monitor stand. Lift, tilt, pivot, or swivel the monitor to adjust it as per your convenience. Protect your eyes from blue light emission with the TÜV Rheinland Eye Comfort certified anti-glare screen. The ThinkVision T27p-10 also supports a soundbar and a ThinkCentre Tiny desktop to further enhance your computing experience.



ThinkVision T27p-10

DISPLAY

Panel Size

27-inch

Screen Dimensions (H x V)

596.74 mm x 335.66 mm

Panel Type

In-Plane Switching

Backlight

WLED

Aspect Ratio

16:9

Resolution

3840 x 2160

Pixel Pitch

0.1554 x 0.1554 mm

Dot/Pixel Per Inch (DPI/PPI)

163

Viewing Angle (H x V @ CR 10:1)

178°/178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Refresh Rate

60 Hz

Brightness (peak)

300 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Brightness (typical)

350 cd/m²

Color Gamut

99% sRGB (CIE 1931)

Color Support

1.07 Billion

Color Depth

10-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

USB 3.1 Type-C (DP1.2 Alt Mode)

1 x HDMI 2.0

1 x DP 1.2

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.1 Gen1 (1 by USB Type-C)

USB Downstream

4 x USB 3.1 Gen1 (1 x BC)

MULTIMEDIA

Optional Soundbar Support

Yes

POWER

Power Consumption (typ./max.)

50W / 140W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

23.4W / 101.94kWh

Smart Power

Yes

USB Type-C power delivery (W)

up to 75 W*

Power Supply

Internal

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 30°

Swivel Angle (left/right)

+45° / -45°

Lift (max range)

110 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100mm)

Tiny Bracket Support

Yes (sold separately)

Kensington Lock Slot

Yes

Bezel Width(side)

2.0 mm

Bezel Width(top/bottom)

2.0 / 24.5 mm

DIMENSIONS

Size Packed (D x H x W)

732.0 x 210.0 x 453.0 mm

28.82 x 8.27 x 17.83 inches

Size Unpacked w/stand (D x H x W, mm/inch) (lowest position)

269.8 x 403.3 x 611.6 mm

10.62 x 15.88 x 24.08 inches

Size Unpacked w/stand (D x H x W) (mm/inch) (highest position)

269.8 x 513.3 x 611.6 mm

10.62 x 20.21 x 24.08 inches

Size Unpacked w/o stand (D x H x W) (mm/inch) (head only)

45.5 x 368.4 x 611.6 mm

1.79 x 14.50 x 24.08 inches

Weight Packed (kg/lbs.)

11.00 kg / 24.25 lbs.

Weight Unpacked (kg/lbs.)

6.95 kg / 15.32 lbs.

Weight (monitor head only) (kg/lbs.)

5.0 kg / 11.02 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power Cable

1 x HDMI Cable

1 x USB Type-C to Type-C cable

Quick Setup Guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

RoHS (EU 2002/95/EC)

Yes

TCO Edge

2.0

EPEAT

Silver

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 2

TÜV Rheinland Eye Comfort

Yes

*Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration and may decline with downstream USB ports connected or higher brightness setting.

ThinkVision T25m

CUTTING-EDGE FEATURES. SOPHISTICATED VISUALS.

The ThinkVision T25m-10 25-inch monitor with a 16:10 aspect ratio, offers 8% larger display area than a traditional 24-inch 16:10 monitor, perfect for professionals who need additional screen real estate. Engineered to produce lifelike visuals, the WUXGA 1920 x 1200 resolution display offers remarkable clarity. Modern connectivity options on the T25m enable easy collaboration along with performance. The USB Type-C cable and integrated speakers combo offers an impressive audio-visual experience. The ergonomic built provides optimum user comfort. With a NearEdgeless screen and smart, productivity-boosting features, the ThinkVision T25m is the next-generation display.



FEATURES OF THINKVISION T25m-10



Stunning Visual Experience

Enjoy stunning views from all angles with the In-Plane Switching display and wide viewing angle. With up to 4ms response time, the WUXGA 16:10 display minimizes motion-blur and eliminates streaking for a seamless viewing experience. The 99% sRGB color space on the monitor makes color consistency a standard for any usage.



Advanced Connectivity

Connect and collaborate easily with ports such as USB Type-C, four USB 3.1 Gen1, HDMI, and DP. The modern USB Type-C port provides audio, data, and video delivery all via a single cable. It also supports the Smart Power function* that intelligently detects overall power consumption and dynamically manages the delivery. Plus, the internal speakers offer an immersive audio experience.

*Up to 75W power delivery to compatible devices by USB Type-C



Clarity with Comfort

Minimize eye fatigue with the TÜV Rheinland Eye Comfort certified anti-glare display that protects the eyes from blue light emission. Find your ideal working position with the lift, tilt, pivot, and swivel functionalities. The tool-free design makes it easy to assemble. Also, the cable management hoop helps keep your desk organized and clutter-free.



ThinkVision T25m-10

DISPLAY

Panel Size

25-inch

Screen Dimensions

535.45 mm x 338.76 mm

Panel Type

In-Plane Switching

Backlight

WLED

Aspect Ratio

16:10

Resolution

1920 x 1200

Pixel Pitch

0.2789 x 0.2823 mm

Dot/Pixel Per Inch (DPI/PPI)

91

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Brightness (peak)

240 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Brightness (typical)

300 cd/m²

Color Gamut

99% sRGB

Color Support

16.7 Million

Color Depth

8-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x HDMI 1.4

1 x DP 1.2

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.1 Gen1 (1 by USB Type-C)

USB Downstream

4 x USB 3.1 Gen1 (1 x BC)

MULTI-MEDIA

Optional Soundbar Support

Yes

Internal Speakers

Yes (3W x 2)

POWER

Power Consumption (typ./max.)

30W / 150W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch Off-Mode

< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

17.05W / 63.12kWh

Smart Power

Yes

USB Type-C power delivery (W)

up to 75 W*

Power Supply

Internal

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 30°

Swivel Angle (left/right)

+ 45° / -45°

Lift (max range)

110 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Tiny Bracket Support

Yes (sold separately)

Kensington Lock Slot

Yes

Bezel Width(side)

2.0 mm

Bezel Width(top/bottom)

2.0 / 22.2 mm

DIMENSIONS

Size Packed (D x H x W, mm/inches)

706.0 x 450.0 x 160.0 mm

27.79 x 17.72 x 6.30 inches

Size Unpacked w/ Stand (D x H x W, mm/inches) (lowest position)

260.4 x 399.5 x 548.7 mm

10.25 x 15.73 x 21.60 inches

Size Unpacked w/ Stand (D x H x W, mm/inches) (highest position)

260.4 x 509.5 x 548.7 mm

10.25 x 20.06 x 21.60 inches

Size Unpacked w/o stand

(D x H x W, mm/inch) (head only)

43.0 x 369.1 x 548.7mm

1.69 x 14.53 x 21.60 inches

Weight Packed (kg/lbs.)

7.80 kg / 17.20 lbs.

Weight Unpacked (kg/lbs.)

5.50 kg / 12.13 lbs.

Weight (monitor head only) (kg/lbs.)

3.58 kg / 7.89 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power Cable

1 x USB Type-C to Type-C cable

Quick Setup Guide

CERTIFICATION

ENERGY STAR Rating

8.0

RoHS (EU 2002/95/EC)

Yes

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Silver

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 2

TÜV Rheinland Eye Comfort

Yes

*Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration and may decline with downstream USB ports connected or higher brightness setting.

ThinkVision T25d

IMPACTFUL PERFORMANCE AT GREAT VALUE

The ThinkVision T25d with its 25-inch NearEdgeless In-Plane Switching screen redefines visual clarity. The 16:10 aspect ratio with 11% more pixels than full-HD offer more screen real estate for seamless multitasking. Versatile HDMI, DisplayPort, and legacy VGA ports enable easy connectivity to your favorite work essentials. Impressive 4ms response time minimizes motion blur, allowing you to enjoy smooth, flicker-free visuals from any angle. Well suited for number crunching, or graphic designing, the ThinkVision T25d monitor is a smart investment for professionals whose job role requires them to be more detail-oriented.

FEATURES OF THINKVISION T25d-10



Superior Viewing Experience

Enjoy 11% more pixel than a full-HD screen and 8% more visual space than a 24-inch 16:10 monitor. The ThinkVision T25d is primed to captivate you with its edge-to-edge visual experience. View accurate colors with the 99% sRGB color gamut that offers unparalleled color range for quality content creation.



Quick Connectivity

Take a break from switching between tabs as the T25d monitor comes equipped with legendary VGA, modern HDMI and DP Ports that allow connectivity to additional monitors. The four USB 3.1 Gen1 ports meet various connectivity needs, enabling you to check off your to-do list faster. Also, the 'USB always-on' mode allows you to charge your devices through the monitor.



Easily Adjustable and Ergonomic

The full-function monitor stand lets you lift, tilt, pivot, or swivel the device, allowing you to work comfortably. You can also install a ThinkCentre Tiny PC easily with the VESA compatible mount to experience fast and powerful computing in a sleek, space-saving design.



ThinkVision T25d-10

DISPLAY

Panel Size

25-inch

Screen Dimensions

533.45 mm x 338.76 mm

Panel Type

In-Plane Switching

Backlight

WLED

Aspect Ratio

16:10

Resolution

1920 x 1200

Pixel Pitch

0.2789 x 0.2823 mm

Dot/Pixel Per Inch (DPI/PPI)

91

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Brightness (peak)

250 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Brightness (typical)

300 cd/m²

Color Gamut

99% sRGB

Color Support

16.7 Million

Color Depth

8-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.1 Gen1

USB Downstream

4 x USB 3.1 Gen1 (1 x BC)

MULTI-MEDIA

Optional Soundbar Support

Yes

POWER

Power Consumption (typ./max.)

25W / 66W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch Off-Mode

< 0.3W

Power Supply

Internal

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

16.54W / 52.06kWh

Voltage Required

AC 100 to 240 V (47-63 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 30°

Swivel Angle (left/right)

+ 45° / -45°

Lift (max range)

110 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Tiny Bracket Support

Yes (sold separately)

Kensington Lock Slot

Yes

Bezel Width(side)

2.0 mm

Bezel Width(top/bottom)

2.0 / 22.2 mm

DIMENSIONS

Size Packed (D x H x W, mm/inch)

706.0 x 450.0 x 160.0 mm

27.79 x 17.72 x 6.30 inches

Size Unpacked w/stand (D x H x W, mm/inch) (lowest position)

260.4 x 399.5 x 548.7 mm

10.25 x 15.73 x 21.60 inches

Size Unpacked w/stand (D x H x W, mm/inch) (highest position)

260.4 x 509.5 x 548.7mm

10.25 x 20.06 x 21.60 inches

Size Unpacked w/o stand (D x H x W, mm/inch) (head only)

43.0 x 369.1 x 548.7mm

1.69 x 14.53 x 21.60 inches

Weight Packed (kg/lbs.)

7.80 kg / 17.20 lbs.

Weight Unpacked (kg/lbs.)

5.50 kg / 12.13 lbs.

Weight (monitor head only) (kg/lbs.)

3.58 kg / 7.89 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power Cable

1 x USB 3.1 Gen1 Cable

1 x HDMI Cable

1 x DP Cable

Quick Setup Guide

CERTIFICATION

ENERGY STAR Rating

8.0

EU RoHS

Yes

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Silver

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 2

TÜV Rheinland Eye Comfort

Yes



ThinkVision T24d

A SLEEK 24" MONITOR WITH OUTSTANDING IMAGE QUALITY.

The sleek, stylish ThinkVision T24d-10 Monitor doesn't just display images – it presents them at over 99% sRGB color gamut and exceptionally crisp 1920 x 1200 resolutions across near-frameless 24" display. Enjoy vivid images across wide (178°/178°) viewing angles with no color distortion or reflection. With elegant slim design, the monitor fits in any workspace. Get the large visual workspace you need with a professional monitor designed to enhance productivity and make collaboration easy.

FEATURES OF THINKVISION T24d-10



Display Performance

Professional performance defines the WUXGA (1920 x 1200) resolution, over 99% sRGB high color gamut, 1000:1 contrast and In-Plane Switching offer exceptional viewing angles. The 300nits brightness, 4ms response time, and with 99% sRGB color gamut that supports up to 16.7M colors, this monitor is an ideal choice for video editors.



Productivity at its Finest

The multiple ports such as USB 3.0, HDMI 1.4, DP 1.2, and VGA allow you to extend their device capabilities and multitask seamlessly. A full-function stand ensures your display sports an executive look regardless of whether you swivel, tilt, pivot, or lift. Paired with near-edgeless screen, you can enjoy a clean look and seamless views across multi-monitor displays.



Ergonomic and Manageable

The ergonomic full-function stand is perfect for collaboration. It supports the new tiny clamp bracket for easy set-up of the ThinkCentre Tiny. With the cable management hoop behind the monitor, you can reduce cable clutter and enjoy more space on the desk.



ThinkVision T24d-10

DISPLAY

Panel Size

24-inch

Screen Dimensions

518.40 mm x 324.00 mm

Panel Type

In-Plane Switching

Backlight

WLED

Aspect Ratio

16:10

Resolution

1920 x 1200

Pixel Pitch

0.2700 x 0.2700 mm

Dot/Pixel Per Inch (DPI/PPI)

94

Viewing Angle (H x V @ CR 10:1)

178°/178°

Response Time

4ms (extreme mode)

7ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

300 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Color Gamut

99% sRGB

Color Support (typical)

16.7 Million

Color Depth

8-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.0

USB Downstream

4 x USB 3.0 Gen1 (1 x BC)

POWER

Power Consumption (typ./max.)

22W / 64W

Power Consumption Sleep/Off Mode

< 0.3W

Power Consumption Switch Off-Mode

< 0.3W

Power Supply

Internal

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 30°

Swivel Angle (left/right)

+45° / -45°

Lift (max. range)

110 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Business Black

Bezel Width(side)

2.0 mm

Bezel Width(top/bottom)

2.0 / 22.7 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

655.0 x 422.0 x 160.0 mm

25.78 x 16.61 x 6.30 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

260.4 x 387.4 x 533.2 mm

10.25 x 15.25 x 20.99 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

260.4 x 497.4 x 533.2 mm

10.25 x 19.58 x 20.99 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)

42.3 x 355.1 x 533.2 mm

1.67 x 13.98 x 20.99 inches

Weight Packed (kg/lbs.)

8.70 kg / 19.18 lbs.

Weight Unpacked (kg/lbs.)

5.63 kg / 12.41 lbs.

Weight (monitor head only) (kg/lbs.)

3.98 kg / 8.77 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power cable (1.8 m)

1 x VGA cable (1.8 m)

1 x DP cable (1.8 m)

1 x HDMI cable (1.8 m, NA only)

1 x USB cable (1.8 m)

Quick Setup Guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

7.0

TCO Edge

2.0

EPEAT

Silver

RoHS (EU 2002/95/EC)

Yes

CCC

Yes

China Energy Efficiency Standard

Tier 2

Windows Certification

Windows 7, Windows 10

TÜV Rheinland Eye Comfort

Yes

ThinkVision T23d

EXPLORE YOUR POTENTIAL

The ThinkVision T23d-10 is a superior monitor that ensures you never miss any detail, be it comparing data-intensive files or while creating content. With the vivid 22.5-inch display and versatile connectivity options, it lets you perform to your full potential. The 16:10 aspect ratio of the T23d-10 makes for an extra wide display and a superior viewing experience. The borderless panel and the super narrow bezel make it ideal for multi-screen connection, adding to your productivity. With up to 4ms response time, the anti-glare display minimizes motion blur and eliminates streaking and ghosting for a smooth interaction.



FEATURES OF THINKVISION T23d-10



Increase Your Efficiency

The 22.5-inch borderless display offers 11% more space, allowing you to do much more. The extra thin bezel is beneficial especially if you are dealing with extensive data and need to work with multiple screens. A variety of ports including VGA, DP, and HDMI allow you to connect to other peripherals and multitask with utmost ease.



Adaptable and Ergonomic

The ThinkVision T23d-10 is built to support you in any work environment. The wide 178° viewing angle eliminates disturbing reflections and makes for a brilliant and bright display, so you don't miss a single detail. Easy to assemble (tool-free), the ergonomic stand can lift, tilt, pivot, and swivel at your will. For a clutter-free desk, manage cables with the clip behind the stand.



Clarity with Comfort

Promoting eye-safety, the ThinkVision T23d-10 comes with the TÜV Rheinland Eye Comfort certification. It is the solution to long hours at the desk. Also, these monitors emit low blue light and offer flicker-free display with no reflections, which lessens eye-strain without hindering your productivity.



ThinkVision T23d-10

DISPLAY

Panel Size

22.5-inch

Screen Dimensions

496.20 mm x 313.90 mm

Panel Type

In-Plane Switching

Backlight

WLED

Aspect Ratio

16:10

Resolution

1920 x 1200

Pixel Pitch

0.2500 x 0.2500 mm

Dot/Pixel Per Inch (DPI/PPI)

100

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)

6ms (normal mode)

Brightness (peak)

250 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Brightness (typical)

300 cd/m²

Color Gamut

72% NTSC (CIE 1931)

Color Support

16.7 Million

Color Depth

8-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

MULTI-MEDIA

Optional Soundbar Support

Yes

POWER

Power Consumption (typ./max.)

15W / 18W

Power Consumption Sleep/Off Mode

< 0.3W

Power Consumption Switch Off-Mode

< 0.3W

Power Supply

Internal

Voltage Required

AC 90 to 264 V (47-63 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 30°

Swivel Angle (left/right)

+ 45° / -45°

Lift (max range)

110 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Tiny Bracket Support

Yes (sold separately)

Kensington Lock Slot

Yes

Bezel Width(side)

2.3 mm

Bezel Width(top/bottom)

2.3 / 22.1 mm

DIMENSIONS

Size Packed (D x H x W, mm/inch)

400.0 X 187.0 X 584.0 mm

15.75 X 7.36 X 22.99 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

251.9 x 381.9 x 501.2 mm

9.90 x 15.04 x 19.73 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

251.9 x 491.9 x 501.2 mm

9.90 x 19.37 x 19.73 inches

Size Unpacked w/o Stand (D x H x W, mm/inch) (head only)

43.4 x 326.5 x 501.2 mm

1.71 x 13.54 x 19.73 inches

Weight Packed (kg/lbs.)

6.84 kg / 15.08 lbs.

Weight Unpacked (kg/lbs.)

4.85 kg / 10.69 lbs.

Weight (monitor head only) (kg/lbs.)

2.87 kg / 6.33 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power Cable

1 x DP-DP cable

1 x VGA cable

Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Silver

ULE

Gold

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 2

TÜV Rheinland Eye Comfort

Yes

ThinkVision T2054p Monitor

HIGH-PERFORMANCE DISPLAY
Space-saving 19.5" display that's built for productivity

ThinkVision T2054p is a real productivity-builder for business. The brilliant 19.5" wide-angle In-Plane Switching display is perfect for everything from tiny text to complex images, and the compact design is a real space-saver. It's perfect for any user with lift-tilt-swivel stand and support for a ThinkCentre Tiny PC bracket. Fully Green-certified, it pairs seamlessly to virtually any device with VGA, DisplayPort 1.2 and HDMI 1.4 ports.



FEATURES OF THINKVISION T2054p



Brilliant Screen Performance

The In-Plane Switching screen displays crisp images from centre to sides with a 16:10 wide-angle view. 16.7 Million colors, 250 nits brightness and 1000:1 contrast ensure a truly vivid display. Graphic designers and video editors can enjoy flawless content creation and editing with the 1440 x 900 pixels resolution and 7ms response time.



Compact, Space-saving Design

This compact monitor fits anywhere you need it, and adjusts for any user with lift-tilt-swivel stand and support for a ThinkCentre Tiny PC clamp bracket. The cable management hoop located behind the monitor lets you bind all cables together, offering a clutter-free desk.



Seamless Connectivity

Use the T2054p seamlessly with virtually any system or device, thanks to VGA, HDMI 1.4 and DisplayPort 1.2 connectivity. Big data analysts and finance experts can expand device capabilities with an array of connectivity ports.



ThinkVision T2054p

DISPLAY

Panel Size

22.5-inch

Screen Dimensions

418.608mm x 262.35mm

Panel Type

In-Plane Switching

Backlight

WLED

Aspect Ratio

16:10

Resolution

1440 X 900

Pixel Pitch

0.0969mm x0.2915mm

Dot/Pixel Per Inch (DPI/PPI)

87.14

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

7ms

Brightness (peak)

250 cd/m²

Contrast Ratio (typical)

1000:1

Color Gamut

72% NTSC (CIE 1931)

Color Support

16.7 Million

Color Depth

8-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

MULTI-MEDIA

Optional Soundbar Support

Yes (PN 0A36190)

POWER

Power Consumption (typ./max.)

14.5W / 21W

Power Consumption Sleep/Off Mode

< 0.3W

Power Consumption Switch Off-Mode

< 0.3W

Power Supply

Internal

Voltage Required

AC 90 to 264 V (47-63 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 22°

Swivel Angle (left/right)

+ 45° / -45°

Lift (max range)

110 mm

VESA Mount Capability

Yes (100 x 100 mm)

MECHANICAL

Tiny Bracket Support

Yes (sold separately)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width(side)

17 mm

Bezel Width(top/bottom)

17 / 17 mm

DIMENSIONS

Size Packed (D x H x W, mm/inch)

176.0 x 368.0 x 509.0 mm

6.93 x 14.49 x 20.04 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

242.6 x 345.9 x 454.2 mm

9.55 x 13.62 x 17.88 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

242.6 x 455.9 x 454.2 mm

9.55 x 17.95 x 17.88 inches

Size Unpacked w/o Stand (D x H x W, mm/inch) (head only)

53.0 x 297.9 x 454.2 mm

2.09 x 11.73 x 17.88 inches

Weight Packed (kg/lbs.)

4.90 kg / 10.80 lbs.

Weight Unpacked (kg/lbs.)

3.70 kg / 8.15 lbs.

Weight (monitor head only) (kg/lbs.)

2.20 kg / 4.90 lbs.

WHAT'S IN THE BOX

Monitor with stand

1 x Power Cable

1 x DP-DP cable

1 x VGA cable

Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

6.0

TCO Edge

2.0

EPEAT

Silver

ULE

Gold

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard


Tier 1

ThinkVision T1714p Essential Monitor

BUILT FOR BUSINESS

Brilliant 17" FHD Monitor with Sleek, Ergonomic Style

Designed for anyone who prefers a traditional 5:4 display format, this sleek, affordable, space-saving 17" monitor delivers outstanding FHD (1280 x 1024) display quality. This monitor delivers outstanding brightness and contrast with a 72% color gamut and 170°/160° viewing angle yet meeting ThinkVision's Green Grand Slam. Sleek and easy to manage, it includes an ultra-flexible Tilt & Lift stand, practical cable management, and supports VESA mounts and Lenovo Tiny brackets.



FEATURES OF THINKVISION T1714p



Outstanding Display Performance

Breeze through everyday tasks on the stunning 17-inch FHD (1280 x 1024) 5:4 ratio display. A 250 nits brightness, 1000:1 contrast, and 16.7 Million colors offers truly vivid visuals with an excellent color performance for content creators.



Primed For Business

VGA, DVI and DisplayPort 1.2 connectivity provides total flexibility to connect to the peripherals. Green certifications include ENERGY STAR 8.0, EPEAT Gold, and more ensure that your monitor is built as per the energy-efficiency standards which reduces power consumption and is designed keeping environmental sustainability in mind.



Easy to Manage

The sleek new profile includes an ultra-flexible Tilt and Lift stand that allows you to adjust the monitor. Practical cable management enables a clear desk space, while the support for VESA and Lenovo Tiny mounts allows for easy mounting and setup of the monitor into a complete desktop system.



ThinkVision T1714p

DISPLAY

Panel Size

17-inch

Screen Dimensions

270.34 mm x 337.92 mm

Panel Type

TN

Backlight

WLED

Aspect Ratio

5:4

Resolution

1280 x 1024

Pixel Pitch

0.2640mm x 0.2640 mm

Dot/Pixel Per Inch (DPI/PPI)

96

Viewing Angle (H x V @ CR 10:1)

170° / 160°

Response Time

5ms (normal mode)

Brightness (peak)

250 cd/m²

Contrast Ratio (typical)

1000:1

Color Gamut

72% NTSC (CIE 1931)

Color Support (typical)

16.7 Million

Color Depth

8-bit

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x DP
1 x VGA
1 x DVI

POWER

Power Consumption (typ./max.)

14W / 18W

Power Consumption Sleep/Off Mode

<0.5W

Power Consumption Switch Off-Mode

< 0.3W

Power Supply

Internal

Voltage Required

AC 90 – 264 V (47-63 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 22°

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Business Black

Bezel Width(side)

17.5 mm

Bezel Width(top/bottom)

17.5 / 17.5 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

454.0 x 191.0 x 406 mm
17.87 x 7.52 x 15.98 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

244.2 x 337.9 x 374.5 mm
9.61 x 13.30 x 14.74 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

244.2 x 447.9 x 374.5 mm
9.61 x 17.63 x 14.74 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)

53 x 306.9 x 374.5 mm
2.09 x 12.08 x 14.74 inches

Weight Packed (kg/lbs.)

5.70 kg / 12.57 lbs.

Weight Unpacked (kg/lbs.)

3.95 kg / 8.71 lbs.

Weight (monitor head only) (kg/lbs.)

2.33 kg / 5.14 lbs.

WHAT'S IN THE BOX

Monitor with Stand
1 x VGA cable (1.8m)
1 x DVI cable (1.8m)
1 x Power cable (1.8m)
Quick setup guide

CERTIFICATION

EPEAT

Silver

ENERGY STAR Rating

8.0

ULE

Gold

CCC

Yes

TCO

7.0

TCO Edge

2.0

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 10, Windows 8.1, Windows 8,
Windows 7


China Energy Efficiency Standard

Tier 1

ThinkVision LT1913p Monitor

SAY GOODBYE TO WORKSPACE CLUTTER 19" In-Plane Switching LED Monitor

The Lenovo ThinkVision LT1913p is an LED display designed to make your workplace neater than ever before. The tool-less stand offers lift, tilt, pivot and swivel options, so you can make the display as comfortable as possible. With the ability to mount a Tiny PC at the back of the display and a host of eco-friendly features, the LT1913p takes workspace efficiency to newer heights.



FEATURES OF THINKVISION LT1913p




Display performance

This 19-inch monitor with VGA or Digital Video Interfaces (DVI) offers excellent HD picture quality. It displays absolute clear picture quality with its In-Plane Switching panel, which is soothing for the human eye after long viewing in office working environment and has extensive wide-angle viewings for immersive viewing.



Simple to Setup and Sustainable

Mount a Tiny PC or another third-party thin client behind the display with the new lamp bracket solution for a clutter-free workspace. ENERGY STAR, EPEAT Gold, RoHS certifications and more reduces the carbon footprint and ensure that your monitor is energy-efficient, sustainable, and environment-friendly in its entire product lifecycle.



Optimized Viewing Comfort

Its detachable tool-less stand provides ergonomic features with its full-function stand of having tilt, lift, pivot and swivel stand functions so that the monitor can be adjusted as per your work style. It displays absolute clear picture quality with its In-Plane Switching panel, which is soothing for the human eye after long viewing in office working environment and has extensive wide angle viewings.



ThinkVision LT1913p

DISPLAY

Panel Size
19-inch

Screen Dimensions
374.78mm x 299.83mm

Panel Type
In-Plane Switching

Aspect Ratio
5:4

Resolution
1280 x 1024

Pixel Pitch
0.0976 x 0.2928 mm

Dot/Pixel Per Inch (DPI/PPI)
86.78

Viewing Angle (H x V @ CR 10:1)
178°/178°

Response Time
7ms (typical)

Brightness (typical)
250 cd/m²

Contrast Ratio (typical)
1000:1

Color Gamut
72% NTSC (CIE 1931)

Color Support (typical)
16.7 Million

Color Depth
8-bit

CONNECTIVITY

Video Input Signals
1 x VGA
1 x DVI

MULTI-MEDIA

Optional Soundbar Support
Yes (PN 0A36190)

POWER CONSUMPTION

Power Consumption (typ./max.)
24W / 27W

Power Consumption Sleep / Off Mode
< 0.5W

Power Supply
Internal

Voltage Required
AC 90 – 264 V (47-63 Hz)

MECHANICAL

Tilt Angle (front/back)
-5° / 30°

Swivel Angle (left/right)
-45° / +45°

Lift
110 mm

Pivot
0° / 90° (clockwise)

VESA Mount Capability
Yes (100 x 100 mm)

Kensington Lock Slot
Yes

Bezel Color
Raven Black

Bezel Width(side)
17.4 mm

Bezel Width(top/bottom)
17.4mm / 0.69inch

DIMENSION

Size Packed (D x H x W, mm/inch)
446.0 x 208.0 x 486 mm
17.50 x 8.19 x 19.13 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)
264.2 x 371.5 x 411 mm
10.40 x 14.63 x 16.18 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)
264.2 x 481.5 x 411.0 mm
10.40 x 18.96 x 16.18 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)
53.0 x 336.0 x 411.0 mm
2.10 x 13.20 x 16.2 inches

Weight Packed (kg/lbs.)
6.80 kg / 14.99 lbs.

Weight Unpacked (kg/lbs.)
4.85 kg / 10.69 lbs.

Weight (monitor head only) (kg/lbs.)
2.85 kg / 6.28 lbs.

WHAT'S IN THE BOX

Monitor with stand
1 x VGA cable (1.8m)
1 x DVI cable (1.8m) (optional)
1 x Power cable (1.8m)
Quick setup guide

CERTIFICATION

ENERGY STAR Rating
8.0

EPEAT
Silver

CCC
Yes

TCO
7.0

TCO Edge
1.1

RoHS (EU 2002/95/EC)
Yes

Windows Certification
Windows 8.1, Windows 8, Windows 7

China Energy Label
Tier 1

ThinkVision

LENOVO THINKVISION T SERIES MONITORS

**EXPAND YOUR VISION.
EXTEND YOUR CAPABILITIES.**

LENOVO WINS. AND SO WILL YOU.



Lenovo

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: ~ 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2020 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.