

ThinkVision M15

LIGHTENED, ENLIGHTENED, EXTENDED PRODUCTIVITY.

LIGHTEN THE LOAD DOING BUSINESS ON THE ROAD.

Make productivity portable with ThinkVision M15. Its stunning form factor is meticulously designed to expand and match the screen real estate of multiple kinds of laptop, this light and slim 15.6-inch FHD resolution mobile monitor weighs just 860g¹ while its head measures a mere 6 mm thick, making it perfect for multi-screen multitasking like spreadsheets in an airport lounge or sharing a presentation with a prospect in a restaurant.

Equipped with two identical USB Type-C² ports, the monitor gives users indispensable Power Pass Through capability. That means they can power both the monitor and the laptop with a single power adapter, up to 65W³, plugged into one port with a USB Type-C² cable connected to the computer from the other port. Or they can simply power M15 from the laptop using just one USB Type-C² connection.

With safety ever in ThinkVision's minds, the M15 mobile monitor also comes equipped with TÜV Rheinland certified Low Blue Light technology, which protects users from eyestrain caused by certain frequencies of blue light. Simply turn it on with the press of a button.



FEATURES OF THINKVISION M15 MONITOR




Lighter. Slimmer. Winner.

M15 does the heavy lifting of your productivity in a surprisingly light package. Just 860g¹ and measuring no more than 6 mm through its head, this considerably crafted mobile monitor doubles users' screen space with a 15.6-inch, In-Plane Switching panel, FHD display, the perfect resolution for a monitor of its size. With expanded screen real estate, work such as comparing detailed spreadsheets is made so much easier, multitasking is a breeze and colleagues or salespeople can mirror or extend their screen to give prospective clients a presentation on their own screen, face to face, even in public spaces. Thanks to M15's integrated, fold-out stand with height adjustment, the monitor will raise up to align with a laptop for the most seamless user experience.



Stay in charge with Power Pass Through

M15 handles power with elegance and simplicity. Its true one-cable design solution means it can run off a single USB Type-C² cable that delivers images, audio and data, as well as power, to the monitor from a connected laptop for supreme convenience on the road. But add to that its second, identical USB Type-C² port and its invaluable Power Pass Through function allows both the monitor and the laptop to be charged from a single USB Type-C² power plug. On top of enjoying this convenient design for power, users can also connect flash disks, earphones or other compatible USB Type-C² devices through the monitor's second USB Type-C² port when it's not in use.



XS size, XL UX

Taking M15 on the road may mean more hours of operation. With that in mind, it's thoughtfully designed to care for users' eyes by protecting them from eye fatigue and strain caused by harmful, high-energy blue-wavelength light. This is done with TÜV Rheinland Low Blue Light certified technology that can be switched on in an instant and left on for as long as users choose. Thought has even been given to the unboxing experience, with newly designed, easy-opening packaging that takes just seconds to have the monitor in users' hands. To keep its already modest weight down, M15's protective sleeve is lightweight, modern and elegant. And it even mounts to the wall by a VESA 100 mm fixture for a more stable solution when users spend time in the office.

ThinkVision M15

DISPLAY

Panel Size

15.6-inch

Screen Dimensions

360.0 mm x 234.0 mm

Panel Type

In-Plane Switching

Active Area

344.16 mm x 193.59 mm

Backlight

WLED

Aspect Ratio

16:9

Resolution

1920 x 1080

Pixel Pitch

0.1793 mm x 0.1793 mm

Dot/Pixel Per Inch (DPI/PPI)

141

Viewing Angle (H x V@CR 10:1)

178° / 178°

Response Time

6ms (Extreme Mode)

14ms (Normal Mode)

Refresh Rate

60 Hz

Brightness (typical)

250 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Color Gamut

45% NTSC (CIE 1931)

Color Support (typical)

16.7 Million

Anti-glare

Yes

CONNECTIVITY

Video Signal

2 x USB Type-C 3.2 Gen1 (DP1.2 Alt Mode)

USB Hub

Yes

USB Upstream

1 x USB 2.0 (1 by USB Type-C)

USB Downstream

1 x USB 2.0 (1 by USB Type-C)

SPECIAL FEATURE

Software

Lenovo ThinkColour
(Lenovo Display Control Center)⁴

Others

Height Adjustment

POWER

Power Consumption (typical/max)

8W / 9.5W

Power Consumption Sleep/Off Mode

< 0.3W

Power Consumption Switch-off Mode

< 0.3W

Energystar Power Consumption (P_{off}/E_{TEC})

5W / 19kWh

Power Supply

External

USB Type-C Power Delivery (W)

up to 65 W³

Voltage Required

DC 5/9/15/20 V

MECHANICAL

Tilt Angle (front/back)

0° / 90°

Lift (Max range)

10 mm

VESA Mount Capability

Yes (2 screws holes, 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width (side)

7.3 mm

Bezel Width (top/bottom)

7.3 / 31.9 mm

DIMENSIONS

Size Packed (D x H x W, mm/inch)

407.9 x 75.9 x 279.9 mm

16.06 x 2.99 x 11.02 inches

Size Unpacked w/ Stand (D x H x W, mm/ inch) (lowest position)

235.5 x 360.0 x 108.4 mm

9.27 x 14.17 x 42.67 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

245.5 x 360.0 x 108.4 mm

9.66 x 14.17 x 42.67 inches

Weight Packed (kg/lbs.)

1.69 kg / 3.73 lbs.

Weight Unpacked (kg/lbs.)

0.86 kg / 1.90 lbs.¹

WHAT'S IN THE BOX

1 x M15 Monitor

1 x Pair of Clips

1 x Sleeve

1 x USB Type-C to Type-C cable (1 m)

Quick Setup Guide

CERTIFICATION

ENERGY STAR Certification

Yes

CCC

Yes

EPEAT

Silver

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 2

TÜV Rheinland Low Blue Light

Yes

TÜV Rheinland Flicker Free

Yes



Lenovo

¹Actual weight may vary due to components, manufacturing process and options. ²USB Type-C* and USB-C* are registered trademarks of USB Implementers Forum. ³Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration and may decline with downstream USB ports connected or higher brightness setting. ⁴This software can only be used with Windows 10.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.1 Gen 1; 10 Gbit/s for USB 3.1 Gen 2 & 20 Gbit/s for USB 3.2.

© 2021 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive.


Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

ThinkVision M14d Mobile Monitor

Stunning visual performance on the go.


Smarter technology for all



The light and portable mobile monitor for those going places.

Today's professionals want to make the most of their time – whether you are traveling, waiting at airport lounges, meeting clients in hotel lobbies, making presentations, or closing a big deal, you live life on the go. And ThinkVision M14d Mobile Monitor is a brilliant solution to your long-felt need. With the ThinkVision M14d Mobile Monitor, you actually have a fully functional and practical second screen that hooks up to your notebook easily. The ThinkVision M14d Mobile Monitor, with its super-slim and light form factor, is designed to make even complicated data work easy, on the go. Its 14-inch screen, 16:10 aspect ratio (compared with traditional 16:9 aspect ratio, 14-inch screen is adding the 5.64% active area), 104 PPI (an increase in 19.9% pixels than FHD screen), 2240 x 1400 resolution screen with 100% sRGB color gamut and 105% sRGB color space ensures rich, clear imagery and true-to-life colors. This mobile monitor comes with two Type-C¹ ports for quick upstream and downstream connectivity, allowing you to connect your notebook effortlessly. In addition, the Type-C¹ ports have the 'power pass-through' feature that allows you to power the monitor and charges your notebook simultaneously. The mobile monitor also has the Natural Low Blue Light technology which reduces the harmful blue light to make viewing a comfortable and stress-free experience without color distortion. ThinkVision M14d – the slim and smart monitor that makes you more productive, even when you are on the move.

Features of ThinkVision M14d Mobile Monitor



The all-out visual performer

The ThinkVision M14d Mobile Monitor has a 2.2K, 104 PPI, 2240 x 1400 resolution screen with IPS panel that offers excellent, sharp performance, and superb visibility from wide viewing angles. Its 16:10 aspect ratio and its 'mirror and extend' feature means that it is perfectly aligned with the viewing format of your 16:10 notebook. This mobile monitor comes with a 100% sRGB color gamut and 105% sRGB color space which is consistent with notebooks and displays rich, true-to-life colors. No wonder it adapts easily to your mobile lifestyle and gives your personal productivity a big boost.

Power pass-through for extra convenience

The ThinkVision M14d Mobile Monitor will delight you with its connectivity and convenience. This monitor comes with 2 x USB Type-C¹ ports with up to 65W power pass-through. This unique feature means you can power your ThinkVision M14d Mobile Monitor and charge your notebook simultaneously while keeping your desk clutter-free. Now, you don't have to worry about charging multiple devices. Just charge your notebook and connect your mobile monitor for uninterrupted performance.

Portable & comfortable

Weighing in at less than 600 grams², this slim, lightweight, ultra-portable monitor's 14-inch screen is just 4.6 mm thick, making it very easy to carry. The ThinkVision M14d Mobile Monitor also comes with Natural Low Blue Light technology that protects your eyes from harmful blue light enables you to have a strain-free viewing experience without color distortion. Even when you are viewing it for long hours. Its Mount feature helps you adjust the monitor for enhanced ergonomics and comfort. In addition, the ThinkVision M14d comes with a height adjustment support feature that further enhances the user experience.

¹ USB Type-C[®] and USB-C[®] are registered trademarks of USB Implementers Forum. | ² Actual weight may vary due to components, manufacturing process and options.

ThinkVision M14d Mobile Monitor

Display

Panel Size

14-inch

Screen Dimensions

306.6 mm x 204.5 mm

Panel Type

In-Plane Switching

Active Area

301.5 mm x 188.5 mm

Backlight

WLED

Aspect Ratio

16:10

Resolution

2240 x 1400

Pixel Pitch

0.135 mm x 0.135 mm

Dot/Pixel Per Inch (DPI/PPI)

104

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

6ms (Extreme Mode), 8ms (Normal Mode)

Refresh Rate

60 Hz

Brightness (Typical)

300 cd/m²

Brightness (Peak)

375 cd/m²

Contrast Ratio (Typical)

1500:1

Dynamic Contrast Ratio (Typical)

3M:1

Color Gamut (Coverage Ratio)

100% sRGB

Color Gamut (Color Area Ratio)

105% sRGB

Color Support (Typical)

16.7 Million

Color Depth

8-bit

Anti-Glare

Yes

Connectivity

Video Signal

2 x USB Type-C¹ Gen 1 (DP 1.2 Alt Mode)

Audio Signal

1 x Audio Out (by USB Type-C¹)

USB Hub

Yes

USB Upstream

1 x USB 2.0 (by USB Type-C¹)

USB Downstream

1 x USB 2.0 (by USB Type-C¹)

Special Features

Software

Yes (Lenovo Display Control Center)²

Natural Low Blue Light

Yes

Power

Power Consumption (Typ. / Max.)

6W / 7.5W

Power Consumption Sleep/Off Mode

≤0.5W

Power Consumption Switch-Off Mode

≤0.3W

ENERGY STAR Power Consumption

(Pon/E_{TEC})
6.85W / 22.71kWh

Power Supply

External

USB Type-C¹ (DP Alt Mode)

Power Delivery³

Up to 65W

USB Type-C¹ (Downstream)

Power Delivery³

Up to 65W

Voltage Required

5V or 9V or 15V DC 3A
or 20V DC 5A Max.

Mechanical

Tilt Angle (Front / Back)

-5° / 95°

Lift (Max. Range)

11 mm

VESA Mount Capability

Yes (2 x Screws Holes, 100 mm)

Kensington Lock Slot

Yes

Bezel Color

Raven Black

Bezel Width (Side)

4.9 mm

Bezel Width (Top / Bottom)

4.9 / 18.9 mm

Dimension

Size Packed

(D x H x W) (mm/inch)
277.0 x 76.0 x 384.0 mm
10.91 x 2.99 x 15.12 inches

Size Unpacked w/ Stand (Lowest Position)

(D x H x W) (mm/inch)
106.4 x 216.5 x 314.4 mm
4.19 x 8.52 x 12.38 inches

Size Unpacked w/ Stand (Highest Position)

(D x H x W) (mm/inch)
106.4 x 227.5 x 314.4 mm
4.19 x 8.96 x 12.38 inches

Size Unpacked w/o Stand (Head Only)

(D x H x W) (mm/inch)
4.6 x 215.3 x 314.4 mm
0.18 x 8.48 x 12.38 inches

Weight Packed (kg / lbs.)

1.8 kg / 4.0 lbs.

Weight Unpacked (kg / lbs.)

0.6 kg / 1.3 lbs.

Weight (Monitor Head Only) (kg / lbs.)

0.4 kg / 0.8 lbs.

What's in the Box

Monitor with Stand

Monitor with Integrated Stand

USB-C Cable (Cable Length)

1 x USB-C Cable (1.0 m)

Quick Setup Guide

Yes

Certification

ENERGY STAR Certification

Yes

CCC

Yes

EPEAT

Silver

Volatile Organic Compound Certification

Yes

RoHS (2011/65/EU)

Yes

Windows Certification

Windows 10, Windows 11

China Energy Efficiency Standard

Tier 1

TÜV Rheinland Low Blue Light

Yes

TÜV Rheinland Flicker Free

Yes

TÜV Low Blue Light (Hardware Solution)

Yes

Eyesafe Display Certification

Yes



¹ USB Type-C* and USB-C* are registered trademarks of USB Implementers Forum. ² This software can only be used with Windows 10 & Windows 11.

³ Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter
technology
for all

Lenovo



PORTABLE USB-C MONITOR CRAFTED FOR IMPROVED PRODUCTIVITY

The ThinkVision M14 is an ultraslim and ultralight mobile monitor. Its 14-inch screen helps you extend your workspace comfortably no matter where work takes you. Compatible with notebooks of any screen size that come with an advanced USB Type-C port*, the ThinkVision M14 can either extend or duplicate your notebook display with one plug. The USB Type-C ports on either side allow both left- and right-handed users to work efficiently, and the ergonomic design enhances user experience. Packed with impressive portability, connectivity, and flexibility features, the ThinkVision M14 is ideal for mobile productivity.



Extreme Portability



Superior Connectivity



Remarkable Flexibility

ACHIEVE TARGETS ON THE GO

The ThinkVision M14 boosts productivity with its thin and light form factor. Weighing 598g*, this 4.4mm sleek mobile monitor enables easy portability. The stylish design with a Full-HD, IPS display provides vivid lifelike visuals, ensuring you never miss out on any detail. With a brightness of 300 nits, the ThinkVision M14 offers a stunning visual experience while consuming content online.



4.4mm sleek: approximately as thin as two USD \$1 coins



Weight
598g*



Screen Size
14 inches




Brightness
300 nits (Typical)



EXPERIENCE ADVANCED CONNECTIVITY


Two innovative USB Type-C ports on either side of the monitor make connectivity effortless. These ports support both power and video delivery simultaneously from a single port. The ThinkVision M14 also offers a 'power pass through' design that powers the mobile monitor by an adapter and charges the notebook at the same time. This feature is suitable for smartphones or notebooks with one USB Type-C port**. The ambidextrous design of this monitor enhances user comfort.



Ambidextrous design: built to enable both left- and right-handed users to work with ease



USB Ports
2 x USB Type-C



Cable
USB Type-C to C

WORK THE WAY YOU LIKE

The ThinkVision M14 with its admirable flexibility is built for varied job roles. With a tilt angle of -5°-90°, you can position your monitor in a way that suits your style. Compare content with ease even as you use laptops of different screen sizes with the ergonomic height adjustable foot. Also, you can wall mount your monitor effortlessly with mounting support for a hands-free viewing experience. The advanced low blue light technology minimizes eye strain, making extended working hours easy.



Height Adjustable Foot
Tilt 0°-90°



Monitor Stand
Tilt -5°-90°



Eye-care Technology
Low blue light



Height Adjustable Foot
Tilt angle: 0°-90°

Monitor Stand
Tilt angle: -5°-90°

Remarkable flexibility: position the monitor in the way that suits your style

*Actual weight may vary due to components, manufacturing process and options.
**For charging usage, a Lenovo branded 65W adapter (Part No.: SA10E75874) is recommended.

TECH SPECS

LCD PANEL

- Panel Size**
14-inch
- Screen Dimensions (W x H, mm)**
309.31 x 173.99 mm
- Panel Type**
In-Plane Switching
- Backlight**
WLED
- Aspect Ratio**
16:9
- Resolution**
1920 x 1080
- Pixel Pitch (H x V, mm)**
0.1611 x 0.1611 mm
- Dot/Pixel Per Inch (DPI/PPI)**
157
- Viewing angle (H x V @ CR 10:1)**
178° / 178°
- Response Time (typical)**
6ms with OD
- Refresh Rate**
60 Hz
- Brightness (typical)**
300 cd/m²
- Contrast Ratio (typical)**
700:1
- Dynamic Contrast Ratio (typical)**
3M:1
- Colour Gamut NTSC (CIE 1931)**
72%
- Color Support (typical)**
16.7 Million
- Color Depth**
8bit (6bit + FRC)
- Anti-Glare**
Yes

CONNECTIVITY

- Video Input Signals**
2 x USB 3.1 Type-C (DPI.2 Alt Mode)

POWER

- Power Consumption (Typ./Max)**
6 W / 7.5 W (Without USB Type-C output)

- ENERGY STAR Power Consumption (P_{on})**
4.88 W

- ENERGY STAR Power Consumption (E_{TEC})**
15.53 kWh

- Power Consumption Sleep/Off Mode**
< 0.3 W

Power Consumption Switch-Off Mode

- < 0.3 W

USB Type-C/Power Delivery

- Up to 65 W

Power Supply

- External (no adapter bundle)

Voltage Required

- DC 5 V to 20 V

MECHANICAL

- Tilt Angle (front/back)**
-5° / 90°
- Mounting Support**
Yes (100 mm)
- Kensington Lock Slot**
Yes
- Cable Management**
Yes
- Bezel Color**
Raven Black
- Bezel Width (Side)**
5.48mm
- Bezel Width (top / bottom)**
5.47 mm / 23.87 mm

DIMENSIONS

- Size Packed (D x H x W) (mm / inch)**
276 x 61 x 402 mm / 10.87 x 2.40 x 15.83 inches
- Size Unpacked w/stand (D x H x W) (mm / inch) (Lowest position)**
96.54 x 220.03 x 323.37 mm / 3.8 x 8.23 x 12.73 inches
- Size Unpacked w/stand (D x H x W) (mm / inch) (Highest position)**
96.54 x 220.03 x 323.37 mm / 3.8 x 8.66 x 12.73 inches
- Stand base footprint area (mm²)**
260.87 x 69.55 mm / 10.27 x 2.74 inches
- Weight Packed (kg / lbs.)**
1.67 kg / 3.67 lbs.
- Weight Unpacked (kg / lbs.)**
0.598 kg / 1.31 lbs.*

WHAT'S IN THE BOX

- 1 x Monitor with stand
- 1 x ThinkVision M14 sleeve
- 1 x USB Type-C cable (1 m)
- 1 x QSG
- 1 x Pair of clips

ENVIRONMENTAL

- Temperature - Operating**
0° to 40°C
- Temperature - Non-operating**
-20° to 60°C
- Humidity - Operating**
30 to 80%
- Humidity - Non-operating**
30 to 90%
- Altitude - Operating**
0 to 5000 m
- Altitude - Non-operating**
0 to 40,000 ft
- Arsenic-free Glass**
Yes
- PVC free**
Yes
- Mercury free**
Yes
- PCC % of plastic resins**
85%

WARRANTY

- Geography Availability**
WW
- Warranty**
3 Years

CERTIFICATIONS

- ENERGY STAR Rating**
8.0
- CCC**
Yes
- EPEAT**
Silver
- RoHS (EU 2002/95/EC)**
Yes (Arsenic free / Pb free / Mercury free)
- Windows Certification**
Windows 7 / 10
- Image Quality Capability**
ISO 9241-307
- China Energy Efficiency Standard**
Tier 2
- Low Blue Light / Eye Comfort**
Yes (Low BlueLight)



PORTABLE WITH A TOUCH OF INSPIRATION

Scale new heights of productivity, flexibility, and style with a touch-enabled mobile monitor. The 14-inch Full-HD slim and light ThinkVision M14t has a 4.6 mm thin monitor head and weighs just 698 grams¹ offering you an extra display whenever you need it. With 10-point touch functionality, enjoy the freedom to design, animate, present, and annotate on an intuitive monitor interface. More than just a display, the M14t comes with a pressure-sensitive active pen for precise sketching and easy navigation. It also has a customized sleeve for protection, and an L-shaped dongle for vertical deployment and better cable management. This compact USB-C Hub Monitor with two USB-C ports works seamlessly with not only the Lenovo Think family laptops but also with other compatible USB-C devices, like your smartphone. The monitor offers ease of use, especially while working on the go. Connect, present, pitch, and create with conviction on the M14t—at the office or on the go.



Portable Display with Picture-perfect Clarity



Intuitive Touch Interface



Exclusive Accessory Combo for Ease of Use

¹Actual weight and thickness may vary due to components, manufacturing process and options.

SEE MORE EVERYWHERE YOU GO

Built for mobile professionals, the M14t's 14-inch Full-HD IPS panel display with super-narrow bezels ensures crisp and accurate visuals with impressive viewing angles, making it ideal for presentations. This sleek ultra-portable monitor with tilt function (-5° / 90°) and a height-adjustable stand (up to 11 mm) allows users to work in a flexible and comfortable viewing position in any work environment. Get a clear view of the display, whether you are outdoors or in an office, with 300 nits brightness capability. Moreover, the TÜV Rheinland Low Blue Light technology lets you work with minimal eyestrain.



Screen Size
14 inches



Brightness
300 nits (typical)





Portability and Flexibility
tilt angle: -5° / 90°
height adjustment: up to 11 mm



Eye Care Technology
TÜV Rheinland Low Blue Light



Height-adjustable Kickstand



DELIVER AS ONLY YOU CAN

Drag, draw, annotate, and collaborate, no matter where you are. The ThinkVision M14t is 10-point touch-enabled for an intuitive interactive experience even on the go, allowing you to create with a personal touch. It comes along with an active digital pen that supports 4096 levels of pressure, so you can draw and sketch with unmatched precision. Switch your view in no time with auto-rotation sensors that don't require software or driver installation. Additionally, an intuitive on-screen-display (OSD) menu enables easy access to brightness, contrast, and rotation settings.



Touch-enabled
Yes, 10-point



Active Pen
Lenovo Digital Pen with 4096 levels of pressure



On-screen-display (OSD) Menu
Yes, for improved customization



Auto-rotation
Yes, with gravity sensors

CONNECT BETTER, WORK EASIER

Built with an innovative dual USB-C design, the M14t can duplicate or extend your screen—be it your smartphone or laptop²—so you're always productive. With data, power, and media capabilities of USB-C, you can create a presentation, transfer data to a hard drive, and enjoy the unique power pass-through function. With dual USB-C port, the power pass-through function supplies power to the M14t and the compatible USB-C device connected to the monitor simultaneously via one AC/DC adapter.³ Enjoy the option of a vertical display setup and better cable management for a clean, easy desktop setup with the L-shaped dongle.



Ports
2 x USB-C (power, data, and video signal transfer)



Power Pass-through
Yes, USB-C to USB-C



Clutter-free Desktop Setup
L-shaped dongle

²Extending screen can only work when the M14t connects with a compatible USB-C laptop or when the smartphone's OS supports.

³When the M14t is connected with an AC/DC adapter, being charged.



Power Pass-through via USB-C



ThinkVision M14t Specifications

<p>DISPLAY</p> <p>Panel Size 14-inch</p> <p>Screen Dimensions 309.31 mm x 173.09 mm</p> <p>Panel Type In-Plane Switching</p> <p>Backlight WLED</p> <p>Aspect Ratio 16:9</p> <p>Resolution 1920 x 1080</p> <p>Pixel Pitch 0.1611 x 0.1611 mm</p> <p>Dot/Pixel Per Inch (DPI/PPI) 157</p> <p>Viewing Angle (H x V @ CR 10:1) 178° / 178°</p> <p>Response Time 6ms (extreme mode) 8ms (normal mode)</p> <p>Refresh Rate 60 Hz</p> <p>Brightness (typical) 300 cd/m²</p> <p>Contrast Ratio (typical) 700:1</p> <p>Dynamic Contrast Ratio (typical) 3M:1</p> <p>Color Gamut 72% NTSC (CIE 1931)</p> <p>Color Support (typical) 16.7 Million</p> <p>Color Depth 8-bit (6-bit + FRC)</p> <p>Touch Yes (10-point touch)</p>	<p>USB Downstream 2 x USB 3.2 Type-C</p> <p>SPECIAL FEATURES</p> <p>Pen/Digitizer Yes</p> <p>POWER</p> <p>Power Consumption (typ./max) 8W / 9.5W</p> <p>Power Consumption Sleep/Off Mode < 0.3W</p> <p>Power Consumption Switch-off Mode < 0.3W</p> <p>ENERGY STAR Power Consumption (P_{on}/E_{TEC}) 7.22W / 25.5kWh</p> <p>Power Supply External**</p> <p>USB Type-C Power Delivery (W) Up to 65 W</p> <p>Voltage Required DC 5 / 9 / 15 / 20 V</p> <p>MECHANICAL</p> <p>Tilt Angle (front/back) -5° / 90°</p> <p>Lift (max range) 11 mm</p> <p>Pivot -90° / 90°</p> <p>Mounting Support Yes (2 screws holes, 100 mm)</p> <p>Kensington Lock Slot Yes</p> <p>Cable Management Yes</p> <p>Bezel Color Raven Black</p> <p>Bezel Width (side) 5.43 mm</p> <p>Bezel Width (top/bottom) 5.43 / 30.38 mm</p> <p>DIMENSIONS</p> <p>Size Packed (D x H x W, mm/inch) 377.0 x 68.0 x 267.0 mm 148.43 x 26.77 x 105.12 inches</p>	<p>Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position) 14.0 x 214.3 x 323.4 mm 0.55 x 8.44 x 12.73 inches</p> <p>Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position) 14.0 x 226.5 x 323.4 mm 0.55 x 8.92 x 12.73 inches</p> <p>Weight Unpacked (kg/lbs.) 1.87 kg / 4.12 lbs.</p> <p>Weight Unpacked* (kg/lbs.) 0.698 kg* / 1.54 lbs.</p> <p>WHAT'S IN THE BOX</p> <ul style="list-style-type: none"> 1 x M14t Monitor 1 x USB Type-C to Type-C cable (1.0m) 1 x Active Pen with battery*** 1 x Sleeve 1 x L-shaped dongle 1 x Pair of clips Quick setup guide <p>CERTIFICATION</p> <p>ENERGY STAR Rating 8.0</p> <p>Yes</p> <p>EPEAT Silver</p> <p>RoHS (EU 2002/95/EC) Yes</p> <p>Windows Certification Windows 7, Windows 10</p> <p>China Energy Efficiency Standard Tier 2</p> <p>TÜV Rheinland Low Blue Light Yes</p>
---	--	--

**not bundled
***For selected regions and countries only.