


THINKVISION T22i

DESIGNED FOR EFFICIENCY



A PRACTICAL PRODUCTIVITY ENHANCER

A good monitor could be the difference between a productive day in the office, and one spent squinting and craning at a low-quality display. That's where the Full-HD capabilities and In-Plane Switching panel of the ThinkVision T22i-20 comes in. You get crystal-clear visuals in a 21.5-inch panel that fits any modern workspace. For those seeking enhanced productivity, the ThinkVision T22i-20's 3-side NearEdgeless bezel display lends itself to a seamless multi-screen setup. The monitor's minimalist square base, phone holder, and cable management reduce the clutter around your desk, making it a practical choice for modern workplaces. The ThinkVision T22i-20 is certified as one of the Most Efficient ENERGY STAR products in 2020. This means that it does not just lower your energy costs, but it is also great for the environment.

Lenovo

FEATURES OF THINKVISION T22i-20



See Well, Do More

The ThinkVision T22i-20 is an excellent addition to a modern, open office. Its In-Plane Switching panel and Full-HD 1920 x 1080 resolution give you vibrant and lively content from any angle. The ultra-thin, NearEdgeless bezel design is perfect for multi-screen usage, giving you more screen real estate and helps you focus and work conveniently on text-heavy documents and spreadsheets.



Uninterrupted Connectivity

The monitor comes in-built with a host of ports including a DP 1.2 and HDMI 1.4. For a superior conferencing experience, connect to external speakers and mics using the Audio Out port. The ThinkVision T22i-20 allows seamless data sharing with up to four USB downstream and one USB upstream ports.



Built with You in Mind

ThinkVision T22i-20's design shows that the convenience of its users comes first. Tilt, swivel, pivot, and a lift range of up to 150 mm allow you to adjust the monitor to fit your needs, reducing back and neck strain. The TÜV Rheinland Eye Comfort certified monitor is flicker-free, and filters out blue light, reducing eye fatigue. The minimized square base has a built-in phone holder, a cable management clip, and VESA mount capability—optimize desk space and look good doing it.

ThinkVision T22i-20

DISPLAY

Panel Size
21.5-inch

Screen Dimensions
476.06 mm x 267.79 mm

Panel Type
3-side NearEdgeless
In-Plane Switching

Backlight
WLED

Aspect Ratio
16:9

Resolution
1920 x 1080

Pixel Pitch
0.2479 x 0.2479 mm

Dot/Pixel Per Inch (DPI/PPI)
102

Viewing Angle (H x V @ CR 10:1)
178° / 178°

Response Time
4ms (extreme mode)
6ms (normal mode)

Refresh Rate
60 Hz

Brightness (typical)
250 cd/m²

Brightness (peak)
250 cd/m²

Contrast Ratio (typical)
1000:1

Dynamic Contrast Ratio (typical)
3M:1

Color Gamut
72% NTSC (CIE 1931)

Color Support (typical)
16.7 Million

Anti-glare
Yes

CONNECTIVITY

Video Signal
1 x HDMI 1.4
1 x DP 1.2
1 x VGA

Audio Signal
1 x Audio Out (3.5 mm)

USB Hub
Yes

USB Upstream
1 x USB 3.2 Gen1

USB Downstream
4 x USB 3.2 Gen1 (1 x BC 1.2)

MULTI-MEDIA

Optional Soundbar Support
Yes (PN: 0A36190)

POWER

Power Consumption (typ./max.)
12W / 43W

Power Consumption Sleep/Off Mode
<0.3W

Power Consumption Switch Off-Mode
<0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})
10.4W / 32.97kWh

Power Supply
Internal

Voltage Required
AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)
-5° / 35°

Swivel Angle (left/right)
+45° / -45°

Lift (max range)
150 mm

Pivot
-90° / 90°

VESA Mount Capability
Yes (100 x 100 mm)

Tiny Bracket Support
Yes (sold separately)

Kensington Lock Slot
Yes

Cable Management
Yes

Bezel Color
Raven Black

Bezel Width (side)
1.8 mm

Bezel Width (top/bottom)
1.8 / 22 mm

DIMENSION

Size Packed (D x H x W, mm/inch)
390.0 x 187.0 x 577.0 mm
15.35 x 7.36 x 22.72 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)
205.0 x 396.0 x 489.3 mm
8.07 x 15.59 x 19.26 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)
205.0 x 546.0 x 489.3 mm
8.07 x 21.50 x 19.26 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)
48.5 x 297.4 x 489.3 mm
1.91 x 11.71 x 19.26 inches

Min. Distance from Table to Panel (lowest pixel at bottom of screen, mm)
121.6 mm

Max. Distance from Table to Panel (highest pixel at bottom of screen, mm)
539.4 mm

Weight Packed (kg/lbs.)
7.20 kg / 15.87 lbs.

Weight Unpacked (kg/lbs.)
5.47 kg / 12.06 lbs.

Weight (monitor head only) (kg/lbs.)
3.01 kg / 6.66 lbs.

Full Container Load (40' STD / 20' STD)
1188 / 550 units

WHAT'S IN THE BOX

Monitor with stand
1 x Power cable (1.8 m)
1 x DP cable (1.8 m)
1 x USB Type-A to B cable (1.8 m)
Quick setup guide

CERTIFICATION

ENERGY STAR Rating
8.0

CCC
Yes

TCO
8.0

TCO Edge
2.0

EPEAT
Silver

RoHS (EU 2002/95/EC)
Yes

Windows Certification
Yes

China Energy Efficiency Standard
Tier 1

TÜV Rheinland Eye Comfort
Yes



Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2020 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.


ThinkVision T22i-30 Monitor

Smarter technology for all

A dazzling display of productivity, comfort, and convenience.

Team-up with the perfect performer.

Crafted to power performance and connectivity, the ThinkVision T22i-30 Monitor is a great force multiplier that lets you get more done. A practical 21.5-inch screen with FHD (1920 x 1080) resolution delivers a remarkably rich viewing experience with sharp and crisp picture quality. The monitor sports an In-Plane Switching panel with wider viewing angles that afford vivid views with no loss of color or contrast when viewed from any direction. Experience a wider color gamut with 99% sRGB. Enjoy a distraction-free viewing landscape with the monitor's 3-side NearEdgeless bezel design that supports a multi-screen setup, delivering seamless generous views with minimal interference. The ThinkVision T22i-30 Monitor's in-built Natural Low Blue Light technology protects your eyes from harmful blue light, while TÜV Rheinland Eye Comfort certification reduces visual fatigue, making it the perfect partner for long working hours. A host of connectivity options including VGA, DP 1.2, HDMI 1.4 with Audio Out, and four USB 3.0 ports ensure you can plug in and connect with effortless ease. A highly adjustable ergonomic stand, with tilt, swivel, lift, and pivot functions help you adjust the monitor to complement your posture and free you of any physical strain. A smaller base with an integrated phone rack saves precious desk real estate. The ThinkVision T22i-30 Monitor stays in step with the latest TCO 9.0 regulations and comes in specially designed environmentally friendly packaging that's easy on your conscience and on the environment. Powered with features that accelerate your productivity, the ThinkVision T22i-30 Monitor takes performance and comfort to a whole new level.




Features of ThinkVision T22i-30 Monitor



Splendid display. Supreme comfort.

The ThinkVision T22i-30 Monitor's 21.5-inch FHD (1920 x 1080) In-Plane Switching screen offers a rich, visually delightful display that's a treat for the eyes. A wide viewing angle ensures even crystal-clear displays across every inch of the screen. Experience true, natural colors as the display hits 99% of the sRGB color range and can reproduce 16.7 million colors. The stand is built ergonomically for your comfort and you can tilt, lift, swivel, and pivot it to position and adjust the monitor to your convenience. The ThinkVision T22i-30 Monitor's lowest position supports optimal seating posture.



Seamless connectivity

Connect easily to multiple screens or devices to experience high-quality video output with the ThinkVision T22i-30 Monitor's VGA, HDMI 1.4, and DP 1.2 ports. The Audio Out port welcomes additional speakers to enhance your listening pleasure. Speed up your work with the monitor's four USB 3.0 ports which offer super-fast data transfer speeds of 10 Gbps, so you don't have to wait for anything. The ThinkVision T22i-30 Monitor's connectivity hub will put you in the fast lane, so you can truly enjoy the freedom of plugging in turning work into play!



Cares for you and the planet

The ThinkVision T22i-30 Monitor supports a one-button joystick behind the screen that gives you easy access to monitor controls. In addition, this monitor is TCO 9.0 compliant, keeping up with the world's most comprehensive sustainability certification for IT products. Natural Low Blue Light technology reduces harmful blue light to care for your eyes, ensuring you experience high color fidelity, while TÜV Rheinland Eye Comfort certification eliminates visual fatigue. The ThinkVision T22i-30 Monitor is thoughtfully encased in paper pulp packaging that's perfectly recyclable and perfectly good for the planet too.

ThinkVision T22i-30 Monitor

Display

Panel Size

21.5-inch

Screen Dimensions

484.4 mm x 271.9 mm

Panel Type

3-side NearEdgeless In-Plane Switching

Active Area

476.1 mm x 267.8 mm

Backlight

WLED

Aspect Ratio

16:9

Resolution

1920 x 1080

Pixel Pitch

0.274 mm x 0.274 mm

Dot/Pixel Per Inch (DPI/PPI)

102

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (Extreme Mode), 6ms (Normal Mode), 14ms (Off Mode)

Refresh Rate

60Hz

Brightness (Typical)

250 cd/m²

Contrast Ratio (Typical)

1000:1

Dynamic Contrast Ratio (Typical)

3M:1

Color Gamut (Coverage Ratio)

99.0% sRGB

Color Gamut (Color Area Ratio)

108.0% sRGB

Color Support (Typical)

16.7 Million

Color Depth

8-bit (6+FRC)

Anti-Glare

Yes

Connectivity

Video Signal

1 x HDMI 1.4
1 x DP 1.2
1 x VGA

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.0 Type-B

USB Downstream

4 x USB 3.0 Type-A

Special Features

Software

Yes

Natural Low Blue Light

Yes

Power

Power Consumption (Typ. / Max.)

15W / 48W

Power Consumption Sleep/Off Mode

< 0.5W (Sleep), < 0.3W (Off DC)

ENERGY STAR Power Consumption

(Pon/E_{TEC})

11.0W / 34.41kWh

Power Supply

Internal

Voltage Required

AC 100 to 240 V (50-60Hz)

Mechanical

Tilt Angle (Front / Back)

-5° / 23.5°

Swivel Angle (Left / Right)

+45° / -45°

Lift (Max. Range)

155 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width (Side)

2.0 mm

Bezel Width (Top / Bottom)

2.0 / 17.3 mm

Dimension

Size Packed

(D x H x W) (mm/inch)

144.0 x 414.0 x 563.0 mm
5.67 x 16.30 x 22.17 inches

Size Unpacked w/ Stand (Lowest Position)

(D x H x W) (mm/inch)

194.7 x 332.4 x 498.3 mm
7.67 x 13.09 x 19.62 inches

Size Unpacked w/ Stand (Highest Position)

(D x H x W) (mm/inch)
194.7 x 487.4 x 498.3 mm
7.67 x 19.19 x 19.62 inches

Size Unpacked w/o Stand (Head Only)

(D x H x W) (mm/inch)
46.4 x 294.7 x 489.3 mm
1.83 x 11.60 x 19.26 inches

Weight Packed (kg / lbs.)

6.8 kg / 15.0 lbs.

Weight Unpacked (kg / lbs.)

4.9 kg / 10.8 lbs.

Weight (Monitor Head Only) (kg / lbs.)

3.0 kg / 6.6 lbs.

What's in the Box

Monitor with Stand

Yes

Power Cable (Cable Length)

1 x Power Cable (1.8 m)

HDMI Cable (Cable Length)

1 x HDMI Cable (1.8 m)

USB Cable (Cable Length)

1 x USB 3.0 Type-A to Type-B Cable (1.8 m)

Quick Setup Guide

Yes

Warranty Booklet

Yes

Certification

ENERGY STAR Certification

Yes

CCC

Yes

TCO

9.0

TCO Edge

2.0

EPEAT

Gold

Volatile Organic Compound Certification

Yes

RoHS (2011/65/EU)

Yes

Windows Certification

Windows 10, Windows 11

China Energy Efficiency Standard

Tier 1

TÜV Rheinland Eye Comfort

Yes

TÜV Rheinland Low Blue Light

Yes

TÜV Rheinland Flicker Free

Yes

TÜV Low Blue Light (Hardware Solution)

Yes

Eyesafe Display Certification

Yes



© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.


Specifications may vary depending upon region.

Smarter
technology
for all

Lenovo

THINKVISION T23i

STUNNING CLARITY. EFFECTUAL COLLABORATION.




VERSATILE MONITOR FOR UNCOMPROMISED PRODUCTIVITY

Enhance your work and experience brilliant visuals on the ThinkVision T23i-20. View crystal-clear details from all angles on this 23-inch monitor that has an In-Plane Switching panel and anti-glare display. Its ultra-thin, 3-side NearEdgeless bezels offer wide screen real estate to let you create and collaborate efficiently. Multiple ports on the ThinkVision T23i-20 allow you to connect to peripherals effortlessly. While enabling efficient working, the monitor, with ergonomic stand and TÜV Rheinland Eye Comfort certification, ensures that you work comfortably.

Lenovo

FEATURES OF THINKVISION T23i-20



Visuals That Enthrall

Crafted for productivity, the IPS display with its 1920 x 1080 resolution offers incredible contrast to help you see all the finer details when working on spreadsheets and long-form documents. A 2 mm NearEdgeless bezel allows you to multi-task effectively across two ThinkVision T23i-20 monitors placed side by side. Its 16.7 Million color support accurately reproduces colors, giving you the deepest blacks and the brightest whites.



Seamless and Uninterrupted Connectivity

ThinkVision T23i-20, packed with diverse connectivity options such as HDMI, DisplayPort, and VGA ports, enables seamless audio and visual delivery without compromising on quality. Connect to multiple devices using the four USB 3.2 Gen 1 ports on board, one of which is also BC 1.2 compatible that facilitates fast charging.



Premium User Experience

The ThinkVision T23i-20 adjusts to your work style. The lift, tilt, swivel, and pivot functionality of the ergonomic stand—with extended lift range and tilt angle—enhance convenience and comfort. TÜV Rheinland Eye Comfort certified, the display reduces flickers and low blue light emission, minimizing eye strain. What's more, you get a dedicated phone holder, a minimized square base, cable management, and VESA mount capability to keep your desk clean and clutter-free.

ThinkVision T23i-20

DISPLAY

Panel Size
23-inch

Screen Dimensions
509.19 mm × 286.42 mm

Panel Type
3-side NearEdgeless
In-Plane Switching

Backlight
WLED

Aspect Ratio
16:9

Resolution
1920 x 1080

Pixel Pitch
0.2652 × 0.2652 mm

Dot/Pixel Per Inch (DPI/PPI)
95.78

Viewing Angle (H x V @ CR 10:1)
178° / 178°

Response Time
4ms (extreme mode)
6ms (normal mode)

Refresh Rate
60 Hz

Brightness (typical)
250 cd/m²

Contrast Ratio (typical)
1000:1

Dynamic Contrast Ratio (typical)
3M:1

Color Gamut
75% NTSC (CIE 1931)

Color Support (typical)
16.7 Million

Anti-glare
Yes

CONNECTIVITY

Video Signal
1 x HDMI 1.4
1 x DP 1.2
1 x VGA

Audio Signal
1 x Audio Out (3.5 mm)

USB Hub
Yes

USB Upstream
1 x USB 3.2 Gen 1
Type-B

USB Downstream
4 x USB 3.2 Gen 1
(1 x BC1.2)

POWER

Power Consumption (typ./max.)
14.5W / 52W

Power Consumption Sleep/Off Mode
< 0.5 W

Power Consumption Switch-off Mode
< 0.3 W

Energystar Power Consumption (P_{on}/E_{TEC})
10.52W / 33.73kWh

Power Supply
Internal

Voltage Required
AC 100 to 240 V (47-63 Hz)

MECHANICAL

Tilt Angle (front/back)
-5° / 35°

Swivel Angle (left/right)
+45° / -45°

Lift (max. range)
150 mm

Pivot
-90° / 90°

VESA Mount Capability
Yes (100 x 100 mm)

Tiny Bracket Support
Yes (sold separately)

Nano Bracket Support
Yes (sold separately)

Kensington Lock Slot
Yes

Cable Management
Yes

Bezel Color
Raven Black

Bezel Width (side)
2.0 mm

Bezel Width (top/bottom)
2.0 / 22.0 mm

DIMENSION

Size Packed (D x H x W, mm/inch)
175 x 387 x 599 mm
6.89 x 15.24 x 23.58 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)
200 x 404.34 x 521.8 mm
7.87 x 15.92 x 20.54 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)
200 x 554.34 x 521.8 mm
7.87 x 21.82 x 20.54 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)
44.82 x 316.31 x 521.8 mm
1.76 x 12.45 x 20.54 inches

Min. Distance from Table to Panel (lowest pixel at bottom of screen, mm)
111.62 mm

Max. Distance from Table to Panel (highest pixel at bottom of screen, mm)
398.04 mm

Weight Packed (kg/lbs.)
7.5 kg / 16.53 lbs.

Weight Unpacked (kg/lbs.)
5.59 kg / 12.32 lbs.

Weight (monitor head only) (kg/lbs.)
3.32 kg / 7.32 lbs.

Full Container Load (40' STD / 20' STD)
1260 / 600 units

WHAT'S IN THE BOX

Monitor with stand
1 x Power cable (1.8 m)
1 x DP cable (1.8 m)
1 x USB Type-A to Type-B cable (1.8 m)
Quick setup guide

CERTIFICATION

ENERGY STAR Rating
8.0

CCC
Yes

TCO
8.0

TCO Edge
2.0

EPEAT
Gold

RoHS (EU 2002/95/EC)
Yes

Windows Certification
Windows 7, Windows 10

China Energy Efficiency Standard
Tier 1

TÜV Rheinland Eye Comfort
Yes



Lenovo

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2020 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.


ThinkVision T23i-30 Monitor

Smarter
technology
for all




Fully equipped to make
a triumph.

Mighty features & comfort that help you achieve more with ease.

The ThinkVision T23i-30 Monitor brings incredible display performance, comfort, convenience, and functionality to your workstation. With a large 23-inch FHD screen this monitor packs an incredible view without taking up excessive desk space. Its In-Plane Switching technology with 72% NTSC color lets you view content with accurate colors and grayscale performance, even from off-center angles, easing multi-person viewing during collaborations. An aesthetic, minimal 3-sided NearEdgeless bezel design delivers functionality too, providing you with a nearly seamless multi-screen experience that helps you view more and do more. Adjust the ThinkVision T23i-30 Monitor to your preference for all-day viewing comfort with the ergonomic stand that not only lets you lift, tilt, and swivel but also pivots the monitor between landscape and portrait views. The Natural Low Blue Light technology keeps your eyes safe, ensuring that eye strain doesn't ever stop you in your tracks, despite long working hours. The extensive connectivity hub unleashes more possibilities by letting you connect to a limitless range of accessories and devices with its VGA, DP 1.2, HDMI 1.4, and Audio Out ports. The monitor is designed to keep you and the environment in mind. That is why it's made to meet the latest TCO 9.0 regulations, and comes encased in recyclable packaging. The ThinkVision T23i-30 Monitor is an innovation devised to assist you in making a wave of success without taking too much space.



Features of ThinkVision T23i-30 Monitor



A display of excellence

The ThinkVision T23i-30 Monitor's 23-inch FHD In-Plane Switching display lets you view content in exquisite detail and accurate colors, even from wide viewing angles. Its 72% NTSC color gamut boasts dynamic rich colors. The full-function ergonomic stand lets you lift, tilt, swivel, and pivot the monitor to a perfect angle that's comfortable to view content from all day. While most users would find its lowest height of 150 mm sufficient, you can also take your viewing experience to new heights with a lift range up to 155 mm. And if you prefer optimizing your desk space even further, the ThinkVision T23i-30 Monitor also comes with VESA mounting compatibility.

Unleash new possibilities

The ThinkVision T23i-30 Monitor redefines power with its elaborate connectivity hub. Connect to a limitless range of devices and accessories with the VGA, DP 1.2, and HDMI 1.4 ports. Extend your view vertically or horizontally and multitask efficiently by attaching additional screens with multi-monitor support. Snap-on your sound system for loud and clear conferences by connecting them directly to the monitor's Audio Out port. Can't wait to get things done? You won't have to with the four speedy USB 3.0 ports that let you transfer several large files in no time.

Made with care, to care

Personalize the ThinkVision T23i-30 Monitor by customizing the settings to your preference with the easy-to-use one-button joystick, conveniently placed behind the monitor. The monitor's Natural Low Blue Light technology reduces blue light emission to care for your eyes ensuring superior color accuracy while TÜV Rheinland Eye Comfort certification ensures you experience no visual strain. Designed to care for the planet too, the ThinkVision T23i-30 is made following the latest TCO 9.0 regulations. But that's not all. In an effort to conserve the environment along every step of our process, the monitor is packed with recyclable paper pulp.

ThinkVision T23i-30 Monitor

Display

Panel Size
23-inch

Screen Dimensions
517.2 mm x 290.4 mm

Panel Type
3-side NearEdgeless In-Plane Switching

Active Area
509.1 mm x 286.4 mm

Backlight
WLED

Aspect Ratio
16:9

Resolution
1920 x 1080

Pixel Pitch
0.265 mm x 0.265 mm

Dot/Pixel Per Inch (DPI/PPI)
96

Viewing Angle (H x V @ CR 10:1)
178° / 178°

Response Time
4ms (Extreme Mode),
6ms (Normal Mode), 14ms (Off Mode)

Refresh Rate
60Hz

Brightness (Typical)
250 cd/m²

Contrast Ratio (Typical)
1000:1

Dynamic Contrast Ratio (Typical)
3M:1

Color Gamut (Coverage Ratio)
72% NTSC (CIE 1931)

Color Support (Typical)
16.7 Million

Color Depth
8-bit (6+FRC)

Anti-Glare
Yes

Connectivity

Video Signal
1 x HDMI 1.4
1 x DP 1.2
1 x VGA

Audio Signal
1 x Audio Out (3.5 mm)

USB Hub
Yes

USB Upstream
1 x USB 3.0 Type-B

USB Downstream
4 x USB 3.0 Type-A

Special Features

Software
Lenovo ThinkColour (Lenovo Display Control Center)*

Natural Low Blue Light
Yes

Power

Power Consumption (Typ. / Max.)
15W / 48W

Power Consumption Sleep/Off Mode
< 0.5W

Power Consumption Switch-Off Mode
< 0.3W

ENERGY STAR Power Consumption (Pon/ETEC)
11.88W / 37.05kWh

Power Supply
Internal

Voltage Required
AC 90 to 264 V (50-60Hz)

Mechanical

Tilt Angle (Front / Back)
-5° / 23.5°

Swivel Angle (Left / Right)
+45° / -45°

Lift (Max. Range)
155 mm

Pivot
-90° / 90°

VESA Mount Capability
Yes (100 x 100 mm)

Kensington Lock Slot
Yes

Cable Management
Yes

Bezel Color
Raven Black

Bezel Width (Side)
2.0 mm

Bezel Width (Top / Bottom)
2.0 / 17.3 mm

Dimension

Size Packed (D x H x W) (mm/inch)
150.0 x 421.0 x 592.0 mm
5.91 x 16.57 x 23.31 inches

Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch)
199.7 x 338.8 x 522.0 mm
7.86 x 13.34 x 20.55 inches

Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch)
199.7 x 493.8 x 522.0 mm
7.86 x 19.44 x 20.55 inches

Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)
46.4 x 313.1 x 522.0 mm
1.83 x 12.33 x 20.55 inches

Weight Packed (kg / lbs.)
7.3 kg / 16.1 lbs.

Weight Unpacked (kg / lbs.)
5.2 kg / 11.5 lbs.

Weight (Monitor Head Only) (kg / lbs.)
3.2 kg / 7.1 lbs.

What's in the Box

Monitor with Stand
Yes

Power Cable (Cable Length)
1 x Power Cable (1.8 m)

HDMI Cable (Cable Length)
1 x HDMI Cable (1.8 m)

USB Cable (Cable Length)
1 x USB 3.0 Type-A to Type-B Cable (1.8 m)

Quick Setup Guide
Yes

Warranty Booklet
Yes

Certification

ENERGY STAR Certification
Yes

CCC
Yes

TCO
9.0

TCO Edge
2.0

EPEAT
Gold

Volatile Organic Compound Certification
Yes

RoHS (2011/65/EU)
Yes

Windows Certification
Windows 10, Windows 11

China Energy Efficiency Standard
Tier 1

TÜV Rheinland Eye Comfort
Yes

TÜV Rheinland Low Blue Light
Yes

TÜV Rheinland Flicker Free
Yes

TÜV Low Blue Light (Hardware Solution)
Yes

Eyesafe Display Certification
Yes



eyesafe
CERTIFIED

* This software can only be used with Windows 10 & Windows 11.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter
technology
for all

Lenovo

THINKVISION T24i

POWERFULLY VERSATILE FOR TODAY'S WORKFORCE


Lenovo



MODERN BUSINESS DISPLAY CRAFTED FOR PRODUCTIVITY

Power through your day with the Thinkvision T24i-2L. Its FHD In-Plane Switching panel and NearEdgeless bezels make it well suited for multi-monitor setups, helping you enhance efficiency. This TÜV Rheinland Eye Comfort and Eyesafe-certified monitor with **Natural Low Blue Light technology** is ideal for professionals as it reduces harmful blue light and minimizes eye fatigue and strain. Transfer or receive data with ease using varied options to connect other peripherals. This monitor is thoughtfully designed to keep your desk space organized and provide ergonomic benefits to users who spend long hours at work.

FEATURES OF THINKVISION T24i-2L



Impressive Display From Any Angle

The FHD In-Plane Switching panel does not distort content when viewed from any angle, up to 178° on either side, allowing everyone to work more accurately with greater details. The ThinkVision T24i-2L's ultra-thin NearEdgeless bezels maximize screen real estate and enable a seamless multi-monitor setup for easy multitasking and navigation of large documents.



Flexible Connectivity Options

Connect your accessories directly to the monitor through its four USB 3.2 Gen1 downstream ports. Power, video, and data peripherals, along with multiple options for display like VGA, DP1.2, and HDMI 1.4 ensure you experience seamless collaboration. Plug external speakers in through the Audio port for enhanced sound during meetings.



Comfortable Work Environment

The ThinkVision T24i-2L's minimized square base, phone holder, and flexible cable management system help you stay organized. Pivot, tilt, swivel, and lift your monitor for a comfortable setup all day long. Installing the monitor on a wall or separate mounting arms is easy with VESA mount compatibility. TÜV Rheinland Eye Comfort and Eyesafe certification, awarded by **Natural Low Blue Light technology**, signify that you can stay focused all day with reduced eye strain, while ensuring color accuracy and eliminating yellow distortion.

ThinkVision T24i-2L

DISPLAY

Panel Size
23.8-inch

Screen Dimensions
535.0 mm x 313.0 mm

Panel Type
3-side NearEdgeless
In-Plane Switching

Active Area
527.04 mm x 296.46 mm

Backlight
WLED

Aspect Ratio
16:9

Resolution
1920 x 1080

Pixel Pitch
0.2745 x 0.2745 mm

Dot/Pixel Per Inch (DPI/PPI)
93

Viewing Angle (H x V @ CR 10:1)
178° / 178°

Response Time
4ms (Extreme Mode)
6ms (Normal Mode)

Refresh Rate
60 Hz

Brightness (typical)
250 cd/m²

Contrast Ratio (typical)
1000:1

Dynamic Contrast Ratio (typical)
3M:1

Color Gamut
72% NTSC (CIE 1931)

Color Support (typical)
16.7 Million

Anti-glare
Yes

CONNECTIVITY

Video Signal
1 x HDMI 1.4
1 x DP 1.2
1 x VGA

Audio Signal
1 x Audio Out (3.5 mm)

USB Hub
Yes

USB Upstream
1 x USB 3.2 Gen1

USB Downstream
4 x USB 3.2 Gen1 (1 x BC 1.2)

MULTI-MEDIA

Optional Soundbar Support
Yes (PN: 0A36190)

POWER

Power Consumption (typ./max.)
16W / 55W

Power Consumption Sleep/Off Mode
< 0.5W

Power Consumption Switch-off Mode
< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})
13W / 46kWh

Power Supply
Internal

Voltage Required
AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)
-5° / 35°

Swivel Angle (left/right)
+45° / -45°

Lift (max. range)
150 mm

Pivot
-90° / 90°

VESA Mount Capability
Yes (100 x 100 mm)

Kensington Lock Slot
Yes

ThinkCentre M Series Tiny Support
Yes, by Tiny/Nano monitor clamp II (PN: 4XH0Z42451) and Tiny VESA mount II (PN: 4XF0N03161)

Cable Management
Yes

Bezel Color
Raven Black

Bezel Width (side)
2.0 mm

Bezel Width (top/bottom)
2.0 mm / 22.2 mm

DIMENSION

Size Packed (D x H x W, mm/inch)
422.0 x 160.0 x 618.0mm
16.61 x 6.30 x 24.33 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)
205.0 x 409.3 x 539.8mm
8.07 x 16.11 x 21.25 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)
205.0 x 559.3 x 539.8mm
8.07 x 22.02 x 21.25 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)
44.1 x 326.5 x 539.8mm
1.74 x 12.85 x 21.25 inches

Weight Packed (kg/lbs.)
8.40kg / 18.52 lbs.

Weight Unpacked (kg/lbs.)
5.90 kg / 13.01 lbs.

Weight (monitor head only) (kg/lbs.)
3.65kg / 8.05 lbs.

WHAT'S IN THE BOX

Monitor with stand
1 x Power cable (1.8 m)
1 x DP cable (1.8 m)
1 x USB Type-A to B cable (1.8 m)
Quick setup guide

CERTIFICATION

ENERGY STAR Rating
8.0

CCC
Yes

TCO
8.0

TCO Edge
2.0

EPEAT
Gold

RoHS (EU 2002/95/EC)
Yes

Windows Certification
Windows 7, Windows 10

China Energy Efficiency Standard
Tier 1

TÜV Rheinland Eye Comfort
Yes

Eyesafe Display Certification
Yes



Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2021 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter technology for all

ThinkVision T24i-30 Monitor

Inspired by design. Designed to inspire.

Stunning power to get you ahead.

Locked and loaded with a whole lot of innovation, the ThinkVision T24i-30 Monitor is powered to help you seize every day. This ample 23.8-inch FHD IPS screen with a wide color gamut of 99% sRGB makes its vibrancy and color accuracy a delight to look at even from wide angles. You can adjust the monitor for a more convenient and enjoyable viewing experience with the ergonomic stand's tilt, lift, swivel, and pivot functions. Or simply VESA mounts it to save more desk space. With 90% screen real estate, it's built with a 3-side NearEdgeless bezel design, so your view has fewer distractions and more of what needs to be seen. Integrated Natural Low Blue Light technology reduces toxic blue light while delivering high-fidelity colors. In addition, the ThinkVision T24i-30 Monitor's TÜV Rheinland Eye Comfort certification, lets you do more by protecting your eyes from fatigue even during long hours at work. Take functionality to a whole new level by connecting an endless list of devices compatible with the connectivity hub, including VGA, DP 1.2, HDMI 1.4, and four USB 3.0 ports. Connect your external sound systems conveniently with the Audio Out port. You can also view more data and multitask more efficiently with multi-monitor support. This monitor packs a world of features without impacting the environment by following the latest TCO 9.0 regulations. The ThinkVision T24i-30 Monitor is a powerhouse built to make working a pleasure.




Features of ThinkVision T24i-30 Monitor



Envision the brilliance

It's easy to admire the ThinkVision T24i-30 Monitor's vivid and dynamic picture quality from any angle with its FHD IPS display. The 99% sRGB color gamut brings to life brilliant color accuracy, especially important when dealing with visual tasks. With the ergonomic stand, you can lift, tilt, swivel, and pivot the monitor conveniently for a comfortable viewing experience, that's convenient especially while collaborating. Its lift range, at 155 mm, is comfortable for most users. At its lowest position, the ThinkVision T24i-30 Monitor is designed to enhance your comfort every minute of the day.



Extensive connectivity

Widen your horizons by plugging an extensive range of devices and accessories into the ThinkVision T24i-30 Monitor, with a comprehensive range of ports, including VGA, DP 1.2, and HDMI 1.4. Customize your audio experience for shared meetings and content by plugging your external audio systems with the Audio Out port. Need to import or export large files? No problem. The four USB 3.0 ports allow you to transfer data at a super speed of 5 Gbps so that nothing slows you down. The ThinkVision T24i-30 Monitor lets you do more by expanding your view vertically or horizontally by connecting additional screens with multi-monitor support.



Environment-friendly. User-friendly.

Navigate and customize the ThinkVision T24i-30 Monitor's settings to your preferred settings with the easy-to-use joystick placed behind the screen. The monitor features Natural Low Blue Light technology reducing harmful blue light without compromising high color fidelity. TÜV Rheinland Eye Comfort certification keeps your vision refreshed and fatigue-free even after hours of work. This monitor brings you the best features with minimal impact on the environment throughout its lifecycle. It's made in compliance with the latest TCO 9.0 regulations and made with 90% recyclable materials and is fully packaged using paper pulp, to protect the planet.

ThinkVision T24i-30 Monitor

Display

Panel Size

23.8-inch

Screen Dimensions

535.0 mm x 313.0 mm

Panel Type

3-side NearEdgeless In-Plane Switching

Active Area

527.0 mm x 296.5 mm

Backlight

WLED

Aspect Ratio

16:9

Resolution

1920 x 1080

Pixel Pitch

0.275 mm x 0.275 mm

Dot/Pixel Per Inch (DPI/PPI)

93

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (Extreme Mode), 6ms (Normal Mode)

Refresh Rate

60Hz

Brightness (Typical)

250 cd/m²

Contrast Ratio (Typical)

1000:1

Dynamic Contrast Ratio (Typical)

3M:1

Color Gamut (Coverage Ratio)

99% sRGB

Color Gamut (Color Area Ratio)

110% sRGB

Color Support (Typical)

16.7 Million

Color Depth

6-bit (Hi+FRC)

Anti-glare

Yes

Connectivity

Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.0

USB Downstream

4 x USB 3.0

Special Features

Software

Lenovo ThinkColour (Lenovo Display Control Center)*

Natural Low Blue Light

Yes

Power

Power Consumption (Typ. / Max.)

14W / 51W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-Off Mode

< 0.3W

ENERGY STAR Power Consumption (Pon/E_{TEC})

12W / 38kWh

Power Supply

Internal

Voltage Required

AC 100 to 240 V (50-60Hz)

Mechanical

Tilt Angle (Front / Back)

-5° / 23.5°

Swivel Angle (Left / Right)

-45° / 45°

Lift (Max. Range)

155 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width (Side)

2.0 mm

Bezel Width (Top / Bottom)

2.0 mm / 17.1 mm

Dimension

Size Packed

(D x H x W) (mm/inch)

152.0 x 422.0 x 592.0 mm

5.98 x 16.61 x 23.31 inches

Size Unpacked w/ Stand (Lowest Position)

(D x H x W) (mm/inch)

199.7 x 349.8 x 539.8 mm

7.86 x 13.77 x 21.25 inches

Size Unpacked w/ Stand (Highest Position)

(D x H x W) (mm/inch)

199.7 x 504.8 x 539.8 mm

7.86 x 19.87 x 21.25 inches

Size Unpacked w/o Stand (Head Only)

(D x H x W) (mm/inch)

49.0 x 321.4 x 539.8 mm

1.93 x 12.65 x 21.25 inches

Weight Packed (kg / lbs.)

7.8 kg / 17.2 lbs.

Weight Unpacked (kg / lbs.)

5.4 kg / 11.9 lbs.

Weight (Monitor Head Only) (kg / lbs.)

3.4 kg / 7.5 lbs.

What's in the Box

Monitor with Stand

Yes

Power Cable (Cable Length)

1 x Power Cable (for standalone 1.8m)

HDMI Cable (Cable Length)

1 x HDMI Cable (1.8m)

USB Cable (Cable Length)

1 x USB Type-A to Type-B (1.8m)

Quick Setup Guide

Yes

Warranty Booklet

Yes

Certification

ENERGY STAR Certification

Yes

CCC

Yes

TCO

9.0

TCO Edge

2.0

EPEAT

Gold

Volatile Organic Compound Certification

Yes

RoHS (2011/65/EU)

Yes

Windows Certification

Windows 10, Windows 11

China Energy Efficiency Standard

Tier 1

TÜV Rheinland Low Blue Light

Yes

TÜV Rheinland Flicker Free

Yes

TÜV Low Blue Light (Hardware Solution)

Yes

Eyesafe Display Certification

Yes



* This software can only be used with Windows 10 & Windows 11.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter
technology
for all

Lenovo

PROFESSIONAL PERFORMANCE AT WIDE-VIEW DISPLAY.



Lenovo

A SLEEK 24" MONITOR WITH OUTSTANDING IMAGE QUALITY.

The sleek, stylish ThinkVision T24d-10 Monitor doesn't just display images - it presents them at over 99% sRGB color gamut and exceptionally crisp 1920 x 1200 resolutions across near-frameless 24" display. Enjoy vivid images across wide (178°/178°) viewing angles with no color distortion or reflection. With elegant slim design, the monitor fits in any workspace. Get the large visual workspace you need with a professional monitor designed to enhance productivity and make collaboration easy.

WHY YOU SHOULD BUY THE THINKVISION T24d-10 MONITOR




Performance and Productivity

Professional performance defines the WUXGA (1920 x 1200) resolution, over 99% sRGB high color gamut, 1000:1 contrast and In-Plane Switching for exceptional viewing angles across the entire 24" display.



Productivity at its Finest

A full-function stand ensures your display sports an executive look regardless of whether you swivel, tilt, pivot, or lift. Paired with near-edgeless screen, you can enjoy a clean look and seamless views across multi-monitor displays.



Ergonomic and Manageable

The ergonomic full-function stand is perfect for collaboration. It supports the new tiny clamp bracket for easy set-up of the ThinkCentre Tiny. Practical cable management effectively manages desktop clutter.

THE THINKVISION T24d-10 MONITOR IS BEST SUITED FOR

1

Users and businesses that need a highest-quality professional monitor.

2

Organizations that require highly detailed display for uses like finance or graphics.

3

Organizations that require professional quality monitors that also deliver a green advantage.



WWW.LENOVO.COM



ThinkVision T24d-10 MONITOR

SPECIFICATIONS

DISPLAY		DIMENSIONS (W x D x H)	
Panel Size	24"	Size Packed (mm)	160 x 655 x 422
Panel Type	In-Plane Switching	(inches)	6.3" x 25.79" x 16.61"
Resolution	1920 x 1200	Size Unpacked with Stand (mm)	533.2 x 260.4 x 497.4
Backlight	WLED	(inches)	20.99" x 10.25" x 19.58"
Aspect Ratio	16:10	Size Monitor Head Only (mm)	533.2 x 42.3 x 355.1
Pixel Pitch (W x H) (mm)	0.27 x 0.27	(inches)	20.99" x 1.67" x 13.98"
Dot/Pixel Per Inch (DPI/PPI)	94 PPI	Distance from Table to Panel (mm / inches)	Lowest Pixel at Bottom of Screen 56 / 2.2"
Anti-Glare	Yes	Highest Pixel at Top of Screen (mm / inches)	490 / 19.29"
Screen Dimensions (W x H) (mm)	518.4 x 324	Stand Base Footprint Area (mm)	250 x 250
(inches)	20.41" x 12.75"	(inches)	9.84" x 9.84"
Maximum Brightness (Typical)	300 cd/m ²	Weight Packed	Starting at 19.18 lbs (8.7 kg)
Viewing Angle (H/V at CR 10:1)	178°/178°	Unpacked	Starting at 12.41 lbs (5.63 kg)
Contrast Ratio (Typical)	1000:1	Monitor Head Only	Starting at 8.77 lbs (3.98 kg)
Dynamic Contrast Ratio	3M:1	SIGNAL INPUT	
Color Gamut (CIE 1931)	99% sRGB	Video Input Signals	VGA + DisplayPort 1.2 + HDMI 1.4
Display Colors (Typical)	16.7 Million	Video Cables Supplied	VGA + DisplayPort + HDMI
Response Time		Video Cable Length	1.8 m
Extreme	4 ms	USB Hub	USB 3.0 ¹
Typical	7 ms	USB Cable Supplied	Yes
Off	15 ms	Audio-Out	Yes (3.5 mm)
SIGNAL INTERFACE / PERFORMANCE		POWER CONSUMPTION	
Horizontal Frequency	30 kHz - 83 KHz	Typical	22 W
Vertical Frequency	50 Hz - 75 Hz	Maximum	64 W
Native Resolution	1920 x 1200	Sleep-Mode	<0.3 W
Maximum Pixel Clock Speed/ Bandwidth		Switch Off-Mode	<0.3 W
VGA	205 MHz	Power Supply	Internal
HDMI™	165 MHz	Power Voltage	100 VAC - 240 VAC
DisplayPort™	165 MHz	Voltage Dynamic Frequency	50 Hz - 60 Hz
Default Color Temperature	6500 K	ENVIRONMENTAL	
Preset Display Modes	20	Temperature Operating	0°C - 40°C
OSD Buttons	5	Non-Operating	-20°C - 60°C
OSD Languages	English, French, German, Spanish, Italian, Japanese, Simplified Chinese, Russian	Humidity Operating	10% - 80%
MECHANICAL		Non-Operating	5% - 95%
Tilt Angle (Front / Back)	-5°/ 30°	Altitude Operating	0 m - 5000 m
Swivel Angle (Left / Right)	+/-45°	Non-Operating	0 ft - 40,000 ft
Lift (mm)	110	Arsenic-Free Glass	Yes
Pivot	+/-90°	PVC-Free	Yes
VESA® Mount (mm x mm)	100 x 100	Mercury-Free	Yes
Cable Management	Yes	PCC % of Plastic Resins	>85%
Kensington® Lock	Yes	COMPLIANCE	
Bezel Color	Business Black	EPEAT	Silver
Bezel Width		ENERGY STAR Rating	8.0
Top (mm / inches)	2 / 0.08"	ULE	Gold
Bottom (mm / inches)	22.7 / 0.89"	TCO	TCO Display 7.0 / TCO Edge 2.0
Sides (mm / inches)	2 / 0.08"	RoHS (EU 2002/95/EC)	Yes
WARRANTY AND AVAILABILITY		China Energy Efficiency Standard	Tier 2
		Windows Certification	Windows 7 / Windows 10
		Warranty	3 Years
		Geography Availability	WW

* NA only.

¹ Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen 1; 10 Gbit/s for USB 3.1 Gen 2 & 20 Gbit/s for USB 3.2.



WWW.LENOVO.COM

Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo makes every effort to ensure accuracy of all information but is not liable or responsible for any editorial, photographic or typographic errors. All images are for illustration purposes only. For full Lenovo product, service and warranty specifications visit www.lenovo.com. Lenovo makes no representations or warranties regarding third party products or services. **Trademarks:** The following are trademarks or registered trademarks of Lenovo: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkServer, ThinkVantage and ThinkVision. Microsoft, Windows and Vista are registered trademarks of Microsoft Corporation. Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Itanium, Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Phi, and Xeon Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product and service names may be trademarks or service marks of others. Battery life (and recharge times) will vary based on many factors including system settings and usage. Visit www.lenovo.com/lenovo/us/en/safecomp/ periodically for the latest information on safe and effective computing. ©2020 Lenovo. All rights reserved.

Lenovo

ThinkVision T24m-29 Monitor

Dazzling display performance. Incredible functionality.

Powerful display performance that supercharges your work.

The ThinkVision T24m-29 is a monitor that works harder, to bring easy connectivity and effortless management to your business. Sit back and take in the wide 23.8-inch screen, made more expansive with 3-side NearEdgeless bezels and an FHD In-Plane Switching panel. Daisy-chain the monitor via a DP-Out port, for an uninterrupted viewing plane and get set to multitask with a multi-monitor assembly. Equipped with USB Type-C¹ technology, the ThinkVision T24m-29 Monitor offers a one-cable solution for super-fast transfer speeds. An ethernet port enables remote management for safe, dependable connectivity that supports seamless workflow. Nifty ergonomics, a space-efficient clutter-free design and integrated 2 x 1W speakers add efficiency, ease, and comfort. Natural Low Blue Light technology eliminates sepia-toned images to protect your vision so you can dedicate more time to your tasks without straining your eyes. What's more, you'll be pleased to know that the ThinkVision T24m-29 Monitor is designed to be environmentally friendly throughout its lifetime as it comes with sustainable pulp-cushion packaging.



KEY FEATURES OF THINKVISION T24m-29 MONITOR



Multitask with multi-monitor assembly through Daisy-chaining.


Made for multitasking

ThinkVision T24m-29 Monitor boasts superior visual clarity and remarkable color consistency through a 1920 x 1080 FHD resolution display. Get ready for a distortion-free wide-viewing angle of up to 178° with an In-Plane Switching panel. Daisy-chain multiple devices and let the monitor's 3-side NearEdgeless bezels give you an expansive, seamless multitasking experience. Let the monitor's Smart Power² allow for effortless plug-and-play functionality, as it dynamically detects and optimizes power distribution when multiple devices like monitors, laptops, or other USB-powered peripherals are connected.



Convenient, comfortable, and compatible

The ThinkVision T24m-29 Monitor features a wobble-free stand with a wider lift range and tilt angle for ergonomic ease and working comfort. A compact square base fitted with a thoughtful phone holder offers enhanced convenience and frees up space on your desk. Integrated 2 x 1W speakers and clever cable management cut the clutter for a sleek look. Sit back and enjoy the convenience of an intuitive user interface provided by Lenovo exclusive software ThinkColour³, which offers access to advanced display settings through an effortless and efficient user interface.



Connectivity your business can bank on

Let your business get way head, faster. Make the best of high-speed data transfers with the ThinkVision T24m-29 Monitor's full-function USB Type-C¹ port that affords single-cable connectivity for data, video, audio, and power transfer. The ethernet port (RJ45) lets you enjoy safer, quicker remote management capabilities with PXE, WOL, and Mac Address Pass Through (MAPT) support. Free up much-needed desk space with USB Type-C¹ with DP-Out. The ThinkVision T24m-29 Monitor also offers multiple connectivity options with USB Type-C¹, HDMI, and DisplayPort that enable unfettered ease.

¹ USB Type-C[®] and USB-C[®] are registered trademarks of USB Implementers Forum. | ² The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device. Up to 90W power delivery to compatible devices by USB Type-C, typical power delivery is 65W. | ³ This software can only be used with Windows 10 and Windows 11.

ThinkVision T24m-29

DISPLAY

Panel Size

23.8-inch

Screen Dimensions

535.1 mm x 313.1 mm

Panel Type

3-side NearEdgeless
In-Plane Switching

Active Area

527.0 mm x 296.5 mm

Backlight

WLED

Aspect Ratio

16:9

Resolution

1920 x 1080

Pixel Pitch

0.275 mm x 0.275 mm

Dot/Pixel Per Inch (DPI/PPI)

93

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (Extreme Mode),
6ms (Normal Mode)

Refresh Rate

60 Hz

Brightness (Typical)

250 cd/m²

Contrast Ratio (Typical)

1000:1

Dynamic Contrast Ratio (Typical)

3M:1

Color Gamut (Coverage Ratio)

72% NTSC (CIE 1931)

Color Support (Typical)

16.7 Million

Color Depth

8-bit (6+FRC)

Anti-Glare

Yes

CONNECTIVITY

Video Signal

1 x USB Type-C¹ Gen1 (DP1.2 Alt Mode)
1 x HDMI 1.4
1 x DP 1.2
1 x DP Out

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

Ethernet

Yes (10M/100M/1000M)

USB Upstream

1 x USB3.2 Gen1² (1 by USB Type-C¹)

USB Downstream

4 x USB3.2 Gen1² (1 x BC1.2)

MULTIMEDIA

Integrated Speakers

Yes (2 x 1W)

SPECIAL FEATURES

Software

Lenovo ThinkColour³
(Lenovo Display Control Center)

POWER

Power Consumption (Typ. / Max.)

22W / 140W

Power Consumption Sleep/Off Mode

< 0.5W⁴

Power Consumption Switch-Off Mode

< 0.3W

ENERGY STAR Power Consumption

(Pon/E_{TEC})
15W / 49kWh

Power Supply

Internal

USB Type-C¹ (DP Alt Mode)

Power Delivery

Up to 90W⁵

Smart Power⁶

Yes

Voltage Required

AC 90 to 264 V (50-60 Hz)

MECHANICAL

Tilt Angle (Front / Back)

-5° / 35°

Swivel Angle (Left / Right)

-45° / 45°

Lift Range

150 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

ThinkCentre M Series Tiny Support

Yes, by Tiny Monitor Clamp II
(PN: 4XH0Z42451)⁷ & Tiny VESA
Mount II (PN: 4XF0N03161)⁷

ThinkCentre M Series Nano Support

Yes, by Nano Monitor Clamp II
(PN: 4XH0Z42451)⁷ & Nano VESA
Mount (PN: 4XFOV81630)⁷

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width (Side)

2.0 mm

Bezel Width (Top / Bottom)

2.0 / 22.0 mm

DIMENSION

Size Packed

(D x H x W) (mm/inch)
161.0 x 480.0 x 604.0 mm
6.34 X 18.89 X 23.78 inches

Size Unpacked w/ Stand (Lowest Position)

(D x H x W) (mm/inch)
204.9 x 417.1 x 539.8 mm
8.09 x 16.42 x 21.25 inches

Size Unpacked w/ Stand (Highest Position)

(D x H x W) (mm/inch)
204.9 x 567.1 x 539.8 mm
8.09 x 22.33 x 21.25 inches

Size Unpacked w/o Stand (Head Only)

(D x H x W) (mm/inch)
44.4 x 325.9 x 539.8 mm
1.75 x 12.83 x 21.25 inches

Weight Packed (kg / lb)

8.9 kg / 19.7 lbs.

Weight Unpacked (kg / lb)

6.1 kg / 13.5 lbs.

Weight (Monitor Head Only) (kg / lb)

3.6 kg / 8.0 lbs.

WHAT'S IN THE BOX

Monitor with Stand

Yes

Power Cable (Cable Length)

1 x Power Cable (1.8m)

USB Cable (Cable Length)

1 x USB Type-C to Type-C Cable (1.8m)

Quick Setup Guide

Yes

CERTIFICATION

ENERGY STAR Certification

Yes

TCO

9.0

EPEAT

Gold

RoHS (EU 2011/65/EC)

Yes

Windows Certification

Windows 10, Windows 11

TÜV Rheinland Eye Comfort

Yes

TÜV Rheinland Flicker Free

Yes

TÜV Low Blue Light (Hardware Solution)

Yes

Eyesafe Display Certification

Yes



eyesafe

¹ USB Type-C[®] and USB-C[®] are registered trademarks of USB Implementers Forum. | ² Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | ³ This software can only be used with Windows 10 and Windows 11. | ⁴ For DP/HDMI mode. | ⁵ Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | ⁶ The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device. Up to 90W power delivery to compatible devices by USB Type-C, typical power delivery is 65W. | ⁷ Sold separately.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

ThinkVision T24t

FINGERTIP CONTROL FOR EVERY SPHERE OF BUSINESS

PROVIDE MULTIPLE TOUCH POINTS FOR YOUR OPERATIONS

Business opportunities are at your fingertips if you're able to take advantage of touch. ThinkVision T24t-20 puts success in both your hands thanks to its 23.8-inch, touchscreen, In-Plane Switching panel display that recognizes input from 10 points at once. That lets you control different areas of the screen simultaneously. And with up to 2,880 touch sensors, you can draw and edit images with precision and work with apps that use variable touch. Its 1920 x 1080 resolution, anti-glare, 3-side NearEdgeless screen that can operate even without a stand makes it ideal for transforming public-facing scenarios and home working moments into literal touch points.

With multiple options for connectivity, this docking monitor not only lets you connect to desktops, laptops, ThinkCentre Nano, tablets and phones¹, T24t-20 lets you use that touch input to control them when they're connected, giving you the most intuitive mastery of your IT arsenal. And its power button controls and shows the status of connected ThinkPad[®] and ThinkCentre Nano[®]. It's made possible by the USB Type-C² port that provides a true 1-cable solution, removing additional cables and complex setups, to enable touch. That single cable transfers both data and video signals and can even power your connected devices up to 90W² through Lenovo Smart Power management without extra power cables clogging up your workspace. Add to that, HDMI, DP and USB Type-A and Audio Out connectivity and T24t-20 is ready to plug and play with all the tools you need.

In light of its touch capability, this monitor is designed to get closer to you, with its extensive tilt range on its ergonomic stand that lowers all the way to the desk and lifts 90 mm, or wall-mounted through its VESA capability or purely by itself. And, having a quick-release feature, it can be swiftly swapped between these options.

Loaded with proprietary ThinkColour Software⁴, you can instantly and effortlessly adjust fine controls of the screen's brightness, color space, even connectivity and more, either directly with your fingers or just the click of a connected mouse, to perform at its best no matter what the task and usage environment. The monitor also actively works to safeguard your eyes with TÜV Rheinland Eye Comfort, TÜV Low Blue Light (Hardware Solution) and Natural Low Blue Light technology with Eyesafe certification that reduce flicker and harmful high-energy blue light that could otherwise cause eye fatigue. And T24t-20 also comes with ENERGY STAR 8 certification, so you work, while resting assured that it's doing its best to responsibly minimize your energy consumption.

¹ selected models.



FEATURES OF THINKVISION T24t-20 MONITOR




The power of touch x10

Now nothing gets between you and your productivity. Get hands-on with your business through ThinkVision T24t-20's 10-point touchscreen that has 2,880 touch sensors to register your every input. Its 23.8-inch, 1920 x 1080 resolution, touchscreen, In-Plane Switching panel display delivers vivid images in a color space of 99% sRGB at 300 cd/m² from a viewing angle of 178°. That's whether it's mounted high to greet users at eye-level or stationed horizontal and low on a desk for sharing presentations or location information. While its 3-side NearEdgeless, anti-glare display maximizes screen real estate, removes bulky edges that would limit comfortable touch input, and presents a clear picture that's free from distraction. So, it's equally ideal in libraries, check-ins, hotel check-outs, museums, doctors' waiting rooms and shopping mall info-points. In fact, casinos and classrooms and everything in between. Use it for machining assemblies or simply update your prospective client on your ideas and let their fingers take a tour through your design drawings.



1-cable convenience

A monitor designed to be touched, it also loves to play well with other equipment. At the heart of its great connectivity is a USB Type-C² port that gives you 1-cable convenience to cleanly enable touch functions, without extra, messy wires, as well as transfer data and video signals to connected laptops, desktops and selected compatible Android[™] and Chrome devices. And thanks to Lenovo Smart Power technology, the same cable can dynamically charge those connected devices with up to 90W² of power. In short, it frees you from extra power cables cluttering workstations and retail display spaces. Using the same USB Type-C² cable, touch the screen and you'll control the PC connected to it. ThinkVision T24t-20 is designed for compatibility with its built-in HDMI, DP and USB Type-A and Audio Out ports giving you an ideal all-round monitor for kiosks, check-in desks and even education environments.



Sit flat. Stand tall. Mount on the wall.

Get up to the task of getting right down to business. T24t-20's supreme flexibility in usage scenarios springs from how many ways you can install it. Mount on its ergonomic stand, whose extended tilt range can bring it right down to desk level, on a VESA 100 mm x 100 mm wall-mounted arm or just by itself, relatively horizontal, to give you exactly the performance you need whether you're sharing with colleagues, letting people check themselves in at airports or controlling industrial manufacturing equipment.



Adjust in just an instant

Matching the convenience of its multi-touch interface, T24t-20 also comes packed with the exclusive ThinkColour Software⁴ that makes adjusting the screen's settings effortless, efficient and fast. A clean on-screen display gives you control over every aspect of its performance to optimize users' experience in practically any environment, in an instant. Forget button pushing, just swipe, tap and move on. While the touch functionality cares for your experience, its engineering cares for your efficiency and impact. T24t-20 is ENERGY STAR 8-certified, to help you move toward your corporate and social responsibility. While TÜV Rheinland Eye Comfort, TÜV Low Blue Light (Hardware Solution) and Eyesafe certified and Natural Low Blue Light technology reduce harmful blue light wavelengths so that you can work for extended periods without the worry of eye fatigue. All without distorting the color output.

ThinkVision T24t-20

DISPLAY

Panel Size

23.8-inch

Screen Dimensions

535.1 mm x 313.1 mm

Panel Type

3-side NearEdgeless
In-Plane Switching

Active Area

527.0 mm x 296.5 mm

Backlight

WLED

Aspect Ratio

16:9

Resolution

1920 x 1080

Pixel Pitch

0.2745 mm x 0.2745 mm

Dot/Pixel Per Inch (DPI/PPI)

93

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (Extreme Mode),
6ms (Normal Mode)

Refresh Rate

75 Hz

Brightness (Typical)

300 cd/m²

Contrast Ratio (Typical)

1000:1

Dynamic Contrast Ratio (Typical)

3M:1

Color Gamut

99% sRGB

Color Support (Typical)

16.7 Million

Touch

Yes (10-point Projected Capacitive
Touch)

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x USB Type-C Gen 1 (DP 1.2 Alt Mode)
1 x HDMI 1.4
1 x DP 1.2

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.2 Gen 1⁵ (1 by USB Type-C)

USB Downstream

4 x USB 3.2 Gen 1⁵ (1 x BC 1.2)

SPECIAL FEATURE

Software

Lenovo ThinkColour
(Lenovo Display Control Center)⁴

POWER

Power Consumption (Typical / Max.)

25W / 150W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

17W / 56 kWh

Power Supply

Internal

USB Type-C Power Delivery (W)

Up to 90W³

Smart Power

Yes

Voltage Required

AC 100 to 240 V (50–60 Hz)

MECHANICAL

Tilt Angle (Front / Back)

-5° / 70°

Lift (Max. Range)

90 mm

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width (Side)

2.0 mm

Bezel Width (Top / Bottom)

2.0 / 22.2 mm

DIMENSIONS

Size Packed (D x H x W, mm/inch)

622.0 x 172.0 x 421.0 mm
24.49 x 6.77 x 16.57 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (Lowest Position)

244.1 x 340.5 x 539.8 mm
9.61 x 13.41 x 21.25 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (Highest Position)

244.1 x 430.5 x 539.8 mm
9.61 x 16.95 x 21.25 inches

Size Unpacked w/o Stand (Head Only) (D x H x W, mm/inch)

44.1 x 326.5 x 539.8 mm
1.74 x 12.85 x 21.25 inches

Weight Packed (kg/lb)

8.3 kg / 18.3 lbs.

Weight Unpacked (kg/lb)

5.8 kg / 12.9 lbs.

Weight (Monitor Head Only) (kg/lb)

3.8 kg / 8.3 lbs.

WHAT'S IN THE BOX

Monitor with stand
1 x Power cable (1.8 m)
1 x DP cable (1.8 m) for US, Canada
1 x USB Type-C to Type-A cable (1.8 m)
for US, Canada
1 x USB Type-C to Type-C cable
Quick setup guide

CERTIFICATION

ENERGY STAR Certification

Yes

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Gold

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 1

TÜV Rheinland Eye Comfort

Yes

TÜV Low Blue Light (Hardware Solution)

Yes

Eyesafe Display Certification

Yes



¹ Capable to work with selected compatible Android™ and Chrome system. ² USB Type-C and USB-C are registered trademarks of USB Implementers Forum. ³ Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration and may decline with downstream USB ports connected or higher brightness setting. ⁴ This software can only be used with Windows 10.

⁵ Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2.

© 2021 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others. Specifications may vary depending upon region.

ThinkVision T27i-30 Monitor

Big on comfort. Big on productivity.

Amplify productivity with complete connectivity.

The ThinkVision T27i-30 Monitor is carefully configured with features that deliver better connectivity, enhance your productivity, and ensure your comfort. This large screen 27-inch FHD monitor offers a resolution of 1920 x 1080 pixels with a wide viewing angle for clear, crisp on-screen content. Expect rich, vibrant colors with 99% sRGB that sharpens the display and is great for video producers and film animators. Long hours at the screen can cause eye fatigue but not with the ThinkVision T27i-30 Monitor which has Natural Low Blue Light technology that cuts down harmful blue light to give your eyes a comfortable, strain-free experience. The monitor hosts a range of versatile connectors for extended usage with VGA, HDMI 1.4, DP 1.2 ports and a USB Hub. Say hello to great video conferencing¹ capabilities as with this monitor's expandable functions. A full-function ergonomic stand allows for greater flexibility, with a wider adjustment range and low head position so you can set up the monitor to suit your comfort. What's more, you'll be delighted to know that the ThinkVision T27i-30 Monitor comes in an eco-friendly paper-pulp packaging that's great for the environment.



KEY FEATURES OF THINKVISION T27i-30 MONITOR



A treat for your eyes

The ThinkVision T27i-30 Monitor's IPS display is a treat for your eyes with an ultra-wide viewing angle that delivers high color accuracy and image quality. This large 27-inch monitor feels even bigger with 3-side borderless bezels. Rich display quality is enhanced with 99% sRGB color for an impressive viewing experience. Comfort is key with the ThinkVision T27i-30 Monitor with Natural Low Blue Light technology which helps to minimize visual fatigue and strain, so your eyes are protected.



Plug in to productivity

You won't miss a beat with the ThinkVision T27i-30 Monitor. A range of connectivity options from VGA and HDMI 1.4 ports to DP 1.2 ports ensure you're always ready to plug in and perform. Take advantage of the monitor's four USB 3.2 Gen 1² ports for easy extension of USB devices. A dedicated USB port for modular VoIP solution - ThinkVision MC30 Monitor Soundbar and ThinkVision MC60 Monitor Webcam¹ enables incredible video conferencing experiences. Enjoy easy and effortless access to configuration settings with the updated ThinkColour software³. The ThinkVision T27i-30 is geared to ensure incredible connectivity that amplifies your productivity.



User-friendly and eco-friendly

Enjoy an upgraded user experience that makes comfort and ease a priority with the ThinkVision T27i-30 Monitor. Save space and reduce clutter with cleaner cable management. Joystick control puts easy control at your fingertips. A full-function ergonomic stand with wider adjustable ranges including lift range and tilt ensure that you can position the monitor perfectly for your comfort. ThinkVision T27i-30 Monitor also supports cableless modular VoIP solution¹ and a phone holder for enhanced flexibility. It is also eco-friendly with sustainable paper pulp packaging that's great for the environment!

¹ Modular VoIP solution (ThinkVision MC30 Monitor Soundbar and ThinkVision MC60 Monitor Webcam) is sold separately.

² Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2.

³ This software can only be used with Windows 10 & Windows 11.

ThinkVision T27i-30 Monitor

DISPLAY

Panel Size
27-inch

Screen Dimensions
607.1 mm x 354.1 mm

Panel Type
3-side Borderless In-Plane Switching

Active Area
597.9 mm x 336.3 mm

Backlight
WLED

Aspect Ratio
16:9

Resolution
1920 x 1080

Pixel Pitch
0.3114 mm x 0.3114 mm

Dot/Pixel Per Inch (DPI/PPI)
82

Viewing Angle (H x V @ CR 10:1)
178° / 178°

Response Time
4ms (Extreme Mode),
6ms (Normal Mode), 14ms (Off Mode)

Refresh Rate
60 Hz

Brightness (Typical)
300 cd/m²

Contrast Ratio (Typical)
1000:1

Dynamic Contrast Ratio (Typical)
3M:1

Color Gamut (Coverage Ratio)
99% sRGB (CIE 1931)

Color Support (Typical)
16.7 Million

Color Depth
8-bit (6+FRC)

Anti-Glare
Yes

CONNECTIVITY

Video Signal

1 x HDMI 1.4

1 x DP 1.2

1 x VGA

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.2 Gen 1¹ (by USB Type-B)

USB Downstream

4 x USB 3.2 Gen1¹ (1 x BC 1.2)

SPECIAL FEATURES

Software

Lenovo ThinkColour
(Lenovo Display Control Center)²

Natural Low Blue Light

Yes

Modular Camera/Speaker Support

Yes (Optional Support³)

POWER

Power Consumption (Typ. / Max.)
24W / 65W

Power Consumption Sleep/Off Mode
< 0.5W

Power Consumption Switch-Off Mode
< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{rec})
15W / 50kWh

Power Supply
Internal

Voltage Required
AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (Front / Back)
-5° / 23.5°

Swivel Angle (Left / Right)
+45° / -45°

Lift Range
155 mm

Pivot
-90° / 90°

VESA Mount Capability
Yes (100 x 100 mm)

Kensington Lock Slot
Yes

Cable Management
Yes

Bezel Color
Black

Bezel Width (Side)
2.0 mm

Bezel Width (Top / Bottom)
2.0 / 17.6 mm

DIMENSION

Size Packed (D x H x W) (mm/inch)
525.0 x 148.0 x 690.0 mm
20.67 x 5.83 x 21.17 inches

Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch)
204.5 x 390.3 x 611.9 mm
8.05 x 15.37 x 24.09 inches

Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch)
204.5 x 544.3 x 611.9 mm
8.05 x 21.43 x 24.09 inches

Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)
50.0 x 362.5 x 611.9 mm
1.97 x 14.27 x 24.09 inches

Weight Packed (kg / lb)
10.1 kg / 22.3 lbs.

Weight Unpacked (kg / lb)
6.9 kg / 15.2 lbs.

Weight (Monitor Head Only) (kg / lb)
4.9 kg / 10.8 lbs.

WHAT'S IN THE BOX

Monitor with Stand
Yes

Power Cable (Cable Length)
1 x Power Cable (1.8m)

DP Cable (Cable Length)
1 x DP 1.2 Cable (1.8m)

USB Cable (Cable Length)
1 x USB Type-A to Type-B Cable (1.8m)

Quick Setup Guide
Yes

CERTIFICATION

ENERGY STAR Certification
Yes

CCC
Yes

TCO
Yes

TCO Edge
Yes

EPEAT
Gold

RoHS
Yes

Windows Certification
Windows 10, Windows 11

China Energy Efficiency Standard
Tier 2

TÜV Rheinland Eye Comfort
Yes

TÜV Low Blue Light (Hardware Solution)
Yes

Eyesafe Display Certification
Yes



¹ Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2.

² This software can only be used with Windows 10 & Windows 11. | ³ Modular VoIP solution (ThinkVision MC30 Monitor Soundbar and ThinkVision MC60 Monitor Webcam) is sold separately.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

THINKVISION T27q

AN ALL-PURPOSE BUSINESS COMPANION




SPACE-SAVING DESIGN FOR EFFICIENT MULTITASKING

Improve your productivity with the ThinkVision T27q-20. This 27-inch monitor has an In-Plane Switching panel and QHD resolution that enhances picture quality for a more detailed view. Create a multi-screen setup with two or more of these 3-sided NearEdgeless displays for seamless multitasking. Versatile connectivity options allow you to connect with peripherals to transfer and receive data with ease. The ThinkVision T27q-20's space-saving design conforms to ergonomics and ensures that your desk space remains organized for improved productivity.

Lenovo

FEATURES OF THINKVISION T27q-20



Uncompromised Visual Experience

Experience exceptional image quality on the QHD (2560x1440), In-Plane Switching display that offers a wide viewing angle. Run applications while checking on multiple spreadsheets—deploy two or more of these 3-sided NearEdgeless monitors side-by-side, for an uninterrupted view and effortless multitasking. Convenient and perfect for any workspace, this monitor helps enhance efficiency.



Efficient and Smart Working

Maximize your productivity with multiple ports by connecting to all essential peripherals effortlessly. The monitor has dedicated DisplayPort, four USB 3.1 Gen1 ports, and an HDMI port for seamless connectivity during meetings and presentations. Connect the monitor to an optional speaker via audio out port for a complete audio visual experience.



Ergonomic and Space-saving Solution

Place your monitor either on its sturdy stand or mount it up on the wall, using VESA mount for comfortable viewing. The extended tilt and lift range is ergonomic, allowing you to spend time in front of the monitor without fatigue. The cable management, smaller base, and integrated phone holder further add to your convenience and help you work efficiently, by keeping your desk space organized.

ThinkVision T27q-20

DISPLAY

Panel Size

27-inch

Screen Dimensions

596.74 mm x 335.66 mm

Panel Type

3-side NearEdgeless
In-Plane Switching

Backlight

WLED

Aspect Ratio

16:9

Resolution

2560 x 1440

Pixel Pitch

0.2331 x 0.2331 mm

Dot/Pixel Per Inch (DPI/PPI)

109

Viewing angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)
6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

350 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Color Gamut

99% sRGB

Color Support (typical)

16.7 Million

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x HDMI 1.4
1 x DP 1.2

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.1 Gen1
(by USB Type-B)

USB Downstream

4 x USB 3.1 Gen1 (1 BC)

POWER

Power Consumption (typ./max.)

23W / 65W

Power Consumption

Sleep/Off Mode
< 0.5W

Power Consumption

Switch-Off Mode
< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

17.4W / 54.4kWh

Power Supply

Internal

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 35°

Swivel Angle (left/right)

+45° / -45°

Lift (max range)

135 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width (side)

2 mm

Bezel Width (top/bottom)

2 / 23.87 mm

DIMENSION

Size Packed

(D x H x W, mm/inch)
694 x 163 x 480 mm
27.32 x 6.42 x 18.9 inches

Size Unpacked w/ Stand (lowest position)

(D x H x W, mm/inch)
614 x 429.4 x 208 mm
24.17 x 16.9 x 8.19 inches

Size Unpacked w/ Stand (highest position)

(D x H x W, mm/inch)
614 x 564.4 x 208 mm
24.17 x 22.22 x 8.19 inches

Size Unpacked w/o Stand (head only)

(D x H x W, mm/inch)
614 x 369.1 x 46.7 mm
24.17 x 14.53 x 1.84 inches

Min. Distance from Table to Panel (lowest pixel at bottom of screen, mm)

85.2 mm

Max. Distance from Table to Panel (highest pixel at bottom of screen, mm)

564.4 mm

Weight Packed (kg/lbs.)

9.59 kg / 21.14 lbs.

Weight Unpacked (kg/lbs.)

7.44 kg / 16.4 lbs.

Weight (Monitor Head Only) (kg/lbs.)

4.93 kg / 10.87 lbs.

Full Container Load (40' STD / 20' STD)

952 / 448 units

WHAT'S IN THE BOX

Monitor with stand
1 x Power Cable (1.8 m)
1 x DP cable (1.8 m)
1 x USB Type-B to Type-A cable (1.8 m)
Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Gold

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 1

TÜV Rheinland Eye Comfort

Yes



Lenovo

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2020 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

ThinkVision T27h-30 Monitor


**Brilliant visual clarity.
Incredibly powerful performance.**

More power for productivity.

The ThinkVision T27h-30 Monitor features an incredibly brilliant display that powers your productivity in every way. It boasts a 27-inch IPS monitor with QHD resolution that reveals vivid, life-like details powered by 99% sRGB color. Natural Low Blue Light technology is always on, cutting down harmful blue light to care for your eyes. A USB Type-C¹ port offers excellent connectivity, as do an HDMI 2.0 port, ethernet, DP 1.4 In and DP Out ports. Looking for a multi-screen experience that won't let you down? Then daisy-chain the ThinkVision T27h-30 Monitor. Its 3-side NearEdgeless display minimizes the gaps between screens to give you a near seamless multi-screen experience. The ThinkVision T27h-30 Monitor also includes expandable functions that support video conferencing. Top it all off with thoughtful ergonomic design that facilitates wider adjustments for your comfort. While the ThinkVision T27h-30 powers your performance and cares for your comfort, it cares for the environment too with eco-friendly paper pulp packaging that's easily recycled and designed to reduce your carbon footprint. The ThinkVision T27h-30 is great for you and the planet too!



KEY FEATURES OF THINKVISION T27h-30 MONITOR



Prepare for visual delight

The ThinkVision T27h-30 Monitor's 27-inch 2560 x 1440 resolution QHD monitor delivers a stunning and delightfully vibrant visual experience. Its In-Plane Switching panel display offers impeccable visual clarity over a wider range of viewing angles. Graphic designers and digital creators will love this monitor's incredible image and video clarity. Easy multi-screen capabilities and a 3-side NearEdgeless display minimizes borders for uninterrupted viewing across multiple screens so you can multitask more efficiently, swiftly, and easily. The ThinkVision T27h-30 Monitor is a delight for the eyes, with Natural Low Blue Light technology that cuts down harmful blue light to reduce visual fatigue and strain.



Power-up your productivity

Enjoy a seamless multi-monitor experience as the ThinkVision T27h-30 Monitor is all geared up for daisy chaining. Powerful connectivity options are brought to life through the monitor's one cable USB Type-C¹ docking solution with a Smart Power² function that offers up to 90W power delivery. Ethernet and USB hub ports ensure you are always plugged into the action. Access speedy and secure network connectivity with an ethernet port that supports MAPT, PXE, and WOL (S3-S5)³. Also manage and adjust display settings with Lenovo's ThinkColour software⁴. All-in-all the ThinkVision T27h-30 Monitor is built to maximize productivity swiftly and easily.



User-friendly and eco-friendly

The ThinkVision T27h-30 Monitor is packed to the hilt with features that enhance comfort. Step up to an elevated user experience and an ergonomically designed full-function stand that affords wider adjustability, increased lift range and height adjustment for incredible comfort. Easy control with a joystick and On Screen Display features, allows fluid access to settings for quick adjustments. Clever cable management makes sure your desk stays clean and clutter-free. The monitor has a dedicated USB Type-A port that supports modular VoIP solution⁵ to give you enhanced video conferencing capabilities and a flexible phone holder to help you stay connected. But that's not all, rest easy knowing that the ThinkVision T27h-30 Monitor comes with eco-friendly paper pulp cushion packaging.

¹ USB Type-C and USB-C are registered trademarks of USB Implementers Forum. | ² The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device. | ³ MAPT (Mac Address Pass Through), PXE (Preboot eXecution Environment), WOL (Wake on LAN) - these functions are for compatible PCs only. | ⁴ This software can only be used with Windows 10 & Windows 11. | ⁵ ThinkVision VoIP Stack MC60 Monitor Webcam and MS30 Monitor Soundbar (sold separately).

ThinkVision T27h-30 Monitor

DISPLAY

Panel Size

27-inch

Screen Dimensions

608.8 mm x 355.1 mm

Panel Type

3-side NearEdgeless In-Plane Switching

Active Area

596.7 mm x 335.7 mm

Backlight

WLED

Aspect Ratio

16:9

Resolution

2560 x 1440

Pixel Pitch

0.233 mm x 0.233 mm

Dot/Pixel Per Inch (DPI/PPI)

109

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (Extreme Mode),

6ms (Normal Mode)

Refresh Rate

60 Hz

Brightness (Typical)

350 cd/m²

Contrast Ratio (Typical)

1000:1

Dynamic Contrast Ratio (Typical)

3M:1

Color Gamut (Coverage Ratio)

99% sRGB (CIE 1931)

Color Support (Typical)

16.7 Million

Color Depth

8-bit (6+FRC)

Anti-Glare

Yes

CONNECTIVITY

Video Signal

1 x USB Type-C¹ (DP 1.4 Alt Mode)

1 x HDMI 2.0

1 x DP 1.4

1 x DP Out

Audio Signal

1 x Audio Out (3.5 mm)

USB Hub

Yes

Ethernet

Yes (10M/100M/1000M)

USB Upstream

1 x USB 3.2 Gen 1² (by USB Type-C¹)

USB Downstream

4 x USB 3.2 Gen 1² (1 x BC 1.2)

MULTIMEDIA

Modular Camera/Speaker Support

Yes (Optional Support³)

POWER

Power Consumption (Typ. / Max.)

26W / 148W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-Off Mode

< 0.3W

ENERGY STAR Power Consumption

(P_{on}/E_{TEC})

23W / 71kWh

Power Supply

Internal

USB Type-C¹ (DP Alt Mode)

Power Delivery⁵

Up to 90W (Typ. 65W)

Smart Power⁶

Yes

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (Front / Back)

-5° / 23.5°

Swivel Angle (Left / Right)

-45° / 45°

Lift Range

155 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width (Side)

2.0 mm

Bezel Width (Top / Bottom)

2.0 / 18.0 mm

DIMENSION

Size Packed

(D x H x W) (mm/inch)

525.0 x 148.0 x 690.0 mm

20.67 x 5.83 x 21.17 inches

Size Unpacked w/ Stand

(Lowest Position)

(D x H x W) (mm/inch)

204.5 x 390.4 x 613.6 mm

8.05 x 15.37 x 24.16 inches

Size Unpacked w/ Stand

(Highest Position)

(D x H x W) (mm/inch)

204.5 x 545.4 x 613.6 mm

8.05 x 21.47 x 24.16 inches

Size Unpacked w/o Stand (Head Only)

(D x H x W) (mm/inch)

50.0 x 363.5 x 613.6 mm

1.97 x 14.31 x 24.16 inches

Weight Packed (kg / lb)

10.1 kg / 22.3 lbs.

Weight Unpacked (kg / lb)

6.9 kg / 15.2 lbs.

Weight (Monitor Head Only) (kg / lb)

4.8 kg / 10.6 lbs.

WHAT'S IN THE BOX

Monitor with Stand

Yes

Power Cable (Cable Length)

1 x Power Cable (1.8m)

DP Cable (Cable Length)

1 x DP Cable (1.8m) for US, Canada, and Brazil only

USB-C¹ Cable (Cable Length)

1 x USB Type-C¹ Cable (1.8m)

USB Cable (Cable Length)

1 x USB Type-C¹ to Type-A Cable (1.8m) for US, Canada, and Brazil only

Quick Setup Guide

Yes

CERTIFICATION

ENERGY STAR Certification

Yes

CCC

Yes

TCO

9.0

TCO Edge

2.0

EPEAT

Gold

Volatile Organic Compound Certification

Yes

RoHS (2011/65/EU)

Yes

Windows Certification

Windows 10, Windows 11

China Energy Efficiency Standard

Grade 2

TÜV Rheinland Eye Comfort

Yes

TÜV Low Blue Light (Hardware Solution)

Yes

Eyesafe Display Certification

Yes



¹ USB Type-C and USB-C are registered trademarks of USB Implementers Forum. | ² Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | ³ Compatible with ThinkVision VoIP Stack MC60 Monitor Webcam and MS30 Monitor Soundbar. | ⁴ This software can only be used with Windows 10 & Windows 11. | ⁵ Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | ⁶ The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

ThinkVision T27p-30



Brilliantly business-like


A dominant display for the workplace

While processing power is important, the ability to see your work clearly and in detail is just as important. The right display can make or break your work, especially if you're keeping track of multiple things at once. Data and financial analysts, creative professionals, and developers all depend on having robust displays that display their efforts accurately every time. ThinkVision T27p-30 ticks all those boxes. Made to deliver near-perfect visual experiences, it is also a highly ergonomic device made with the user in mind. It goes above and beyond with a wide range of ports for highly practical connectivity. The incredibly thin bezel on its 3-side NearEdgeless design makes adding multiple monitors a breeze. Its incredible Ultra HD resolution (3840 x 2160), when paired with In-Plane Switching and wide viewing angle delivers impressive visual clarity. Its Natural Low Blue Light Technology paired with TÜV Rheinland Eye Comfort certified technology immensely reduces eye fatigue while displaying without color distortion. Multiple ports such as HDMI 2.0 and Display Port 1.4 make cross-device connectivity as plug-and-play as possible.

Smarter technology for all

Lenovo

Features of ThinkVision T27p-30 monitor



Distraction-free clarity

Most work today is highly visual, regardless of whether it's content creation or not. Data analysts, coders, financial traders, architects – everyone in these occupations – and more besides, need to see what they're doing. The display quality makes a huge difference as well, and in some cases, helps identify and correct errors that could have serious consequences. The ThinkVision T27p-30 offers crystal-clear clarity and 4K resolution (3840 x 2160). In-Plane Switching ensures consistent visual clarity. The narrow bezel design and multiple ports allow connecting multiple monitors for better versatility and more screen space.

Versatile connectivity

Having a versatile system that handles multiple tasks at once is a blessing. A monitor is a big part of that too, and the right one makes the most complex of tasks a breeze to handle. ThinkVision T27p-30 is armed with a host of ports designed for convenience. The USB-C Gen2 and Display Port allow users to string multiple monitors together. The HDMI 2.0 brings seamless high-definition connectivity to life, and the RJ45 port allows a direct network connection. The audio-out can be used to connect a speaker or headset.

Considerate design

Long hours in front of a monitor are almost guaranteed, no matter what you do. Employees on average spend at least 6 hours in front of a screen, sometimes more. So, user comfort, both in terms of ergonomics and reduced eye strain is vital. The monitor's Natural Low Blue Light technology and TÜV Rheinland Eye Comfort certified technology care for your eyes without affecting color accuracy. ThinkVision T27p-30 comes with a host of features that provide a comfortable user experience in every way. Its stand rises to 150mm to accommodate different heights and work modes, and a wider 35° tilt. ThinkVision T27p-30 is also incredibly good at using less space. Its smaller base means it can be pushed closer to the edge. The built-in phone rack is a convenient place to always keep your phone in sight – so you never miss a message or call.

ThinkVision T27p-30

DISPLAY

Panel Size
27-inch

Screen Dimensions
608.8 mm x 355.3 mm

Panel Type
3-side NearEdgeless In-Plane Switching

Active Area
596.7 mm x 335.7 mm

Curvature
Flat Panel

Backlight
WLED

Aspect Ratio
16:9

Resolution
3840 x 2160

Pixel Pitch
0.155 mm x 0.155 mm

Dot/Pixel Per Inch (DPI/PPI)
163 DPI

Viewing Angle (H x V @ CR 10:1)
178° / 178°

Response Time
6ms (normal mode)
4ms (extreme mode)

Refresh Rate
60 Hz

Brightness (Typical)
350 cd/m²

Contrast Ratio (Typical)
1300:1

Dynamic Contrast Ratio (Typical)
3M:1

Color Gamut (Coverage Ratio)
99% sRGB

Color Gamut (Color Area Ratio)
112% sRGB

Color Support (Typical)
1.07 Billion colors

Color Depth
10 Bit (8 Bit + A-FRC)

Anti-Glare
Yes

CONNECTIVITY

Video Signal
1 x USB Type-C (DP1.4 32.4 Gbps for 4 lanes Alt mode)
1 x HDMI 2.0
1 x DP 1.4

Audio Signal
1 x Audio Out (3.5 mm)

USB Hub
Yes

Ethernet
Yes (10M/100M/1000M)
1 X RJ45

USB Upstream
1 x USB3.2 Gen1 Type-C

USB Downstream
3 x USB3.2 Gen1 Type-A
1 x USB3.2 Gen1 Type-A (1 x BC1.2)

MULTI-MEDIA

Modular Camera/Speaker Support
Yes (Optional Support*)

POWER

Power Consumption (Typ. / Max)
35W / 165W

Power Consumption (Sleep / OffMode)
<0.5W

Power Consumption (Switch - Off Mode)
<0.3W

EnergyStar® Power Consumption (Pon / E^{TEC})
29W / 91kWh

Power Supply
Internal

USB Type-C (DP Alt Mode) Power Delivery
Up to 90W^①

Smart Power
Yes

Voltage Required
AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (Front / Back)
-5° / 23.5°

Swivel Angle (Left / Right)
-45° / 45°

Lift (Max. Range)
155 mm

Pivot
-90° / 90°

VESA Mount Capability
Yes (100 x 100 mm)

Kensington™ Lock Slot
Yes

Cable Management
Yes

Bezel Color
Raven Black

Bezel Width (Side)
2.0 mm

Bezel Width (Top/Bottom)
2.0 mm / 18.0 mm

DIMENSIONS

Size Packed (D x H x W) (mm/inch)
148.0 x 525.0 x 690.0 mm
5.83 x 20.67 x 27.17 inches

Size Unpacked w/stand (D x H x W) (mm/inch) (Highest Position)
204.5 x 545.4 x 613.6 mm
8.05 x 21.47 x 24.16 inches

Size Unpacked w/stand (D x H x W) (mm/inch) (Lowest Position)
204.5 x 390.4 x 613.6 mm
8.05 x 15.37 x 24.16 inches

Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)
50.0 x 363.5 x 613.6 mm
1.97 x 14.31 x 24.16 inches

Weight Packed (kg / lbs.)
10.4 kg / 22.9 lbs.

Weight Unpacked (kg / lbs.)
7.3 kg / 16.2 lbs.

Unpacked Weight (Monitor Head Only; kg / lbs.)
5.3 kg / 11.7 lbs.

WHAT'S IN THE BOX

Monitor with Stand
Yes

Power Cable (Cable Length)
1 x Power cable (1.8m)

DisplayPort Cable (Cable Length)
1 x DP cable (1.8m) for NA: North America, Brazil & PRC Workstation

HDMI
1 X HDMI cable for PRC Standalone only

USB Cable (Cable Length)
1 x USB Type-C to Type-A cable (1.8m) for NA: North America & Brazil
1 x USB Type-C cable (1m)

CERTIFICATION

Energy Star®
Energy Star® 8.0

CCC
Yes

TCO
TCO 9.0

TCO Edge
TCO Edge 2.0

EPEAT™
EPEAT™ Gold

RoHS (EU 2011/65/EU)
Yes

Windows Certification
Windows 10, Windows 11

China Energy Efficiency Standard
Tier 2

TÜV Rheinland Eye Comfort
Yes

TÜV Rheinland Low Blue Light (Hardware Solution)
Yes

TÜV Rheinland Flicker Free
Yes

Eyesafe® Display Certifications
Yes



① Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.

*Compatible with ThinkVision VoIP Stack MC60 Monitor Webcam and MS30 Monitor Soundbar.


© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A. Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

THINKVISION T32h

SEIZE THE DAY WITH A WIDER DISPLAY

Lenovo



AN OUTSTANDING VIEWING EXPERIENCE

Do more than just optimize your productivity with ThinkVision T32h-20. Get an enhanced view of and easily navigate through documents, spreadsheets, or designs on this sleek display that complements your modern workspace. Its 31.5-inch screen with QHD resolution delivers more screen real estate with higher clarity than FHD. The one-cable solution USB Type-C, HDMI, and DP ports provide multiple interface options. You can transfer data, charge devices, and extend your display from a single port on this USB-C Hub monitor, reducing cable clutter. Integrated with Smart Power the USB Type-C also doubles up as a charger for dynamic consumption and intelligent power management.

FEATURES OF THINKVISION T32h-20



More Ways to Multitask

Experience detailed view with 2560 x 1440 resolution on its 31.5-inch wide display. Working on text-heavy documents or large spreadsheets is a breeze, thanks to the monitor's 3-side NearEdgeless bezels that also enable you to use a multi-screen setup. Content and video creators can experience more pixels and vivid images with the 99% sRGB color gamut. This monitor also has an anti-glare screen, making it perfect for open offices.



Powered to Drive Productivity

This extended USB-C Hub Monitor offers a one-cable solution for power, data, video, and audio transfers. HDMI ports and dedicated DisplayPort enables seamless multi-tasking so you can connect the monitor to your laptop, smartphone, or any other smart device and work efficiently. The Smart Power function detects overall power consumption and dynamically manages the power delivery to each device. It offers up to 75W* of power delivery through the USB Type-C cable, reducing maximum power consumption.



Optimized Workspace

A smart choice for the modern workplace, the ThinkVision T32h-20 offers comfortable viewing for enhanced collaboration. Adjust the screen as per your convenience with a high lift range and tilt angle, along with swivel and pivot functionality. Organize your desk space and maximize productivity with flexible cable management, an integrated phone holder, a minimized square base, and VESA mount capability.

ThinkVision T32h-20 Monitor

DISPLAY

Panel Size

31.5-inch

Screen Dimensions

698.11 mm x 392.69 mm

Panel Type

3-side NearEdgeless
In-Plane Switching

Backlight

WLED

Aspect Ratio

16:9

Resolution

2560 x 1440

Pixel Pitch

0.2727 x 0.2727 mm

Dot/Pixel Per Inch (DPI/PPI)

94

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode)
6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

350 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Color Gamut

99% sRGB

Color Support (typical)

1.07 Billion

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x USB Type-C Gen1
(DP 1.2 Alt Mode)
1 x HDMI 1.4
1 x DP 1.2

Audio Signal

1 x Audio out (3.5 mm)

USB Hub

Yes

USB Upstream

1 x USB 3.1 Gen1
(by USB Type-C)

USB Downstream

4 x USB 3.1 Gen1 (1 BC)

POWER

Power Consumption (typ./max.)

28W / 138W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.3W

ENERGY STAR Power Consumption (P_{on}/E_{TEC})

21.6W / 69.2kWh

Power Supply

Internal

USB Type-C Power Delivery (W)

up to 75 W*

Smart Power

Yes

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 35°

Swivel Angle (left/right)

-45° / 45°

Lift (max range)

135 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width (side)

2.0 mm

Bezel Width (top/bottom)

2.0 / 24.12 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

528.0 x 190.0 x 845.0 mm /
20.79 x 7.48 x 32.27 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

235.0 x 469.4 x 714.6 mm /
9.25 x 18.48 x 28.13 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

235.0 x 604.4 x 714.6 mm /
9.25 x 23.79 x 28.13 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)

714.6 x 426.0 x 51.0 mm /
28.13 x 16.77 x 2.01 inches

Min. Distance from Table to Panel (lowest pixel at bottom of screen, mm)

69.2 mm

Max. Distance from Table to Panel (highest pixel at top of screen, mm)

461.8 mm

Weight Packed (kg/lbs.)

12.96 kg / 28.57 lbs.

Weight Unpacked (kg/lbs.)

9.85 kg / 21.72 lbs.

Weight (monitor head only) (kg/lbs.)

6.78 kg / 14.95 lbs.

Full Container Load (40' STD / 20' STD)

672 / 320 units

WHAT'S IN THE BOX

Monitor with stand
1 x Power cable (1.8 m)
1 x DP cable (1.8 m) (NA only)
1 x USB Type-C to Type-A cable (1.8 m) (NA only)
1 x USB Type-C to Type-C cable (1.8 m)
Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC

Yes

TCO

8.0

TCO Edge

2.0

EPEAT

Gold

RoHS (EU 2002/95/EC)

Yes

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

Tier 1

TÜV Rheinland Eye Comfort

Yes



*Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2020 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Lenovo


Smarter technology for all

ThinkVision T32p-30 Monitor


A clear expansive view made for excellence.

The finer details for your finest work!

The ThinkVision T32p-30 Monitor magnifies the finer details with incredible clarity to catapult productivity in the modern workplace. Enjoy a wider vista with this vast 31.5-inch, 4K resolution display for exceptional picture clarity that refines every single detail. Its In-Plane Switching ensures screen consistency so your view is clear no matter which angle you view it from, while its 3-side borderless display gives you a clear, distraction-free viewing experience. The screen delivers supremely sharp image quality backed by a 99% sRGB color gamut, a very high contrast ratio of 1000:1, and 350 nits of brightness promising incredibly rich and vibrant colors that look truly natural. The ThinkVision T32p-30 is easily the best monitor for data-intensive work which makes navigating and viewing large spreadsheets, image-loaded dashboards, and content editing a breeze. Great for multitasking, this wide monitor lets you get more done at a glance, allowing you the flexibility to switch between multiple documents and view more, effortlessly. If you need to make room for more information, it also allows for multi-screen installations. While the dazzling image quality will keep your eyes drawn to the screen, the monitor's Natural Low Blue Light technology reduces harmful blue light without compromising colors, to protect your eyes. Connect to multiple interfaces, share and receive content faster with USB Type-C¹, HDMI, DP, RJ45, and audio out ports that provide multiple interface options. Speed works up like never before with the USB-C¹ PD port that supports 90W superfast charging and comes with a Smart Power function for intelligent power distribution to connected devices. It also reduces power consumption while maximizing performance. Easily tilt, swivel, lift, pivot, and VESA mount the monitor to optimize its setup for the most comfortable working posture. Thoughtfully designed, this monitor adheres to strict TCO 9.0 regulations that weigh less on the environment. The ThinkVision T32p-30 Monitor is large enough for you to view more and do more with every glance.



Features of ThinkVision T32p-30 Monitor



Sleek, superlative display.

The ThinkVision T32p-30 Monitor sports an expansive 31.5-inch ultra-wide In-Plane Switching display with 3840 x 2160 UHD resolution that not only expands your point of view but allows you to micro-focus on finer details to enhance work efficiency. Add a modern aesthetic to any working environment with its borderless design and experience a seamless viewing landscape across different screens in a multi-monitor setup. The ThinkVision T32p-30 Monitor is easy on the eyes in more ways than one, as it cares for your vision by reducing harmful blue light with Natural Low Blue Light technology. It produces distortion-free colors so you can enjoy hours of productivity without feeling the eye strain.

Multiply connectivity, maximize productivity.

The ThinkVision T32p-30 Monitor's one-cable solution USB Type-C¹ allows for incredibly fast data transfer speeds so you can accelerate productivity. The USB Type-C¹ cable can also serve as fast charger with 90W support and dynamically manages the power consumption of connected devices with a special Smart Power function. Add to that, HDMI 2.0 and dedicated DP 1.4 ports that turns your monitor into a supercharged hub of connectivity and productivity. Do more with an RJ45 port that turns this monitor into a surfing superstar. With a dedicated USB Type-A port at top, it is compatible with Modular VoIP Solution² that can bring alive more possibilities for video conferencing and multimedia experiences.

Easy on the environment and you.

The ThinkVision T32p-30 Monitor is thoughtfully designed to make your comfort a priority. Adopt the perfect working posture for your body with its highly adjustable ergonomic stand that supports easy pivots, tilts, swivels, and lifts to meet your needs. The lowest position of the monitor is designed to conform to an optimal seating and viewing posture. A 100 x 100 mm VESA mount allows the monitor to be used with compatible third-party mounts and stands. The ThinkVision T32p-30 Monitor is TCO 9.0 certified and comes boxed in green pulp packaging that protects the display and the environment too.

¹ USB Type-C[®] and USB-C[®] are registered trademarks of USB Implementers Forum. | ² ThinkVision VoIP Stack MC60 Monitor Webcam and MS30 Monitor Soundbar sold separately.

ThinkVision T32p-30 Monitor

Display

Panel Size
31.5-inch

Screen Dimensions
709.4 mm x 412.0 mm

Panel Type
3-side Borderless In-Plane Switching

Active Area
697.3 mm x 392.2 mm

Backlight
WLED

Aspect Ratio
16:9

Resolution
3840 x 2160

Pixel Pitch
0.182 mm x 0.182 mm

Dot/Pixel Per Inch (DPI/PPI)
140

Viewing Angle (H x V @ CR 10:1)
Yes / 178°

Refresh Rate
60 Hz

Brightness (Typical)
350 cd/m²

Brightness (Peak)
350 cd/m²

Contrast Ratio (Typical)
1000:1

Color Gamut (Coverage Ratio)
99.0% sRGB, 95.0% DCI-P3 (CIE 1976)

Color Support (Typical)
1.07 Billion

Color Depth
10-bit (8+FRC)

HDR Compliance
Yes (HDR10)

Anti-Glare
Yes

Connectivity

Video Signal
1 x USB Type-C¹ (DP 1.4 Alt Mode)
1 x HDMI 2.0
1 x DP 1.4
1 x RJ45

Audio Signal
1 x Audio Out (3.5 mm)

USB Hub
Yes

Ethernet
Yes (10M/100M/1000M)

USB Upstream
2 x USB 3.2 Gen 1² (1 by USB Type-C¹,
1 by USB Type-B)

USB Downstream
4 x USB 3.2 Gen 1² Type-A (1 x BC1.2)

Multimedia

Modular Camera/Speaker Support
Yes (Optional Support³)

Special Features

KVM Switch
Yes

Software
Lenovo Display Control Center⁴

Natural Low Blue Light
Yes

Power

Voltage Required
AC 100 to 240 V (50-60 Hz)

Mechanical

Tilt Angle (Front / Back)
-5° / 23.5°

Swivel Angle (Left / Right)
-45° / 45°

Lift (Max. Range)
155 mm

Pivot
-90° / 90°

VESA Mount Capability
Yes (100 x 100 mm)

Kensington Lock Slot
Yes

Cable Management
Yes

Bezel Color
Raven Black

Bezel Width (Side)
2.0 mm

Bezel Width (Top / Bottom)
2.0 / 18.6 mm

Dimension

Size Unpacked w/ Stand (Lowest Position)
(D x H x W) (mm/inch)
234.6 x 444.5 x 714.2 mm
9.24 x 17.50 x 28.12 inches

Size Unpacked w/ Stand (Highest Position)
(D x H x W) (mm/inch)
234.6 x 599.5 x 714.2 mm
9.24 x 23.60 x 28.12 inches

Size Unpacked w/o Stand (Head Only)
(D x H x W) (mm/inch)
59.5 x 420.9 x 714.0 mm
2.34 x 16.57 x 28.11 inches

What's in the Box

Monitor with Stand
Yes

Power Cable (Cable Length)
1 x Power Cable (1.8 m)

USB Cable (Cable Length)
1 x USB Type-C¹ to Type-C¹ Cable (1.8 m)

Quick Setup Guide
Yes

Warranty Booklet
Yes

Certification

ENERGY STAR Certification
Yes

CCC
Yes

TCO
9.0

TCO Edge
2.0

EPEAT
Gold

RoHS (2011/65/EU)
Yes

Windows Certification
Windows 10, Windows 11



* A few specs may vary depending upon the actual production.

¹ USB Type-C[®] and USB-C[®] are registered trademarks of USB Implementers Forum. | ² Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | ³ Compatible with ThinkVision VoIP Stack MC60 Monitor Webcam and MS30 Monitor Soundbar. | ⁴ This software can only be used with Windows 10 & Windows 11.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Smarter
technology
for all

Lenovo

ThinkVision T34w-30 Monitor

Smarter technology for all

A wide curve for multitasking mastery.

A wider view for enhanced productivity.

Get ready to take your efficiency to the next level with the ThinkVision T34w-30 Monitor's 3-side NearEdgeless, immersive 34-inch WQHD curved display that draws you in, while its 3440 x 1440 resolution lets you take in all the finer details. A 21:9 aspect ratio delivers a panoramic experience, while a 1500R curvature delivers a consistent focal length across the screen. The large screen real-estate and curvature make sharing finer details with your teams easy and improves your focus and productivity as well. The monitor is a treat for the eyes with rich, vivid colors brought to life by a 99% sRGB color gamut. It cares for your vision too with Natural Low Blue Light technology that reduces harmful blue light emissions without color distortions. The ThinkVision T34w-30 Monitor is designed for efficiency with a host of connectivity options including a USB Type-C¹ (up to 75W PD²), HDMI and DP ports, modular VoIP support for a video conferencing or audio with AI-enhanced MC60 and MS30 ports, and efficient network management with MAPT, PXE, and WOL (S3-S5). The ThinkColour software solution that can be easily deployed by Endpoint³ allows users quick control of display attributes, to help maximize productivity. The monitor's enhanced lift range gives it more flexibility to meet the working posture you find most comfortable. The lowest position gets lower to give you even more viewing comfort. It accommodates an open-slot phone holder that also supports tablets of different sizes to put all your screens within view, while cleaner cable management adds to a clutter-free desk. If you're looking for a cleaner desk, you can VESA mount this monitor too. The monitor's one-button joystick for quick access to display controls puts accessibility at your fingertips. You'll be pleased to know that the ThinkVision T34w-30 Monitor meets the ecological and health standards of TCO 9.0 regulations and comes packed in recyclable paper cushioning that's safe for the environment too.




Features of ThinkVision T34w-30 Monitor



Sharp, immersive display

The ThinkVision T34w-30 Monitor's 3-side NearEdgeless bezel design with an immersive 34-inch WQHD curved display envelopes your attention and focus with a larger-than-life clarity for efficient multitasking. Its captivating 3440 x 1440 resolution enriches picture quality and lets you in on all the finer details, backed by a 99% sRGB color gamut that displays brilliant, true-to-life colors. A 21:9 aspect ratio gives you rich panoramic views, while a 1500R curvature displays a consistent focal length across the screen. Natural Low Blue Light technology curbs harmful blue light emissions without color distortions and reduces visual fatigue and strain making your viewing experience as delightful and comfortable as it can be.



Productivity par excellence

Make your workstation a hub of productivity with a range of connectivity options that make the ThinkVision T34w-30 Monitor quick and efficient. Connect and power-up swiftly and efficiently with the one-cable USB-C¹ up-to 75W PD² port that enables dynamic power distribution with connected devices. Network connectivity becomes faster, more stable and safer too with ethernet support that includes MAPT, PXE, and WOL (S3-S5). Dedicated HDMI and DP ports let you connect efficiently. The ThinkColour software solution that can be easily deployed by Endpoint³ ensures you get quick control of display attributes, accurate and easy color settings, simple management between multiple files, documents and media, and smarter technology to maximize productivity. A dedicated and cableless USB Type-A port at the top facilitates a modular VoIP solution - ThinkVision VoIP Stack⁴ (MC60 Monitor Webcam, MS30 Monitor Soundbar) enables incredible video conferencing experiences.



Ergonomically and environmentally advanced

Enhanced ergonomics make working on the ThinkVision T34w-30 Monitor delightfully comforting. It also comes with enhanced ergonomic features, including up to 155 mm height adjustability, -5°/23.5° tilt range, and -45°/45° swivel angle, so you can work the way you feel comfortable, without compromise. An open phone slot, tablet holder, and cleaner cable management provisions give you a clutter-free desk. A simple one-button joystick puts control at your fingertips with easy access to display settings. The ThinkVision T34w-30 is also serious about sustainability as it is designed to meet the TCO 9.0 ecological and health standards. What's more, it is delivered in recyclable green paper packaging making it as environmentally friendly as it is user-friendly.

¹ USB Type-C* and USB-C* are registered trademarks of USB Implementers Forum. | ² Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. | ³ Endpoint: Microsoft Endpoint Configuration Manager. | ⁴ Sold separately.

ThinkVision T34w-30 Monitor

Display

Panel Size
34-inch

Screen Dimensions
803.2 mm x 357.9 mm

Panel Type
3-side NearEdgeless, VA

Active Area
792.2 mm x 333.7 mm

Curvature
1500R

Backlight
WLED

Aspect Ratio
21:9

Resolution
3440 x 1440

Pixel Pitch
0.232 mm x 0.232 mm

Dot/Pixel Per Inch (DPI/PPI)
110

Viewing Angle (H x V @ CR 10:1)
178° / 178°

Refresh Rate
60 Hz

Brightness (Typical)
350 cd/m²

Contrast Ratio (Typical)
1000:1

Dynamic Contrast Ratio (Typical)
3M:1

Color Gamut (Coverage Ratio)
99.0% sRGB

Color Support (Typical)
16.7 Million

Color Depth
8-bit

Anti-Glare
Yes

Connectivity

Video Signal
1 x USB Type-C¹ (DP 1.4 Alt Mode)
1 x HDMI 2.0
1 x DP 1.4

Audio Signal
1 x Audio Out (3.5 mm)

USB Hub
Yes

Ethernet
Yes (10M/100M/1000M)

USB Upstream
1 x USB 3.2 Gen 1² Type-C¹

USB Downstream
4 x USB 3.2 Gen 1² Type-A (1 x BC1.2)

Multimedia

Modular Camera/Speaker Support
Yes (Optional Support³)

Special Features

Software
Lenovo ThinkColour
(Lenovo Display Control Center)⁴

Natural Low Blue Light
Yes

Power

Voltage Required
AC 100 to 240 V (50-60 Hz)

Mechanical

Tilt Angle (Front / Back)
-5° / 23.5°

Swivel Angle (Left / Right)
-45° / 45°

Lift (Max. Range)
155 mm

VESA Mount Capability
Yes (100 x 100 mm)

ThinkCentre M Series Tiny Support
Yes

ThinkCentre M Series Nano Support
Yes

Kensington Lock Slot
Yes

Cable Management
Yes

Bezel Color
Raven Black

Bezel Width (Side)
2.1 mm

Bezel Width (Top / Bottom)
2.1 / 22.8 mm

Dimension

Size Unpacked w/ Stand (Lowest Position)
(D x H x W) (mm/inch)
231.6 x 414.3 x 808.4 mm
9.12 x 16.31 x 31.83 inches

Size Unpacked w/ Stand (Highest Position)
(D x H x W) (mm/inch)
231.6 x 569.3 x 808.4 mm
9.12 x 22.41 x 31.83 inches

Size Unpacked w/o Stand (Head Only)
(D x H x W) (mm/inch)
110.1 x 367.5 x 808.4 mm
4.33 x 14.47 x 31.83 inches

What's in the Box

Monitor with Stand
Yes

Power Cable (Cable Length)
1 x Power Cable (1.8 m)

DP Cable (Cable Length)
1 x DP Cable (1.8 m) for PRC WS

USB Cable (Cable Length)
1 x USB Type-C¹ to Type-C¹ Cable (1.8 m)

Quick Setup Guide
Yes

Warranty Booklet
Yes

Certification

ENERGY STAR Certification
Yes

CCC
Yes

TCO
9.0

TCO Edge
2.0

EPEAT
Gold

RoHS (2011/65/EU)
Yes

Windows Certification
Windows 10, Windows 11

TÜV Low Blue Light (Hardware Solution)
Yes

Eyesafe Display Certification
Yes



* A few specs may vary depending upon the actual production.

¹ USB Type-C* and USB-C* are registered trademarks of USB Implementers Forum. | ² Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2. | ³ Compatible with ThinkVision VoIP Stack MC60 Monitor Webcam and MS30 Monitor Soundbar. | ⁴ This software can only be used with Windows 10 & Windows 11.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A., Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.


Specifications may vary depending upon region.

Smarter
technology
for all

Lenovo

ThinkVision T34w-20

Lenovo



SEE IT ALL ON THE PANORAMIC SCREEN

Make multitasking a breeze on the ThinkVision T34w-20 that is designed keeping workforce productivity in mind. This 34-inch, WQHD resolution, USB-C Hub Monitor allows you to conveniently carry out everyday tasks like number crunching and working on spreadsheets, with ease. Browse or work on multiple applications at once without missing a detail, thanks to its 21:9 industry-leading 1500R curved panel. The T34w-20's USB Type-C one-cable solution, a space-saving and cable management feature, optimizes your desk space and minimizes clutter, enabling efficient working. Its Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each connected device. Additionally, this TÜV Rheinland Eye Comfort certified monitor reduces eye fatigue so you can achieve maximum productivity, every day.




Captivating Display



Uninterrupted Connectivity




Advocating Productivity




Stunning Details That Enhance Productivity


With a screen size of 34 inches and 21:9 aspect ratio, the ThinkVision T34w-20 offers excellent viewing experience through its curved, panoramic screen. You get more screen real estate and impeccable visuals that ensure you capture even the tiniest detail that is important to you. The WQHD 3440 x 1440 resolution and 1500R curved screen let users concentrate better on the task at hand. Seamless multi-screen experience is made possible, thanks to its 3-side NearEdgeless screen.



Display
34-inch



Resolution
WQHD 3440 x 1440



Screen
1500R Curvature



Smarter Connectivity, Improved Efficiency

Today's workforce demands a monitor that has an optimum screen size, high resolution, and a bright display. The ThinkVision T34w-20 delivers all this and more while ensuring that your work has your complete attention at all times. Its convenient and clutter-free USB Type-C one-cable solution allows you to transfer video and data, while simultaneously charging your devices. This extended USB-C Hub Monitor ensures seamless connectivity with your laptop, smartphone, or other smart devices through HDMI, DP, USB hub, and audio output port. The Smart Power technology on the T34w-20 effectively manages power delivery and reduces maximum power consumption, through USB Type-C.



One-cable Solution
Full-function USB Type-C



Power Delivery
Smart Power Function
up to 75W* Power Delivery
via USB Type-C



Ports
1 x USB Type-C Gen1 (DP1.2 Alt Mode)
1 x HDMI 2.0
1 x DP 1.2
1 x Audio Out (3.5 mm)
4 x USB 3.1 Gen1 (1 BC)



Ergonomically Designed to Keep Your Workplace Organized

Designed keeping user comfort in mind, and with space-saving solutions, the ThinkVision T34w-20 has a higher lift range and broader tilt angles than most monitors. This minimizes wobble and allows you to adjust its height to fit your needs. You can also deploy the ThinkVision T34w-20 on a wall using its VESA mount capability. Convenient and ergonomic, the monitor comes with an integrated phone holder and flexible cable management for an organized and clutter-free desk space.

TÜV Rheinland Eye Comfort certification ensures minimal eye strain while delivering a comfortable viewing experience.



Space-saving Design
Integrated Phone Holder
Flexible Cable Management











Ergonomic Stand
Higher Lift Range
Wider Tilt Angles



Eye Care Technology
TÜV Rheinland Eye Comfort Certification

ThinkVision T34w-20

Specifications

<p>DISPLAY</p> <p>Panel Size 34-inch</p> <p>Screen Dimensions 797.20 mm x 333.70 mm</p> <p>Panel Type 3-side NearEdgeless VA</p> <p>Curvature 1500R</p> <p>Backlight WLED</p> <p>Aspect Ratio 21:9</p> <p>Resolution 3440 x 1440</p> <p>Pixel Pitch 0.2317 x 0.2317 mm</p> <p>Dot/Pixel Per Inch (DPI/PPI) 109</p> <p>Viewing Angle (H x V @ CR 10:1) 178° / 178°</p> <p>Response Time 4ms (extreme mode) 6ms (normal mode)</p> <p>Refresh Rate 60 Hz</p> <p>Brightness (typical) 350 cd/m²</p> <p>Contrast Ratio (typical) 3000:1</p> <p>Dynamic Contrast Ratio (typical) 3M:1</p> <p>Colour Gamut 99% sRGB</p> <p>Color Support (typical) 16.7 Million</p> <p>Anti-glare Yes</p> <p>CONNECTIVITY</p> <p>Video Signal 1 x USB Type-C Gen1 (DP1.2 Alt Mode) 1 x HDMI 2.0 1 x DP 1.2</p> <p>Audio Signal 1 x Audio Out (3.5 mm)</p> <p>USB Upstream 1 x USB 3.1 Gen1 (by USB Type-C)</p> <p>USB Downstream 4 x USB 3.1 Gen1 (1 BC)</p>	<p>POWER</p> <p>Power Consumption (typ./max.) 46W / 140W</p> <p>Power Consumption Sleep/Off Mode < 0.5W</p> <p>Power Consumption Switch-off Mode < 0.5W</p> <p>ENERGY STAR Power Consumption (P_{off}/E_{rec}) 34W / 107kWh</p> <p>USB Type-C Power Delivery (W) Up to 75W*</p> <p>Smart Power Yes</p> <p>Voltage Required AC 100 to 240 V (50-60 Hz)</p> <p>MECHANICAL</p> <p>Tilt Angle (front/back) -5° / 35°</p> <p>Swivel Angle (left/right) +45° / -45°</p> <p>Lift (max range) 135 mm</p> <p>VESA Mount Capability Yes (100 x 100 mm)</p> <p>Kensington Lock Slot Yes</p> <p>Cable Management Yes</p> <p>Bezel Color Raven Black</p> <p>Bezel Width (side) 2.2 mm</p> <p>Bezel Width (top/bottom) 2.2 / 27.8 mm</p> <p>DIMENSION</p> <p>Size Packed (D x H x W, mm/inch) 523.0 x 9.84 x 38.58 mm / 20.59 x 9.84 x 38.58 inches</p> <p>Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position) 245.0 x 462.4 x 808.6 mm / 9.65 x 18.21 x 31.84 inches</p> <p>Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position) 245.0 x 597.4 x 808.6 mm / 9.65 x 23.52 x 31.84 inches</p>	<p>Size Unpacked w/o Stand (head only) (D x H x W, mm/inch) 106.1 x 372.6 x 808.6 mm / 4.18 x 14.67 x 31.84 inches</p> <p>Min. Distance from Table to Panel (lowest pixel at bottom of screen, mm) 119.1 mm</p> <p>Max. Distance from Table to Panel (highest pixel at top of screen, mm) 587.9 mm</p> <p>Weight Packed (kg/lbs.) 13.85 kg / 30.53 lbs.</p> <p>Weight Unpacked (kg/lbs.) 9.91 kg / 21.85 lbs.</p> <p>Weight (monitor head only) (kg/lbs.) 6.91 kg / 15.23 lbs.</p> <p>Full Container Load (40' STD / 20' STD) 432 / 216 units</p> <p>WHAT'S IN THE BOX</p> <p>Monitor with stand 1 x Power cable (1.8 m) 1 x DP cable (1.8 m) (NA only) 1 x USB Type-C to Type-A cable (1.8 m) (NA only) 1 x USB Type-C to Type-C cable (1.8 m) Quick setup guide</p> <p>CERTIFICATION</p> <p>ENERGY STAR Rating 8.0</p> <p>CCC Yes</p> <p>TCO 8.0</p> <p>TCO Edge 2.0</p> <p>EPEAT Silver</p> <p>RoHS (EU 2002/95/EC) Yes</p> <p>Windows Certification Windows 7, Windows 10</p> <p>China Energy Efficiency Standard Tier 2</p> <p>TÜV Rheinland Eye Comfort Yes</p> <p>       </p>
--	--	--

*Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environment, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications. - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPXA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.